

## AD 2 AERODROMES

## RJCR AD 2.1 AERODROME LOCATION INDICATOR AND NAME

## RJCR - REBUN

## RJCR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	452718N/1410221E
2	Direction and distance from (city)	
3	Elevation/ Reference temperature	85FT / 23° C
4	Geoid undulation at AD ELEV PSN	90FT
5	MAG VAR/ Annual change	11° W(2024) / 3' W
6	AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses	Hokkaido Public AP. Nishi-6, Kita-3jyo, Chuo-ku, Sapporo-city, Hokkaido TEL:011-231-4111(23-891) FAX:011-232-0152 E-mail : kuukou.kuukatsu@pref.hokkaido.lg.jp
7	Types of traffic permitted(IFR/ VFR)	VFR
8	Remarks	Nil

## RJCR AD 2.3 OPERATIONAL HOURS

1	AD Administration	0100 - 0600
2	Customs and immigration	On request Customs: 0162-33-1075 Immigration: 0162-23-3269
3	Health and sanitation	Quarantine(human): On request(0162-23-4403) Quarantine(animal, plant): Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office(ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	Nil
8	Fuelling	Nil
9	Handling	Nil
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

**RJCR AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo-handling facilities	Nil
2	Fuel/ oil types	Nil
3	Fuelling facilities/ capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

**RJCR AD 2.5 PASSENGER FACILITIES**

1	Hotels	Nil
2	Restaurants	Nil
3	Transportation	Nil
4	Medical facilities	Nil
5	Bank and Post Office	Nil
6	Tourist Office	Nil
7	Remarks	Nil

**RJCR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	CAT 1
2	Rescue equipment	Chemical fire truck
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

**RJCR AD 2.7 SEASONAL AVAILABILITY-CLEARING**

1	Types of clearing equipment	Nil
2	Clearance priorities	Nil
3	Remarks	Nil

**RJCR AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1	Apron surface and strength	Surface : Asphalt Sterngth : AUW5700kg/0.28MPa
2	Taxiway width, surface and strength	Surface : Asphalt Width : 9m Sterngth : AUW5700kg/0.28MPa
3	ACL and elevation	Not available
4	VOR checkpoints	Not available
5	INS checkpoints	Spot NR 1: 452709.62N 1410230.15E 2: 452709.27N 1410230.70E
6	Remarks	Nil

**RJCR AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	RWY:RWY 14/32 (Marking) RWY designation, RWY CL, RWY THR, RWY middle point, RWY side stripe TWY: (Marking) TWY CL, TWY side strip
3	Stop bars	Nil
4	Remarks	(Marking) Overrun area (LGT) Apron flood LGT

**RJCR AD 2.10 AERODROME OBSTACLES**

RWY/Area affected	Obstacle type	Coordinates	Elevation	Markings/ LGT	Remarks
Nil					

## RJCR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Nil
2	Hours of service MET Office outside hours	Nil
3	Office responsible for TAF preparation Periods of validity	Nil
4	Trend forecast Interval of issuance	Nil
5	Briefing/ consultation provided	Nil
6	Flight documentation Language(s) used	Nil
7	Charts and other information available for briefing or consultation	Nil
8	Supplementary equipment available for providing information	Nil
9	ATS units provided with information	Nil
10	Additional information(limitation of service, etc.)	Nil

## RJCR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY(M)	Strength(PCN) and surface of RWY	THR coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
14	132.33°	800x25	AUW 5700kg/0.28MPa	452726.70N 1410208.24E	THR ELEV : 98FT
32	312.33°	800x25	Asphalt-concrete	452709.25N 1410235.46E	THR ELEV : 79FT
Slope of RWY		Strip Dimensions(M)	Remarks		
7		10	12		
See AD2.24 AD chart		920x60 920x60	RWY Grooving:800mx25m		

## RJCR AD 2.13 DECLARED DISTANCES


RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
14	800	800	800	800	Nil
32	800	800	800	800	Nil

## RJCR AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	RTHL Color WBAR	PAPI (VASIS) Angle DIST FM THR MEHT	RTZL LEN	RCLL LEN Spacing Color INTST	REDL LEN Spacing Color INTST	RENL Color WBAR	STWL LEN Color
1	2	3	4	5	6	7	8	9
14	Nil	Nil	PAPI 3.0°/Left 128.9m 18FT	Nil	Nil	Nil	Nil	Nil
32	Nil	Nil	PAPI 3.0°/Left 119m 18FT	Nil	Nil	Nil	Nil	Nil
Remarks								
10								
RWY THR ID LGT for RWY 14/32 THR(Color:white)								

滑走路32側末端側進入角指示灯の使用範囲は下図のとおり。

The unusable area of PAPI for runway 32 is shown in the charts below.



**RJCR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and hours of operation	Nil
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centerline lighting	Nil
4	Secondary power supply / switch-over time	Nil
5	Remarks	Nil

**RJCR AD 2.16 HELICOPTER LANDING AREA**

Nil
-----

**RJCR AD 2.17 ATS AIRSPACE**

Designation and lateral limits	Vertical limits (ft)	Airspace classification	ATS unit call sign Language	Remarks
1	2	3	4	6
Nil				

**RJCR AD 2.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
Nil				

**RJCR AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
Nil						

---

**RJCR AD 2.20 LOCAL TRAFFIC REGULATIONS**

## 1. Airport regulations

Nil
-----

## 2. Taxiing to and from stands

Nil
-----

## 3. Parking area for small aircraft(General aviation)

Nil
-----

## 4. Parking area for helicopters

Nil
-----

## 5. Apron - taxiing during winter conditions

Nil
-----

## 6. Taxiing - limitations

Nil
-----

## 7. School and training flights - technical test flights - use of runways

Nil
-----

## 8. Helicopter traffic - limitation

Nil
-----

## 9. Removal of disabled aircraft from runways

Nil
-----



---

**RJCR AD 2.21 NOISE ABATEMENT PROCEDURES**

Nil

**RJCR AD 2.22 FLIGHT PROCEDURES**

Nil

**RJCR AD 2.23 ADDITIONAL INFORMATION**

Nil

**RJCR AD 2.24 CHARTS RELATED TO AN AERODROME**

■ Aerodrome/Heliport Chart

**INTENTIONALLY LEFT BLANK**


RJCR / REBUN

AD CHART

CHANGE : VAR.

VAR 1° 1' W (2024)  
ANNUAL CHANGE 3' W

REBUN AIRPORT



LONGITUDINAL PROFILE OF RUNWAY

