

## AD 2 AERODROMES

## RORE AD 2.1 AERODROME LOCATION INDICATOR AND NAME

## RORE - IEJIMA

## RORE AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	264321N/1274713E 38° / 0.75km from RWY04 THR
2	Direction and distance from (city)	
3	Elevation/ Reference temperature	238FT / 32 °C (2004-2008)
4	Geoid undulation at AD ELEV PSN	109FT
5	MAG VAR/ Annual change	6°W(2024)/ 6°W
6	AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses	OKINAWA PREF PUBLIC AP 38, Higashiema, Ie-son, Kunigami-gun, Okinawa Pref. TEL:098-049-2501,098-049-2001 FAX:098-049-2003
7	Types of traffic permitted(IFR/ VFR)	VFR
8	Remarks	Nil

## RORE AD 2.3 OPERATIONAL HOURS

1	AD Administration	Sat :0315 - 0745    Sun : 0015 - 0745    MON - FRI : Not Operating
2	Customs and immigration	On request Customs: 098-862-8529 Immigration: 098-957-5252
3	Health and sanitation	Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office(ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	Nil
8	Fuelling	Nil
9	Handling	Nil
10	Security	Ask AD Administration
11	De-icing	Nil
12	Remarks	Nil

**RORE AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo-handling facilities	Nil
2	Fuel/ oil types	Nil
3	Fuelling facilities/ capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

**RORE AD 2.5 PASSENGER FACILITIES**

1	Hotels	Nil
2	Restaurants	Nil
3	Transportation	Nil
4	Medical facilities	Clinic 4.5km FM Airport
5	Bank and Post Office	Nil
6	Tourist Office	Nil
7	Remarks	Nil

**RORE AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	CAT 2
2	Rescue equipment	Nil
3	Capability for removal of disabled aircraft	Incapable
4	Remarks	Nil

**RORE AD 2.7 SEASONAL AVAILABILITY-CLEARING**

1	Types of clearing equipment	Snow removal equipment : None
2	Clearance priorities	Nil
3	Remarks	Nil

**RORE AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1	Apron surface and strength	Apron Surface:Asphalt-concrete Strength: PCR 153/F/D/Y/T
2	Taxiway width, surface and strength	Width:18m Surface:Asphalt-concrete Strength: PCR 153/F/D/Y/T
3	ACL and elevation	Not Available
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

**RORE AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	RWY:(RWY04/22) (Marking) RWY designation, RWY CL, RWY THR, RWY middle point, Aiming point, TDZ, RWY side stripe (LGT) Nil TWY: (Marking) TWY CL, TWY side stripe (LGT) Nil
3	Stop bars	Nil
4	Remarks	Nil

**RORE AD 2.10 AERODROME OBSTACLES**

In Area2 Nil

In Area3 To be developed

## RORE AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Nil
2	Hours of service MET Office outside hours	Nil
3	Office responsible for TAF preparation Periods of validity	Nil
4	Trend forecast Interval of issuance	Nil
5	Briefing/ consultation provided	Nil
6	Flight documentation Language(s) used	Nil
7	Charts and other information available for briefing or consultation	Nil
8	Supplementary equipment available for providing information	Nil
9	ATS units provided with information	Nil
10	Additional information(limitation of service, etc.)	Nil

## RORE AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY(M)	Strength(PCR) and surface of RWY	THR coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
04	038.87°	1500×45	PCR 184/F/D/Y/T Asphalt Concrete	264302.20N 1274655.40E 109FT 264340.00N 1274729.50E 109FT	THR ELEV:213FT    THR ELEV:246FT
22	218.87°	1500×45			
Slope of RWY		Strip Dimensions(M)	RESA (Overrun) Dimensions(M)		Remarks
7	10		11		14
SEE AD 2.24		1620×150	51 × (MNM:168 MAX:172)*		
		1620×150	51 × 163		
*For detail, ask airport administrator					

**RORE AD 2.13 DECLARED DISTANCES**

	TORA	TODA	ASDA	LDA	
RWY Designator	(m)	(m)	(m)	(m)	Remarks
1	2	3	4	5	6
04	1500	1500	1500	1500	Nil
22	1500	1500	1500	1500	Nil

**RORE AD 2.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT type LEN INTST	RTHL Color WBAR	PAPI (VASIS) Angle DIST FM THR MEHT	RTZL LEN	RCLL LEN Spacing Color INTST	REDL LEN Spacing Color INTST	RENL Color WBAR	STWL LEN Color
1	2	3	4	5	6	7	8	9
				Nil				
				Remarks				
				10				
				Nil				

**RORE AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and hours of operation	Nil
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centerline lighting	Nil
4	Secondary power supply/switch-over time	Nil
5	Remarks	Nil

**RORE AD 2.16 HELICOPTER LANDING AREA**

Nil
-----

**RORE AD 2.17 ATS AIRSPACE**

Designation and lateral limits	Vertical limits (ft)	Airspace classification	ATS unit call sign Language	Remarks
1	2	3	4	6
Nil				

**RORE AD 2.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
Nil				

**RORE AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
Nil						

**RORE AD 2.20 LOCAL TRAFFIC REGULATIONS**

## 1. Airport regulations

Nil
-----

## 2. Taxiing to and from stands

Nil
-----

## 3. Parking area for small aircraft(General aviation)

Nil
-----

## 4. Parking area for helicopters

Nil
-----

## 5. Apron - taxiing during winter conditions

Nil
-----

## 6. Taxiing - limitations

Nil
-----

7. School and training flights - technical test flights - use of runways

Nil

8. Helicopter traffic - limitation

Nil

9. Removal of disabled aircraft from runways

Nil

**RORE AD 2.21 NOISE ABATEMENT PROCEDURES**

Nil

**RORE AD 2.22 FLIGHT PROCEDURES**

Nil

**RORE AD 2.23 ADDITIONAL INFORMATION**

There are two USAF managed RWYs located west of Iejima Airport.

**RORE AD 2.24 CHARTS RELATED TO AN AERODROME**

I

Aerodrome/Heliport Chart

**INTENTIONALLY LEFT BLANK**

AERODROME CHART

