

STANDARD DEPARTURE CHART-INSTRUMENT

RJTA / ATSUGI

SID

ZUSHI ONE DEPARTURE

RWY01 : Climb RWY HDG to NJA 6.0DME, via NJA R352 to 13.0DME, turn right, direct to NJA TACAN, via NJA R179 to ZUSHI.


Cross NJA R352/10.5DME at or above 3000FT, cross ZUSHI at assigned altitude.

RWY19 : Climb RWY HDG to 600FT, via NJA R190 to 9.0DME, via NJA R179 to ZUSHI.

Cross ZUSHI at assigned altitude.

NOTE RWY01 : 4.0% climb gradient required up to 500FT.

OBST ALT 321FT locate at 0.5NM 357° FM end of RWY01.



CHANGE : New PROC.

STANDARD DEPARTURE CHART-INSTRUMENT

RJTA / ATSUGI


SID

YOKOTA TWO DEPARTURE

RWY01 : Climb RWY HDG to NJA 6.0DME, via NJA R352 to YOK TACAN.
Cross NJA R352/10.5DME at or above 3000FT, cross YOK TACAN at or above 9000FT(at or above 6000FT for PROP).

RWY19 : Climb RWY HDG to 600FT, via NJA R190 to 9.0DME, turn left,
via NJA R155 to NJA TACAN, via NJA R352 to YOK TACAN.
Cross NJA R155/9.0DME at or above 6000FT, cross YOK TACAN at or above 9000FT(at or above 6000FT for PROP).

NOTE RWY01 : 4.0% climb gradient required up to 500FT.
OBST ALT 321FT locate at 0.5NM 357° FM end of RWY01.




CHANGE : PROC abolished(HATSU TWO DEPARTURE). PROC renamed(YOKOTA TWO DEPARTURE).
PROC course. Note added. ALT restriction established.

INSTRUMENT APPROACH CHART

RJTA / ATSUGI



ILS Z or LOC Z RWY01



RJTA / ATSUGI

ILS Y or LOC Y RWY01

YOKOTA APP	ILS - LOC	ATSUGI TOWER	RADAR AVBL
118.3-270.6 (above 5000)	111.3 IAG 332.3	128.7 - 236.8	CALL
123.8-261.4 (SFC to 5000)	GP 332.3	340.2 - 360.2	YOKOTA APP



MINIMA		THR elev. 172		AD elev. 205		
CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/ CMV	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	378 (206)	750	580 (408)	1200	680 (475)	1600
B				1300	710 (505)	
C				1400	730 (525)	2400
D				1600	760 (555)	3200

CHANGE : NM to NJA. PROC ALT at FAF.

INSTRUMENT APPROACH CHART

