

STANDARD DEPARTURE CHART -INSTRUMENT

RJOE / AKENO

SID

KOWA SIX DEPARTURE

RWY13 : Turn left,...

RWY31 : Turn right,...

.... climb via AKT R060 to XMT TACAN.

Cross XMT TACAN at assigned altitude.

AKENO REVERSAL FOUR DEPARTURE

RWY13 : Turn left,...

RWY31 : Turn right,...

.... climb via AKT R320 until passing 2500FT, then turn right within

AKT TACAN 10DME to intercept and proceed via AKT R320 to AKT.

TRIKE TRANSITION

From over AKT TACAN, via AKT R068 to TRIKE.

Cross AKT 14DME at or above 4000FT.

Cross TRIKE at assigned altitude.

ASAMA ONE DEPARTURE

RWY13 : Turn left,....

RWY31 : Turn right,....

....climb via AKT R105 to ASAMA.

Cross ASAMA at or above 2500FT.

Note : Following climb gradient should be maintained until 2500FT.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050

HISAI ONE DEPARTURE

RWY13 : Turn left,....

RWY31 : ....

....climb via AKT R320 to HISAI.

Cross HISAI at or above 2500FT.

Note : Following climb gradient should be maintained until 2500FT.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050


CHANGE : PROC renamed(KOWA SIX DEPARTURE, AKENO REVERSAL FOUR DEPARTURE). NDB(AK) abolished.

STANDARD DEPARTURE CHART -INSTRUMENT

RJOE / AKENO

SID

CHANGE : PROC renamed(KOWA SIX DEPARTURE, AKENO REVERSAL FOUR DEPARTURE). NDB(AK) abolished.



STANDARD ARRIVAL CHART-INSTRUMENT

RJOE / AKENO

STAR


AKENO ARRIVAL

From over TRIKE, via AKT R068 to AKT TACAN.

Cross AKT 14DME at or above 4000FT.

Cross AKT TACAN at or above 2500FT.

CHANGE : NDB(AK) abolished.



**INTENTIONALLY LEFT BLANK**

## RJOE / AKENO

TACAN NR.1

MNM SECT ALT  
270° - 360°  
5400 25nm

VAR 7°W (2006)

HISA IAF 11.9DME

14DME  
MHA 2500  
693

10DME

(7DME)

140° 320°

151

152 1.2DME 230

162

1053

180°

10nm

270°

090°

1998

2484

2690

1230

1165

1568

1785

2552

2405

2789

360°


MNM SECT ALT  
360° - 090°  
1500 25nm

MNM SECT ALT  
180° - 270°  
6100 25nm

MNM SECT ALT  
090° - 180°  
3600 25nm

MERG SAFE ALT 100NM 13 000

EMERG SAFE ALT 100NM 13,000



MINIMA		THR elev. 17	AD elev. 20	
CAT			CIRCLING	
	MDA(H)	CMV	MDA(H)	VIS
A	520 (500)	1500	540 (520)	1600
B				
C	—	—	—	—
D				

## INSTRUMENT APPROACH CHART

RJOE / AKENO

TACAN NR.2

AKENO APP

120.1 - 140.5 - 362.3

AKENO TACAN  
AKT  
CH-57Y  
34°31'43"N/136°40'31"E

AKENO TOWER

126.2 - 236.8

RADAR AVBL  
CALL  
AKENO APP

MNM SECT ALT  
270°- 360°  
5400 25nm

VAR 7°W (2006)

MNM SECT ALT  
360°- 090°  
1500 25nm

MNM SECT ALT  
180°- 270°  
6100 25nm

MNM SECT ALT  
090°- 180°  
3600 25nm

MISSED APPROACH

At 0.7DME prior to AKT TACAN,  
climb via AKT R-320 to 2DME,  
turn right to intercept and proceed  
via AKT R-105 to 8DME fix  
and hold at 2500'.

AKT

ASAMA IAF  
R-105/11DME  
2500

MINIMA

THR elev. 15

AD elev. 20

CAT

MDA(H)

CMV

CIRCLING

MDA(H)

VIS

A

680 (660)

1500

680 (660)

1600

B

C

D