

STANDARD DEPARTURE CHART - INSTRUMENT

RJAW / IWOTO

SID and TRANSITION

IWO TWO DEPARTURE

RWY 07/25 : Climb RWY HDG to 1000' or above, then proceed as directed by ATC.
Remarks: IWO TWO DEPARTURE is not illustrated.

CHIDORI TWO DEPARTURE

RWY 07 : Climb RWY HDG to 1000' or above, turn left HDG305° to intercept and proceed via IJT R-335 (336° from OX) to CHIDORI.
RWY 25 : Climb RWY HDG to 1000' or above, turn right HDG005° to intercept and proceed via IJT R-335 (336° from OX) to CHIDORI.

CHIDORI TRANSITION

After CHIDORI, proceed via IJT R-335 (336° from OX) to NORTH CHIDORI.
Cross NORTH CHIDORI at assigned altitude.



STANDARD ARRIVAL CHART - INSTRUMENT

RJAW / IWOTO

STAR

CHIDORI ARRIVAL

From over NORTH CHIDORI, proceed via IJT R-335 to IJT R-335/15DME, then turn right (left) via IJT 15DME counter-clockwise (clockwise) arc to KANGO (SAUNA).

Cross CHIDORI at altitude specified by ATC.

CHIDORI ARRIVAL



INSTRUMENT APPROACH CHART

RJAW / IWOTO



NDB A



RJAW / IWOTO

NDB B

| | | | |
|--------------------------|---|----------------------------|----------------------------------|
| IWO APP 138.3 – 284.6 | IWOTO NDB 360 OX $\equiv \equiv \equiv$ <i>24°46'21"N/141°18'27"E</i> | IWO TOWER 126.2 – 228.2 | GCA AVAILABLE CALL IWO APP |
|--------------------------|---|----------------------------|----------------------------------|



| | | |
|--------|------------|--------------|
| MINIMA | | AD elev. 388 |
| CAT | CIRCLING | |
| | MDA(H) | VIS |
| A | 1060 (672) | 1600 |
| B | | |
| C | | 2400 |
| D | | 3200 |

INSTRUMENT APPROACH CHART

RJAW / IWOTO

TACAN Z RWY07



INSTRUMENT APPROACH CHART

RJAW / IWOTO

TACAN Y RWY07



INSTRUMENT APPROACH CHART

RJAW / IWOTO

TACAN X RWY07



INSTRUMENT APPROACH CHART

RJAW / IWOTO

TACAN Z RWY25



MISSED APPROACH

1.9DME prior to IJT TACAN, turn left climb via IJT R-150 to R-150 /15DME fix and hold at 3000'.
Contact IWO APP.




| MINIMA | | THR elev. 388 | AD elev. 388 | |
|--------|-----------|---------------|--------------|------|
| CAT | CIRCLING | | MDA(H) | VIS |
| | MDA(H) | RVR/CMV | | |
| A | 640 (252) | 1500 | 820 (432) | 1600 |
| B | | | 840 (452) | |
| C | | 1600 | 860 (472) | 2400 |
| D | | 1800 | 940 (552) | 3200 |

INSTRUMENT APPROACH CHART

RJAW / IWOTO

TACAN Y RWY25



INSTRUMENT APPROACH CHART

RJAW / IWOTO

TACAN X RWY25

