


RJNF / FUKUI


AD CHART

FUKUI AP

CHANGE : CEILOMETER added.



LONGITUDINAL PROFILE OF RWY





STANDARD DEPARTURE CHART -INSTRUMENT

RJNF / FUKUI		RNAV SID																																				
AWARA ONE DEPARTURE		RNP1																																				
Note GNSS required.																																						
<p>VAR 9° W</p> <p>The diagram illustrates the departure route. It starts at a point labeled 'VAR 9° W' and proceeds straight upwards. A vertical dashed line indicates the climb gradient. At 800ft, a turn is made to the right (indicated by a curved arrow) onto a heading of 004°. This path continues until it reaches 500ft. From 500ft, the path turns left (indicated by a curved arrow) onto a heading of 184°, which leads directly to the destination 'AWARA' marked with a star symbol.</p>																																						
<p>RWY18: Climb on HDG184° at or above 800FT, turn right direct to AWARA. RWY36: Climb on HDG004° at or above 500FT, turn left direct to AWARA. Note RWY18: 5.0% climb gradient required up to 1100FT.</p>																																						
RWY18																																						
<table border="1"> <thead> <tr> <th>Serial Number</th><th>Path Descriptor</th><th>Waypoint Identifier</th><th>Fly Over</th><th>Course °M(°T)</th><th>Magnetic Variation</th><th>Distance (NM)</th><th>Turn Direction</th><th>Altitude (FT)</th><th>Speed (KIAS)</th><th>Vertical Angle</th><th>Navigation Specification</th></tr> </thead> <tbody> <tr> <td>001</td><td>VA</td><td>—</td><td>—</td><td>184 (175.9)</td><td>-8.5</td><td>—</td><td>—</td><td>+800</td><td>—</td><td>—</td><td>RNP1</td></tr> <tr> <td>002</td><td>DF</td><td>AWARA</td><td>—</td><td>—</td><td>-8.5</td><td>—</td><td>R</td><td>—</td><td>—</td><td>—</td><td>RNP1</td></tr> </tbody> </table>			Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification	001	VA	—	—	184 (175.9)	-8.5	—	—	+800	—	—	RNP1	002	DF	AWARA	—	—	-8.5	—	R	—	—	—	RNP1
Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification																											
001	VA	—	—	184 (175.9)	-8.5	—	—	+800	—	—	RNP1																											
002	DF	AWARA	—	—	-8.5	—	R	—	—	—	RNP1																											
RWY36																																						
<table border="1"> <thead> <tr> <th>Serial Number</th><th>Path Descriptor</th><th>Waypoint Identifier</th><th>Fly Over</th><th>Course °M(°T)</th><th>Magnetic Variation</th><th>Distance (NM)</th><th>Turn Direction</th><th>Altitude (FT)</th><th>Speed (KIAS)</th><th>Vertical Angle</th><th>Navigation Specification</th></tr> </thead> <tbody> <tr> <td>001</td><td>VA</td><td>—</td><td>—</td><td>004 (355.9)</td><td>-8.5</td><td>—</td><td>—</td><td>+500</td><td>—</td><td>—</td><td>RNP1</td></tr> <tr> <td>002</td><td>DF</td><td>AWARA</td><td>—</td><td>—</td><td>-8.5</td><td>—</td><td>L</td><td>—</td><td>—</td><td>—</td><td>RNP1</td></tr> </tbody> </table>			Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification	001	VA	—	—	004 (355.9)	-8.5	—	—	+500	—	—	RNP1	002	DF	AWARA	—	—	-8.5	—	L	—	—	—	RNP1
Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification																											
001	VA	—	—	004 (355.9)	-8.5	—	—	+500	—	—	RNP1																											
002	DF	AWARA	—	—	-8.5	—	L	—	—	—	RNP1																											
<u>Waypoint Coordinates</u>																																						
<table border="1"> <thead> <tr> <th>Waypoint Identifier</th><th>Coordinates</th></tr> </thead> <tbody> <tr> <td>AWARA</td><td>361759.4N / 1360547.2E</td></tr> </tbody> </table>			Waypoint Identifier	Coordinates	AWARA	361759.4N / 1360547.2E																																
Waypoint Identifier	Coordinates																																					
AWARA	361759.4N / 1360547.2E																																					

CHANGE : VAR. Waypoint Coordinates added.

INSTRUMENT APPROACH CHART





※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

Call sign	BRG / DIST from ARP	Remarks
山代 Yamashiro	037°T / 11.1NM	山代温泉街 Town of the Yamashiro hot-spring
金津 Kanazu	007°T / 4.4NM	JR芦原温泉駅 Station
勝山 Katsuyama	112°T / 14.0NM	えちぜん鉄道駅 Station
武生 Takefu	190°T / 14.6NM	JR駅 Station
亀島 Kamejima	263°T / 8.5NM	岩礁 Reef
東尋坊 Tojinbo	320°T / 7.3NM	タワー Tower
福井駅 Fukui eki	180°T / 4.8NM	JR駅 Station

CHANGE : VAR.