

AD 2 AERODROMES

RJDK AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RJDK - KAMIGOTO

RJDK AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

| | | |
|---|---|---|
| 1 | ARP coordinates and site at AD | 330049N 1291133E APRX 300m SE of AP administration office |
| 2 | Direction and distance from (city) | APRX 8km NE of Kamigoto town office |
| 3 | Elevation/ Reference temperature | 263ft / 32°C (2003-2007) |
| 4 | Geoid undulation at AD ELEV PSN | 101ft |
| 5 | MAG VAR/ Annual change | 7°W(2009) / 2.7°W |
| 6 | AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses | Kamigoto Airport Administration Office, Nagasaki Prefectural Government 744-I Tomozumi-go, Shinkaigotou-cho, Minamimatsuura-gun, Nagasaki, 857-4102 JAPAN Tel: 0959-42-8844 e-mail: kuukou@town.shinkamigoto.nagasaki.jp |
| 7 | Types of traffic permitted (IFR/VFR) | VFR |
| 8 | Remarks | Nil |

RJDK AD 2.3 OPERATIONAL HOURS

| | | |
|----|---------------------------|---|
| 1 | AD Administration | 0100 - 0700 |
| 2 | Customs and immigration | On request Customs: 095-828-8641 Immigration: 095-822-5289 |
| 3 | Health and sanitation | Quarantine(human): On request(095-826-8081) Quarantine(animal, plant): Nil |
| 4 | AIS Briefing Office | Nil |
| 5 | ATS Reporting Office(ARO) | Nil |
| 6 | MET Briefing Office | Nil |
| 7 | ATS | Nil |
| 8 | Fuelling | Nil |
| 9 | Handling | Nil |
| 10 | Security | 0100 - 0700 |
| 11 | De-icing | Nil |
| 12 | Remarks | Nil |

RJDK AD 2.4 HANDLING SERVICES AND FACILITIES

| | | |
|---|---|-----|
| 1 | Cargo-handling facilities | Nil |
| 2 | Fuel/ oil types | Nil |
| 3 | Fuelling facilities/ capacity | Nil |
| 4 | De-icing facilities | Nil |
| 5 | Hangar space for visiting aircraft | Nil |
| 6 | Repair facilities for visiting aircraft | Nil |
| 7 | Remarks | Nil |

RJDK AD 2.5 PASSENGER FACILITIES

| | | |
|---|----------------------|---------------------------|
| 1 | Hotels | in Shinkamigoto town 12km |
| 2 | Restaurants | in Shinkamigoto town 12km |
| 3 | Transportation | Taxis |
| 4 | Medical facilities | in Shinkamigoto town 12km |
| 5 | Bank and Post Office | in Shinkamigoto town 12km |
| 6 | Tourist Office | in Shinkamigoto town 12km |
| 7 | Remarks | Nil |

RJDK AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

| | | |
|---|---|----------------------------------|
| 1 | AD category for fire fighting | CAT 1 |
| 2 | Rescue equipment | Chemical fire fighting truck X 1 |
| 3 | Capability for removal of disabled aircraft | Nil |
| 4 | Remarks | Nil |

RJDK AD 2.7 SEASONAL AVAILABILITY-CLEARING

| | | |
|---|-----------------------------|----------|
| 1 | Types of clearing equipment | Not AVBL |
| 2 | Clearance priorities | Nil |
| 3 | Remarks | Nil |

RJDK AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

| | | |
|---|-------------------------------------|--|
| 1 | Apron surface and strength | Surface: Asphalt Strength: AUW5700kg/0.28MPa |
| 2 | Taxiway width, surface and strength | Width: 9m Surface: Asphalt Strength: AUW5700kg/0.28MPa |
| 3 | ACL and elevation | Not available |
| 4 | VOR checkpoints | Not available |
| 5 | INS checkpoints | Spot NR 1: 330039.62N 1291131.52E 2: 330040.48N 1291131.30E 3: 330041.37N 1291131.07E |
| 6 | Remarks | Nil |

RJDK AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

| | | |
|---|--|--|
| 1 | Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands | Nil |
| 2 | RWY and TWY markings and LGT | RWY: RWY 17/35 (Marking) RWY designation, RWY CL, RWY THR, RWY middle point, Aiming point, RWY side stripe TWY: (Marking) TWY CL, TWY side stripe |
| 3 | Stop bars | Nil |
| 4 | Remarks | (Marking) Overrun area |

RJDK AD 2.10 AERODROME OBSTACLES

■ In Area2 See Obstacle data

■ In Area3 To be developed

RJDK AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

| | | |
|----|--|-----|
| 1 | Associated MET Office | Nil |
| 2 | Hours of service MET Office outside hours | Nil |
| 3 | Office responsible for TAF preparation Periods of validity | Nil |
| 4 | Trend forecast interval of issuance | Nil |
| 5 | Briefing/ consultation provided | Nil |
| 6 | Flight documentation Language(s) used | Nil |
| 7 | Charts and other information available for briefing or consultation | Nil |
| 8 | Supplementary equipment available for providing information | Nil |
| 9 | ATS units provided with information | Nil |
| 10 | Additional information (limitation of service, etc.) | Nil |

RJDK AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations RWY NR | TRUE BRG | Dimensions of RWY(M) | Strength(PCN) and surface of RWY | THR coordinates THR geoid undulation | THR elevation and highest elevation of TDZ of precision APP RWY |
|------------------------|----------|-------------------------|-------------------------------------|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 17 | 167.81° | 800 × 25 | AUW 5700kg/0.28MPa | 330101.64N1291129.35E 351ft | THR ELEV:251FT |
| 35 | 347.81° | 800 × 25 | Asphalt Concrete | 330036.26N1291135.85E 377ft | THR ELEV:277FT |
| Slope of RWY | | Strip Dimensions(M) | RESA (Overrun) Dimensions(M) | | Remarks |
| 7 | | 10 | 11 | | 14 |
| See AD2.24 AD Chart | | 920×60 | 40 × 60 | | Nil |
| | | 920×60 | 40 × 60 | | |

RJDK AD 2.13 DECLARED DISTANCES

| RWY Designator | TORA (m) | TODA (m) | ASDA (m) | LDA (m) | Remarks |
|----------------|-------------|-------------|-------------|------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 17 | 800 | 800 | 800 | 800 | Nil |
| 35 | 800 | 800 | 800 | 800 | Nil |

RJDK AD 2.14 APPROACH AND RUNWAY LIGHTING

| RWY Designator | APCH LGT type LEN INTST | RTHL Color WBAR | PAPI (VASIS) Angle DIST FM THR MEHT | RTZL LEN | RCLL LEN Spacing Color INTST | REDL LEN Spacing Color INTST | RENL Color WBAR | STWL LEN Color |
|---|-------------------------------------|-----------------------|--|-------------|--|--|-----------------------|----------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 17 | Nil | Nil | PAPI 3.0° / LEFT 89m 18FT | Nil | Nil | Nil | Nil | Nil |
| 35 | Nil | Nil | PAPI 3.0° /LEFT 129m 18FT | Nil | Nil | Nil | Nil | Nil |
| Remarks | | | | | | | | |
| 10 | | | | | | | | |
| RWY THR ID LGT for RWY 17/35 THR (Color: White) | | | | | | | | |

RJDK AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

| | | |
|---|--|----------------------------|
| 1 | ABN/IBN location, characteristics and hours of operation | Nil |
| 2 | LDI location and LGT Anemometer location and LGT | Nil |
| 3 | TWY edge and center line lighting | Nil |
| 4 | Secondary power supply/ switch-over time | Within 15 sec : All lights |
| 5 | Remarks | Nil |

RJDK AD 2.16 HELICOPTER LANDING AREA

| |
|-----|
| Nil |
|-----|

RJDK AD 2.17 ATS AIRSPACE

| Designation and lateral limits | Vertical limits (ft) | Airspace classification | ATS unit call sign Language | Remarks |
|--------------------------------|----------------------------|----------------------------|--------------------------------|---------|
| 1 | 2 | 3 | 4 | 6 |
| Nil | | | | |

RJDK AD 2.18 ATS COMMUNICATION FACILITIES

| Service designation | Call sign | Frequency | Hours of operation | Remarks |
|---------------------|-----------|-----------|--------------------|---------|
| 1 | 2 | 3 | 4 | 5 |
| Nil | | | | |

RJDK AD 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aid | ID | Frequency | Hours of operation | Position of transmitting antenna coordinates | Elevation of DME transmitting antenna | Remarks |
|-------------|----|-----------|--------------------|--|---------------------------------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Nil | | | | | | |

RJDK AD 2.20 LOCAL TRAFFIC REGULATIONS

1. Airport regulations

Aircraft operations other than scheduled flights or in an emergency
On use of KAMIGOTO airport, aircraft operator is required to obtain the permission of airport authority.

2. Taxiing to and from stands

Nil

3. Parking area for small aircraft(General aviation)

Nil

4. Parking area for helicopters

Nil

5. Apron - taxiing during winter conditions

Nil

6. Taxiing - limitations

Nil

7. School and training flights - technical test flights - use of runways

Nil

8. Helicopter traffic - limitation

Nil

9. Removal of disabled aircraft from runways

Nil

RJDK AD 2.21 NOISE ABATEMENT PROCEDURES

Nil

RJDK AD 2.22 FLIGHT PROCEDURES

Nil

RJDK AD 2.23 ADDITIONAL INFORMATION

Nil

RJDK AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome/Heliport Chart

INTENTIONALLY LEFT BLANK

RJDK / KAMIGOTO

AD CHART

