

AD 2 AERODROMES

RORE AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RORE - IEJIMA

RORE AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

| | | |
|---|--|--|
| 1 | ARP coordinates and site at AD | 264321N/1274713E 38° / 0.75km from RWY04 THR |
| 2 | Direction and distance from (city) | |
| 3 | Elevation/ Reference temperature | 238FT / 32 °C (2004-2008) |
| 4 | Geoid undulation at AD ELEV PSN | 109FT |
| 5 | MAG VAR/ Annual change | 5°W (2009) / 3.0°W |
| 6 | AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses | OKINAWA PREF PUBLIC AP 38, Higashiema, Ie-son, Kunigami-gun, Okinawa Pref. TEL:098-049-2501,098-049-2001 FAX:098-049-2003 |
| 7 | Types of traffic permitted(IFR/ VFR) | VFR |
| 8 | Remarks | Nil |

RORE AD 2.3 OPERATIONAL HOURS

| | | |
|----|---------------------------|---|
| 1 | AD Administration | Sat :0315 - 0745 Sun : 0015 - 0745 MON - FRI : Not Operating |
| 2 | Customs and immigration | On request Customs: 098-938-0638 Immigration: 098-957-5252 |
| 3 | Health and sanitation | Quarantine(human): On request(098-868-1674) Quarantine(animal, plant): Nil |
| 4 | AIS Briefing Office | Nil |
| 5 | ATS Reporting Office(ARO) | Nil |
| 6 | MET Briefing Office | Nil |
| 7 | ATS | Nil |
| 8 | Fuelling | Nil |
| 9 | Handling | Nil |
| 10 | Security | Ask AD Administration |
| 11 | De-icing | Nil |
| 12 | Remarks | Nil |

RORE AD 2.4 HANDLING SERVICES AND FACILITIES

| | | |
|---|---|-----|
| 1 | Cargo-handling facilities | Nil |
| 2 | Fuel/ oil types | Nil |
| 3 | Fuelling facilities/ capacity | Nil |
| 4 | De-icing facilities | Nil |
| 5 | Hangar space for visiting aircraft | Nil |
| 6 | Repair facilities for visiting aircraft | Nil |
| 7 | Remarks | Nil |

RORE AD 2.5 PASSENGER FACILITIES

| | | |
|---|----------------------|-------------------------|
| 1 | Hotels | Nil |
| 2 | Restaurants | Nil |
| 3 | Transportation | Nil |
| 4 | Medical facilities | Clinic 4.5km FM Airport |
| 5 | Bank and Post Office | Nil |
| 6 | Tourist Office | Nil |
| 7 | Remarks | Nil |

RORE AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

| | | |
|---|---|-----------|
| 1 | AD category for fire fighting | CAT 2 |
| 2 | Rescue equipment | Nil |
| 3 | Capability for removal of disabled aircraft | Incapable |
| 4 | Remarks | Nil |

RORE AD 2.7 SEASONAL AVAILABILITY-CLEARING

| | | |
|---|-----------------------------|-------------------------------|
| 1 | Types of clearing equipment | Snow removal equipment : None |
| 2 | Clearance priorities | Nil |
| 3 | Remarks | Nil |

RORE AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

| | | |
|---|-------------------------------------|--|
| 1 | Apron surface and strength | Apron Surface:Asphalt-concrete Strength:PCN 14/F/D/Y/T |
| 2 | Taxiway width, surface and strength | Width:18m Surface:Asphalt-concrete Strength:PCN 14/F/D/Y/T |
| 3 | ACL and elevation | Not Available |
| 4 | VOR checkpoints | Nil |
| 5 | INS checkpoints | Nil |
| 6 | Remarks | Nil |

RORE AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

| | | |
|---|--|---|
| 1 | Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands | Nil |
| 2 | RWY and TWY markings and LGT | RWY:(RWY04/22) (Marking) RWY designation, RWY CL, RWY THR, RWY middle point, Aiming point, TDZ, RWY side stripe (LGT) Nil TWY: (Marking) TWY CL, TWY side stripe (LGT) Nil |
| 3 | Stop bars | Nil |
| 4 | Remarks | Nil |

RORE AD 2.10 AERODROME OBSTACLES

- In Area2 Nil
- In Area3 To be developed

RORE AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

| | | |
|----|--|-----|
| 1 | Associated MET Office | Nil |
| 2 | Hours of service MET Office outside hours | Nil |
| 3 | Office responsible for TAF preparation Periods of validity | Nil |
| 4 | Trend forecast Interval of issuance | Nil |
| 5 | Briefing/ consultation provided | Nil |
| 6 | Flight documentation Language(s) used | Nil |
| 7 | Charts and other information available for briefing or consultation | Nil |
| 8 | Supplementary equipment available for providing information | Nil |
| 9 | ATS units provided with information | Nil |
| 10 | Additional information(limitation of service, etc.) | Nil |

RORE AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations RWY NR | TRUE BRG | Dimensions of RWY(M) | Strength(PCN) and surface of RWY | THR coordinates THR geoid undulation | THR elevation and highest elevation of TDZ of precision APP RWY |
|--|-------------|-------------------------|---------------------------------------|--|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 04 | 038.87° | 1500×45 | PCN 14/F/D/Y/T Asphalt Concrete | 264302.20N 1274655.40E 109FT 264340.00N 1274729.50E 109FT | THR ELEV:213FT |
| 22 | 218.87° | 1500×45 | | | THR ELEV:246FT |
| Slope of RWY | | Strip Dimensions(M) | RESA (Overrun) Dimensions(M) | | Remarks |
| 7 | | 10 | 11 | | 14 |
| SEE AD 2.24 | | 1620×150 | 51 × (MNM:168 MAX:172)* | | |
| | | 1620×150 | 51 × 163 | | |
| *For detail, ask airport administrator | | | | | |

RORE AD 2.13 DECLARED DISTANCES

| | TORA | TODA | ASDA | LDA | |
|----------------|------|------|------|------|---------|
| RWY Designator | (m) | (m) | (m) | (m) | Remarks |
| 1 | 2 | 3 | 4 | 5 | 6 |
| 04 | 1500 | 1500 | 1500 | 1500 | Nil |
| 22 | 1500 | 1500 | 1500 | 1500 | Nil |

RORE AD 2.14 APPROACH AND RUNWAY LIGHTING

| RWY Designator | APCH LGT type LEN INTST | RTHL Color WBAR | PAPI (VASIS) Angle DIST FM THR MEHT | RTZL LEN | RCLL LEN Spacing Color INTST | REDL LEN Spacing Color INTST | RENL Color WBAR | STWL LEN Color |
|-------------------|-------------------------------------|-----------------------|--|-------------|--|--|-----------------------|----------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| Nil | | | | | | | | |
| Remarks | | | | | | | | |
| 10 | | | | | | | | |
| Nil | | | | | | | | |

RORE AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

| | | |
|---|--|-----|
| 1 | ABN/IBN location, characteristics and hours of operation | Nil |
| 2 | LDI location and LGT Anemometer location and LGT | Nil |
| 3 | TWY edge and centerline lighting | Nil |
| 4 | Secondary power supply/switch-over time | Nil |
| 5 | Remarks | Nil |

RORE AD 2.16 HELICOPTER LANDING AREA

| |
|-----|
| Nil |
|-----|

RORE AD 2.17 ATS AIRSPACE

| Designation and lateral limits | Vertical limits (ft) | Airspace classification | ATS unit call sign Language | Remarks |
|--------------------------------|----------------------|-------------------------|-----------------------------|---------|
| 1 | 2 | 3 | 4 | 6 |
| Nil | | | | |

RORE AD 2.18 ATS COMMUNICATION FACILITIES

| Service designation | Call sign | Frequency | Hours of operation | Remarks |
|---------------------|-----------|-----------|--------------------|---------|
| 1 | 2 | 3 | 4 | 5 |
| Nil | | | | |

RORE AD 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aid | ID | Frequency | Hours of operation | Position of transmitting antenna coordinates | Elevation of DME transmitting antenna | Remarks |
|-------------|----|-----------|--------------------|--|---------------------------------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Nil | | | | | | |

RORE AD 2.20 LOCAL TRAFFIC REGULATIONS

1. Airport regulations

| |
|-----|
| Nil |
|-----|

2. Taxiing to and from stands

| |
|-----|
| Nil |
|-----|

3. Parking area for small aircraft(General aviation)

| |
|-----|
| Nil |
|-----|

4. Parking area for helicopters

| |
|-----|
| Nil |
|-----|

5. Apron - taxiing during winter conditions

| |
|-----|
| Nil |
|-----|

6. Taxiing - limitations

| |
|-----|
| Nil |
|-----|

7. School and training flights - technical test flights - use of runways

Nil

8. Helicopter traffic - limitation

Nil

9. Removal of disabled aircraft from runways

Nil

RORE AD 2.21 NOISE ABATEMENT PROCEDURES

Nil

RORE AD 2.22 FLIGHT PROCEDURES

Nil

RORE AD 2.23 ADDITIONAL INFORMATION

There are two USAF managed RWYs located west of Iejima Airport.

RORE AD 2.24 CHARTS RELATED TO AN AERODROME

I

Aerodrome/Heliport Chart

INTENTIONALLY LEFT BLANK

AERODROME CHART

RORE / IEJIMA

AD CHART

