

## AD CHART

**OSHIMA AP**

PAPI Angle 3.0°  
MEHT 14.9m(49ft)  
WDIL  
355.8m

OVERRUN AREA EGDE LGT  
RWY THR ID LGT  
PAPI Angle 3.0°  
MEHT 14.9m(49ft)  
WDIL  
276.9m

TRUE NORTH

ARP

T-1  
T-2  
T-3

ABN

APRON FLOOD LGT  
RADIO

NR.1 APRON  
NR.2 APRON  
NR.3 APRON

Detail of SPOT 27, 28, 29

SALS

RAI

480.0m  
420.0m

REMARKS : RWY GROOVING 1800m x 30m  
WIDTH & STRENGTH OF TWY  
T - 1, 23m PCN 35/F/C/X/T  
T - 2, T - 3 18m PCN 12/F/C/Y/T  
DIMENSION & STRENGTH OF APRON  
NR.1 155m x 85m PCN 35/F/C/X/T  
NR.2 55m x 70m PCN 12/F/C/Y/T  
NR.3 70m x 50m PCN 12/F/C/Y/T

**LONGITUDINAL PROFILE OF RWY**

Stationing	Elevation (ft)	Elevation (m)	Grade (%)
RWY 03	138ft	(42.0m)	0.7%
123ft	(37.5m)		
126ft	(38.4m)	0.15%	
126ft	(38.4m)		
117ft	(35.6m)	0.5%	

0m      650m      1250m      1800m

STANDARD DEPARTURE CHART -INSTRUMENT

RJTO / OSHIMA

SID

HATSU FOUR DEPARTURE

RWY03 : Climb RWY HDG to 800FT, turn right, climb...

RWY21 : Climb RWY HDG to 1400FT, turn right, direct to OSE VOR/DME,...  
...via OSE R037 to HATSU.

Cross OSE 10.0DME at or above 3000FT.

Note RWY03 : In case of climbing with 8.7% gradient up to 500FT, another TKOF  
WX MINIMA is applicable.

OBST ALT 394FT located at 0.6NM 049° FM end of RWY03.

Note RWY21 : 4.2% climb gradient required up to 1400FT.

OBST ALT 1444FT located at 2.2NM 165° FM end of RWY21



## STANDARD DEPARTURE CHART -INSTRUMENT

RJTO / OSHIMA

SID

OSHIMA REVERSAL FOUR DEPARTURE

RWY03: Climb RWY HDG to 1100FT, turn left,...

RWY21: Climb RWY HDG to 1400FT, turn right,...

...direct to OSE VOR/DME.

Cross OSE VOR/DME at or above 4000FT.

Note RWY03 : In case of climbing with 8.7% gradient up to 500FT, another TKOF  
WX MINIMA is applicable.

OBST ALT 394FT located at 0.6NM 049°FM end of RWY03.

Note RWY21 : 4.2% climb gradient required up to 1400FT.

OBST ALT 1444FT located at 2.2NM 165°FM end of RWY21

OSHIMA REVERSAL FOUR DEPARTURE

## INSTRUMENT APPROACH CHART

RJTO / OSHIMA


LOC RWY03



CHANGE : Editorial

RJTO / OSHIMA

VOR A



---

3200

CHANGE : Editorial

INSTRUMENT APPROACH CHART



CHANGE : Editorial

## Visual REP



Call sign	BRG / DIST from ARP	Remarks
千波崎 Senbazaki	187° / 4.8NM	岬 Cape
利 島 Toshima	202° /15.7NM	八角形の舗装面 Octagonal pavement
10NM N	360° /10.0NM	海上 Over the sea
10NM E	090° /10.0NM	海上 Over the sea
10NM W	270° /10.0NM	海上 Over the sea

NOTE: In the SE direction of the airport, A/G COM from Oshima Radio is blinded by Mt. Mihara (2,487ft)

RJTO / OSHIMA

LDG CHART





RJTO / OSHIMA

Minimum Vectoring Altitude CHART



- CENTER : 344655N/1392137E (ARP)
- 344655N/1392137E RADIUS : 30NM
- RADIAL & DISTANCE FM 353312N/1394652E(TOKYO ARP)

CHANGE : Update