

## AD 2 AERODROMES

## RJAN AD 2.1 AERODROME LOCATION INDICATOR AND NAME

## RJAN - NIIJIMA

## RJAN AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

|   |                                                                                              |                                                                                              |
|---|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| 1 | ARP coordinates and site at AD                                                               | 342210N 1391607E<br>0.4km from RWY 11 THR                                                    |
| 2 | Direction and distance from (city)                                                           | 1.5km SE from Niijima village office                                                         |
| 3 | Elevation/ Reference temperature                                                             | 94 FT / 29 °C (2004-2008)                                                                    |
| 4 | Geoid undulation at AD ELEV PSN                                                              | 133ft                                                                                        |
| 5 | MAG VAR/ Annual change                                                                       | 8° W(2024) / 4°W                                                                             |
| 6 | AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses | Tokyo Municipal Govt.<br>Kawahara Niijima-mura Tokyo<br>Tel 04992-5-1267<br>Fax 04992-5-1537 |
| 7 | Types of traffic permitted (IFR/VFR)                                                         | IFR/VFR                                                                                      |
| 8 | Remarks                                                                                      | Nil                                                                                          |

## RJAN AD 2.3 OPERATIONAL HOURS

|    |                           |                                                                                                                                                                                                               |
|----|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | AD Administration         | 2330-0815 [2330 20th APR - 0815 10th MAY, 2330 15th JUL - 0815 31st AUG]<br>2330-0730 [2330 31st AUG - 0730 20th APR, 2330 10th MAY - 0730 15th JUL]                                                          |
| 2  | Customs and immigration   | On request<br>Customs: 03-3599-6286<br>Immigration: 0570-034259 (Department Number 210)                                                                                                                       |
| 3  | Health and sanitation     | Quarantine(human): On request(03-3599-1515)<br>Quarantine(animal, plant): Nil                                                                                                                                 |
| 4  | AIS Briefing Office       | Nil                                                                                                                                                                                                           |
| 5  | ATS Reporting Office(ARO) | Nil                                                                                                                                                                                                           |
| 6  | MET Briefing Office       | H24(TOKYO)                                                                                                                                                                                                    |
| 7  | ATS                       | 2330-0815 [2330 20th APR - 0815 10th MAY, 2330 15th JUL - 0815 31st AUG]<br>2330-0730 [2330 31st AUG - 0730 20th APR, 2330 10th MAY - 0730 15th JUL]<br>Remarks: AFIS provided by New Chitose Airport Office. |
| 8  | Fuelling                  | 2330-0815 [2330 20th APR - 0815 10th MAY, 2330 15th JUL - 0815 31st AUG]<br>2330-0730 [2330 31st AUG - 0730 20th APR, 2330 10th MAY - 0730 15th JUL]<br>(On request)                                          |
| 9  | Handling                  | 2330-0815 [2330 20th APR - 0815 10th MAY, 2330 15th JUL - 0815 31st AUG]<br>2330-0730 [2330 31st AUG - 0730 20th APR, 2330 10th MAY - 0730 15th JUL]                                                          |
| 10 | Security                  | 2330-0815 [2330 20th APR - 0815 10th MAY, 2330 15th JUL - 0815 31st AUG]<br>2330-0730 [2330 31st AUG - 0730 20th APR, 2330 10th MAY - 0730 15th JUL]                                                          |
| 11 | De-icing                  | Nil                                                                                                                                                                                                           |
| 12 | Remarks                   | Nil                                                                                                                                                                                                           |

**RJAN AD 2.4 HANDLING SERVICES AND FACILITIES**

|   |                                         |                |
|---|-----------------------------------------|----------------|
| 1 | Cargo-handling facilities               | Nil            |
| 2 | Fuel/ oil types                         | Fuel : JET A-1 |
| 3 | Fuelling facilities/ capacity           | Fuel truck     |
| 4 | De-icing facilities                     | Nil            |
| 5 | Hangar space for visiting aircraft      | Nil            |
| 6 | Repair facilities for visiting aircraft | Nil            |
| 7 | Remarks                                 | Nil            |

**RJAN AD 2.5 PASSENGER FACILITIES**

|   |                      |     |
|---|----------------------|-----|
| 1 | Hotels               | Nil |
| 2 | Restaurants          | Nil |
| 3 | Transportation       | Nil |
| 4 | Medical facilities   | Nil |
| 5 | Bank and Post Office | Nil |
| 6 | Tourist Office       | Nil |
| 7 | Remarks              | Nil |

**RJAN AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

|   |                                             |                                  |
|---|---------------------------------------------|----------------------------------|
| 1 | AD category for fire fighting               | CAT 3                            |
| 2 | Rescue equipment                            | Chemical fire fighting truck x 1 |
| 3 | Capability for removal of disabled aircraft | Nil                              |
| 4 | Remarks                                     | Nil                              |

**RJAN AD 2.7 SEASONAL AVAILABILITY-CLEARING**

|   |                             |                |
|---|-----------------------------|----------------|
| 1 | Types of clearing equipment | Not applicable |
| 2 | Clearance priorities        | Nil            |
| 3 | Remarks                     | Nil            |

**RJAN AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

|   |                                     |                                                                          |
|---|-------------------------------------|--------------------------------------------------------------------------|
| 1 | Apron surface and strength          | Surface : Asphalt concrete      Strength : PCR 101/F/C/Y/T               |
| 2 | Taxiway width, surface and strength | Width : 9m<br>Surface : Asphalt concrete      Strength : PCR 101/F/C/Y/T |
| 3 | ACL and elevation                   | Not available                                                            |
| 4 | VOR checkpoints                     | Not available                                                            |
| 5 | INS checkpoints                     | Spot NR<br>1: 342212.30N 1391608.48E<br>2: 342212.05N 1391609.82E        |
| 6 | Remarks                             | Nil                                                                      |

**RJAN AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

|   |                                                                                                                |                                                                                                                                                                                    |
|---|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands | Nil                                                                                                                                                                                |
| 2 | RWY and TWY markings and LGT                                                                                   | RWY: RWY 11/29<br>(Marking) RWY designation, RWY CL, RWY THR, RWY middle point, TDZ, Aiming point, RWY side stripe<br><br>TWY :<br>(Marking) TWY CL, TWY side stripe, RWY HLDG PSN |
| 3 | Stop bars                                                                                                      | Nil                                                                                                                                                                                |
| 4 | Remarks                                                                                                        | (Marking) Overrun area                                                                                                                                                             |

**RJAN AD 2.10 AERODROME OBSTACLES**

| RWY/Area affected | Obstacle type | Coordinates | Elevation | Markings/ LGT | Remarks |
|-------------------|---------------|-------------|-----------|---------------|---------|
| Nil               |               |             |           |               |         |

RJAN AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

|    |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | Associated MET Office                                               | TOKYO                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 2  | Hours of service<br>MET Office outside hours                        | H24(TOKYO)                                                                                                                                                                                                                                                                                                                                                                                                              |
| 3  | Office responsible for TAF preparation<br>Periods of validity       | Nil                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 4  | Trend forecast<br>Interval of issuance                              | Nil                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 5  | Briefing/ consultation provided                                     | Briefing is available upon inquiry at TOKYO.                                                                                                                                                                                                                                                                                                                                                                            |
| 6  | Flight documentation<br>Language(s) used                            | C<br>En                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 7  | Charts and other information available for briefing or consultation | S <sub>6</sub> , U <sub>85</sub> , U <sub>7</sub> , U <sub>5</sub> , U <sub>3</sub> , U <sub>25</sub> , U <sub>2</sub> /T <sub>r</sub> , P <sub>S</sub> , P <sub>5</sub> , P <sub>3</sub> , P <sub>25</sub> , P <sub>SWE</sub> , P <sub>SWF</sub> , P <sub>SWG</sub> , P <sub>SWI</sub> , P <sub>SWM</sub> , P <sub>SW</sub> (domestic), E, C, W <sub>E</sub> , W <sub>F</sub> , W <sub>G</sub> , W <sub>I</sub> , W, N |
| 8  | Supplementary equipment available for providing information         | Nil                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 9  | ATS units provided with information                                 | RADIO                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 10 | Additional information<br>(limitation of service, etc.)             | Nil                                                                                                                                                                                                                                                                                                                                                                                                                     |

RJAN AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations<br>RWY NR                                                                                                                                                                                                                                          | TRUE BRG | Dimensions of<br>RWY(M) | Strength(PCR) and<br>Surface of RWY | THR coordinates<br>THR geoid undulation | THR elevation and<br>highest elevation of TDZ<br>of precision APP RWY |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------|
| 1                                                                                                                                                                                                                                                               | 2        | 3                       | 4                                   | 5                                       | 6                                                                     |
| 11                                                                                                                                                                                                                                                              | 102.32°  | 800×25                  | PCR 101/F/C/Y/T<br>Asphalt Concrete | 342213.11N/1391551.44E<br>133ft         | THR ELEV: 89FT                                                        |
| 29                                                                                                                                                                                                                                                              | 282.32°  | 800×25                  | PCR 101/F/C/Y/T<br>Asphalt Concrete | 342207.57N/1391622.04E<br>132ft         | THR ELEV: 92FT                                                        |
|                                                                                                                                                                                                                                                                 |          |                         |                                     |                                         |                                                                       |
| Slope of RWY                                                                                                                                                                                                                                                    |          | Strip<br>Dimensions(M)  | RESA(Overrun)<br>Dimensions(M)      | Remarks                                 |                                                                       |
| 7                                                                                                                                                                                                                                                               |          | 10                      | 11                                  | 14                                      |                                                                       |
| See Below Figure                                                                                                                                                                                                                                                |          | 920×60                  | 40×50                               | Nil                                     |                                                                       |
|                                                                                                                                                                                                                                                                 |          | 920×60                  | 40×50                               |                                         |                                                                       |
| <div><div><div><div>RWY11</div><div>89ft</div><div>1.021%</div><div>94ft</div><div>0m</div><div>150m</div></div><div><div>LEVEL</div><div>510m</div></div><div><div>94ft</div><div>0.191%</div><div>92ft</div><div>800m</div></div><div>RWY29</div></div></div> |          |                         |                                     |                                         |                                                                       |

## RJAN AD 2.13 DECLARED DISTANCES

| RWY Designator | TORA<br>(m) | TODA<br>(m) | ASDA<br>(m) | LDA<br>(m) | Remarks |
|----------------|-------------|-------------|-------------|------------|---------|
| 1              | 2           | 3           | 4           | 5          | 6       |
| 11             | 800         | 800         | 800         | 800        | Nil     |
| 29             | 800         | 800         | 800         | 800        | Nil     |

## RJAN AD 2.14 APPROACH AND RUNWAY LIGHTING

| RWY<br>Designator                               | APCH<br>LGT<br>type<br>LEN<br>INTST | RTHL<br>Color<br>WBAR | PAPI<br>(VASIS)<br>Angle<br>DIST FM THR<br>MEHT | RTZL<br>LEN | RCLL<br>LEN<br>Spacing<br>Color<br>INTST | REDL<br>LEN<br>Spacing<br>Color<br>INTST | RENL<br>Color<br>WBAR | STWL<br>LEN<br>Color |
|-------------------------------------------------|-------------------------------------|-----------------------|-------------------------------------------------|-------------|------------------------------------------|------------------------------------------|-----------------------|----------------------|
| 1                                               | 2                                   | 3                     | 4                                               | 5           | 6                                        | 7                                        | 8                     | 9                    |
| 11                                              | Nil                                 | Nil                   | PAPI<br>4.0°/LEFT<br>104.2m<br>28FT             | Nil         | Nil                                      | Nil                                      | Nil                   | Nil                  |
| 29                                              | Nil                                 | Nil                   | PAPI<br>4.0°/LEFT<br>116.6m<br>28FT             | Nil         | Nil                                      | Nil                                      | Nil                   | Nil                  |
| Remarks                                         |                                     |                       |                                                 |             |                                          |                                          |                       |                      |
| 10                                              |                                     |                       |                                                 |             |                                          |                                          |                       |                      |
| RWY THR ID LGT for RWY 11/29 THR (Color: White) |                                     |                       |                                                 |             |                                          |                                          |                       |                      |

## RJAN AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

|   |                                                          |                                                                                                   |
|---|----------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| 1 | ABN/IBN location, characteristics and hours of operation | Nil                                                                                               |
| 2 | LDI location and LGT<br>Anemometer location and LGT      | LDI : Nil<br>Anemometer : RWY 11: 64m from RWY 11 THR, LGTD<br>RWY 29 : 98m from RWY 29 THR, LGTD |
| 3 | TWY edge and center line lighting                        | Nil                                                                                               |
| 4 | Secondary power supply / switch-over time                | Within 15 sec: PAPI, RWY THR ID LGT                                                               |
| 5 | Remarks                                                  | Nil                                                                                               |

## RJAN AD 2.16 HELICOPTER LANDING AREA

|     |
|-----|
| Nil |
|-----|

RJAN AD 2.17 ATS AIRSPACE

| Designation and lateral limits |                                                 | Vertical limits (ft) | Airspace classification | ATS unit call sign Language | Remarks |
|--------------------------------|-------------------------------------------------|----------------------|-------------------------|-----------------------------|---------|
| 1                              |                                                 | 2                    | 3                       | 4                           | 6       |
| Niijima Information Zone       | Area within a radius of 5nm(9km) of Niijima ARP | 3000 or below        | E                       | Izu Radio En                |         |

RJAN AD 2.18 ATS COMMUNICATION FACILITIES

| Service designation | Call sign | Frequency | Hours of operation                                                                                                                                               | Remarks                                 |
|---------------------|-----------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| 1                   | 2         | 3         | 4                                                                                                                                                                | 5                                       |
| AFIS                | Izu Radio | 124.3MHz  | 2330-0815<br>[2330 20th APR - 0815 10th MAY,<br>2330 15th JUL - 0815 31st AUG]<br>2330-0730<br>[2330 31st AUG - 0730 20th APR,<br>2330 10th MAY - 0730 15th JUL] | Operated by New Chitose Airport Office. |

RJAN AD 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aid (VOR declination) | ID | Frequency  | Hours of operation | Position of transmitting antenna coordinates | Elevation of DME transmitting antenna | Remarks                                    |
|-------------------------------|----|------------|--------------------|----------------------------------------------|---------------------------------------|--------------------------------------------|
| 1                             | 2  | 3          | 4                  | 5                                            | 6                                     | 7                                          |
| MSAS                          |    | 1575.42MHz | H24                |                                              |                                       | Transmitting antennas are satellite based. |

## RJAN AD 2.20 LOCAL TRAFFIC REGULATIONS

1. Airport regulations

Nil

2. Taxiing to and from stands

Nil

3. Parking area for small aircraft(General aviation)

Nil

4. Parking area for helicopters

Nil

5. Apron - taxiing during winter conditions

Nil

6. Taxiing - limitations

Nil

7. School and training flights - technical test flights - use of runways

In principle, no flight training is permitted.  
To apply for an exception, the administrator's prior permission is required.

8. Helicopter traffic - limitation

Nil

9. Removal of disabled aircraft from runways

Nil

## RJAN AD 2.21 NOISE ABATEMENT PROCEDURES

Nil

**RJAN AD 2.22 FLIGHT PROCEDURES****TAKE OFF MINIMA**

|                                                 | RWY | REDL and RCLL   | REDL or RCLL<br>or RCL marking | NIL<br>(DAY ONLY) |
|-------------------------------------------------|-----|-----------------|--------------------------------|-------------------|
|                                                 |     | CEIL - VIS      | CEIL - VIS                     | CEIL - VIS        |
| Multi-Engine ACFT<br>with TKOF ALTN<br>AP filed | 11  | -               | 0 - 400m                       | 0 - 500m          |
|                                                 | 29  | -               | 400 - 2400m                    | 400 - 2400m       |
| OTHER                                           | 11  | AVBL LDG MINIMA |                                |                   |
|                                                 | 29  |                 |                                |                   |

**RJAN AD 2.23 ADDITIONAL INFORMATION**

|     |
|-----|
| Nil |
|-----|

**RJAN AD 2.24 CHARTS RELATED TO AN AERODROME**


Aerodrome Chart  
 Standard Departure Chart -instrument (OSHIMA)  
 Instrument Approach Chart (RNP RWY11)  
 Instrument Approach Chart (RNP RWY29)  
 Other Chart (Visual REP)  
 Other Chart (MVA CHART)



RJAN / NIIJIMA

AD CHART

CHANGE : WIND SPEED METER, CEILOMETER added.



**INTENTIONALLY LEFT BLANK**

## STANDARD DEPARTURE CHART - INSTRUMENT

RJAN / NIIJIMA


SID

OSHIMA ONE DEPARTURE

RWY11 : Climb RWY HDG to 3000FT, turn left, via XAC R185 to XAC VORTAC.

RWY29 : Climb RWY HDG to 3000FT, turn right HDG080° to intercept and proceed via XAC R215 to XAC VORTAC.

Note RWY11: 5.0% climb gradient required up to 3000FT due to airspace restrictions only.  
RWY29: 5.0% climb gradient required up to 3000FT due to airspace restrictions only.




**INTENTIONALLY LEFT BLANK**

## INSTRUMENT APPROACH CHART

RJAN / NIIJIMA

RNP RWY11




CHANGE:PROC renamed. Requirement for RNP.

## INSTRUMENT APPROACH CHART

RJAN / NIIJIMA


RNP RWY29



CHANGE:PROC renamed. Requirement for RNP.

RJAN / NIIJIMA

Visual REP




※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

| CHANGE : VAR. | Call sign          | BRG / DIST from ARP | Remarks              |
|---------------|--------------------|---------------------|----------------------|
|               | 利島<br>Toshima      | 003°T / 9.0NM       | 宮塚山<br>Mt. Miyatsuka |
|               | 10NM NW            | 315°T / 10.0NM      | 海上<br>Over the sea   |
|               | 式根島<br>Shikinejima | 227°T / 4.4NM       | 御釜湾<br>Mikawa Bay    |
|               | 10NM SE            | 135°T / 10.0NM      | 海上<br>Over the sea   |

RJAN / NIIJIMA

Minimum Vectoring Altitude CHART

VAR8°W(2019)



- CENTER : 342210N/1391607E(ARP)
- 342210N/1391607E RADIUS : 30NM
- RADIAL & DISTANCE FM 353312N/1394652E(TOKYO ARP)

CHANGE : VAR.