Foundations of Reinforcement Learning with Applications in Finance

Ashwin Rao

Stanford University

A bit about me and about my book

- Chief Science Office at Wayfair (∼ \$15B e-commerce company)
- Adjunct Professor, Applied Math (ICME), Stanford University
- Past: MD at Morgan Stanley, Trading Strategist at Goldman Sachs
- Wall Street career mostly in Rates and Mortgage Derivatives
- Educational background: Algorithms Theory and Abstract Algebra
- I direct Stanford's Mathematical & Computational Finance program
- Research & Teaching in: RL and it's applications in Finance & Retail

2/34

• Book: Foundations of RL with Applications in Finance

Key features of my book

- Book blends Theory, Modeling, Algorithms, Python, Trading problems
- Emphasis on broader principles in Applied Math & Software Design
- Focus on foundations and core understanding of concepts
- Tutorial-styled coverage, sometimes compromising rigor for intuition
- Significant emphasis on learning by coding the details
- 5 important financial applications covered in the book

Al for Dynamic Decisioning under Uncertainty

- Let's browse some terms used to characterize this branch of AI
- Stochastic: Uncertainty in key quantities, evolving over time
- Optimization: A well-defined metric to be maximized ("The Goal")
- Dynamic: Decisions need to be a function of the changing situations
- Control: Overpower uncertainty by persistent steering towards goal
- Jargon overload due to confluence of Control Theory, OR and AI
- For language clarity, let's just refer to this area as Stochastic Control
- The core framework is called Markov Decision Processes (MDP)
- Reinforcement Learning is a class of algorithms to solve MDPs

The MDP Framework



Components of the MDP Framework

- The Agent and the Environment interact in a time-sequenced loop
- Agent responds to [State, Reward] by taking an Action
- Environment responds by producing next step's (random) State
- Environment also produces a (random) scalar denoted as Reward
- Each State is assumed to have the Markov Property, meaning:
 - Next State/Reward depends only on Current State (for a given Action)
 - Current State captures all relevant information from History
 - Current State is a sufficient statistic of the future (for a given Action)
- Goal of Agent is to maximize Expected Sum of all future Rewards
- By controlling the ($Policy: State \rightarrow Action$) function
- This is a dynamic (time-sequenced control) system under uncertainty


Ashwin Rao (Stanford) RL for Finance 6/34

Formal MDP Framework

The following notation is for discrete time steps. Continuous-time formulation is analogous (often involving <u>Stochastic Calculus</u>)

- Time steps denoted as $t = 1, 2, 3, \dots$
- ullet Markov States $S_t \in \mathcal{S}$ where \mathcal{S} is the State Space
- Actions $A_t \in \mathcal{A}$ where \mathcal{A} is the Action Space
- ullet Rewards $R_t \in \mathbb{R}$ denoting numerical feedback
- Transitions $p(r, s'|s, a) = \mathbb{P}[(R_{t+1} = r, S_{t+1} = s')|S_t = s, A_t = a]$
- \bullet $\gamma \in [0,1]$ is the Discount Factor for Reward when defining Return
- Return $G_t = R_{t+1} + \gamma \cdot R_{t+2} + \gamma^2 \cdot R_{t+3} + \dots$
- ullet Policy $\pi(a|s)$ is probability that Agent takes action a in states s
- ullet The goal is find a policy that maximizes $\mathbb{E}[G_t|S_t=s]$ for all $s\in\mathcal{S}$

How a baby learns to walk



Many real-world problems fit this MDP framework

- Self-driving vehicle (speed/steering to optimize safety/time)
- Game of Chess (Boolean Reward at end of game)
- Complex Logistical Operations (eg: movements in a Warehouse)
- Make a humanoid robot walk/run on difficult terrains
- Manage an investment portfolio
- Control a power station
- Optimal decisions during a football game
- Strategy to win an election (high-complexity MDP)

Self-Driving Vehicle



Why are these problems hard?

- State space can be large or complex (involving many variables)
- Sometimes, Action space is also large or complex
- No direct feedback on "correct" Actions (only feedback is Reward)
- Time-sequenced complexity (Actions influence future States/Actions)
- Actions can have delayed consequences (late Rewards)
- Agent often doesn't know the Model of the Environment
- "Model" refers to probabilities of state-transitions and rewards
- So, Agent has to learn the Model AND solve for the Optimal Policy
- Agent Actions need to tradeoff between "explore" and "exploit"

Value Function and Bellman Equations

ullet Value function (under policy π) $V^\pi(s)=\mathbb{E}[G_t|S_t=s]$ for all $s\in\mathcal{S}$

$$V^{\pi}(s) = \sum_{a} \pi(a|s) \cdot \sum_{r,s'} p(r,s'|s,a) \cdot (r + \gamma V^{\pi}(s'))$$
 for all $s \in \mathcal{S}$

ullet Optimal Value Function $V^*(s) = \max_{\pi} V^{\pi}(s)$ for all $s \in \mathcal{S}$

$$V^*(s) = \max_{a} \sum_{r,s'} p(r,s'|s,a) \cdot (r + \gamma V^*(s'))$$
 for all $s \in \mathcal{S}$

- There exists an Optimal Policy π^* achieving $V^*(s)$ for all $s \in \mathcal{S}$
- ullet Determining $V^{\pi}(s)$ known as *Prediction*, and $V^*(s)$ known as *Control*
- The above recursive equations are called Bellman equations
- In continuous time, referred to as Hamilton-Jacobi-Bellman (HJB)
- The algorithms based on Bellman equations are broadly classified as:
 - Dynamic Programming
 - Reinforcement Learning

Dynamic Programming

- When Probabilities Model is known \Rightarrow Dynamic Programming (DP)
- DP Algorithms take advantage of knowledge of probabilities
- So, DP Algorithms do not require interaction with the environment
- In the Language of AI, DP is a type of Planning Algorithm
- DP algorithms are iterative algorithms based on Fixed-Point Theorem
- Finding a Fixed Point of Operator based on Bellman Equation
- Why is DP not effective in practice?
 - Curse of Dimensionality
 - Curse of Modeling
- Curse of Dimensionality can be partially cured with Approximate DP
- To resolve both curses effectively, we need RL

Reinforcement Learning

- Typically in real-world, we don't have access to a Probabilities Model
- All we have is access to an environment serving individual transitions
- Even if MDP model is available, model updates can be challenging
- Often real-world models end up being too large or too complex
- Sometimes estimating a sampling model is much more feasible
- RL interacts with either actual or simulated environment
- Either way, we receive individual transitions to next state and reward
- RL is a "trial-and-error" approach linking *Actions* to *Returns*
- Try different actions & learn what works, what doesn't
- This is hard because actions have overlapping reward sequences
- Also, sometimes Actions result in delayed Rewards

RL: Learning Value Function Approximation from Samples

- RL incrementally learns the Value Function from transitions data
- Appropriate Approximation of Value Function is key to success
- Deep Neural Networks are typically used for function approximation
- Big Picture: Sampling and Function Approximation come together
- RL algorithms are clever about balancing "explore" versus "exploit"
- Most RL Algorithms are founded on the Bellman Equations
- Promise of modern A.I. is based on success of RL algorithms
- Potential for automated decision-making in many industries
- In 10-20 years: Bots that act or behave more optimal than humans
- RL already solves various low-complexity real-world problems
- Possibilities in Finance are endless (book covers 5 key problems)

Ashwin Rao (Stanford) RL for Finance 15/34

P1: Dynamic Asset-Allocation and Consumption

- The broad topic is Investment Management
- Applies to Corporations as well as Individuals
- The two considerations are:
 - How to allocate money across assets in one's investment portfolio
 - How much to consume for one's needs/operations/pleasures
- We consider the dynamic version of these dual considerations
- Asset-Allocation and Consumption decisions at each time step
- Asset-Allocation decisions typically deal with Risk-Reward tradeoffs
- Consumption decisions are about spending now or later
- Objective: Horizon-Aggregated Expected Utility of Consumption

Ashwin Rao (Stanford) RL for Finance 16/34

P1: Consider the simple example of Personal Finance

- Broadly speaking, Personal Finance involves the following aspects:
 - Receiving Money: Salary, Bonus, Rental income, Asset Liquidation etc.
 - Consuming Money: Food, Clothes, Rent/Mortgage, Car, Vacations etc.
 - Investing Money: Savings account, Stocks, Real-estate, Gold etc.
- Goal: Maximize lifetime-aggregated Expected Utility of Consumption
- This can be modeled as a Markov Decision Process
- State: Age, Asset Holdings, Asset Valuation, Career situation etc.
- Action: Changes in Asset Holdings, Optional Consumption
- Reward: Utility of Consumption of Money
- Model: Career uncertainties, Asset market uncertainties

Ashwin Rao (Stanford) RL for Finance 17 / 34

P2: Classical Pricing and Hedging of Derivatives

- Classical Pricing/Hedging Theory is based on a few core concepts:
 - Arbitrage-Free Market where you cannot make money from nothing
 - **Replication** when the payoff of a *Derivative* can be constructed by assembling (and rebalancing) a portfolio of the underlying securities
 - Complete Market where payoffs of all derivatives can be replicated
 - **Risk-Neutral Measure** Altered probability measure for movements of underlying securities for mathematical convenience in pricing
- Assumptions of <u>arbitrage-free and completeness</u> lead to (dynamic, exact, unique) replication of derivatives with the underlying securities
- Assumptions of frictionless trading provide these idealistic conditions
- $\bullet \ \, \text{Frictionless} := \text{continuous trading, any volume, no transaction costs} \\$
- Replication strategy gives us the pricing and hedging solutions
- This is the foundation of the famous Black-Scholes formulas
- However, the real-world has many frictions ⇒ Incomplete Market
- ... where derivatives cannot be exactly replicated

P2: Pricing and Hedging in an Incomplete Market

- In an incomplete market, we have multiple risk-neutral measures
- So, multiple derivative prices (each consistent with no-arbitrage)
- The market/trader "chooses" a risk-neutral measure (hence, price)
- This "choice" is typically made in ad-hoc and inconsistent ways
- Alternative approach is for a trader to play Portfolio Optimization
- Maximizing "risk-adjusted return" of the derivative plus hedges
- Based on a specified preference for trading risk versus return
- This preference is equivalent to specifying a <u>Utility function</u>
- Reminiscent of the Portfolio Optimization problem we've seen before
- Likewise, we can set this up as a stochastic control (MDP) problem
- Where the decision at each time step is: Trades in the hedges
- So what's the best way to solve this MDP?

P2: Deep Reinforcement Learning (DRL)

- Dynamic Programming not suitable in practice due to:
 - Curse of Dimensionality
 - Curse of Modeling
- So we solve the MDP with Deep Reinforcement Learning (DRL)
- The idea is to use real market data and real market frictions
- Developing realistic simulations to derive the optimal policy
- The optimal policy gives us the (practical) hedging strategy
- The optimal value function gives us the price (valuation)
- Formulation based on Deep Hedging paper by J.P.Morgan researchers
- More details in the <u>prior paper</u> by some of the same authors

P3: Stopping Time

- ullet Stopping time au is a "random time" (random variable) interpreted as time at which a given stochastic process exhibits certain behavior
- Stopping time often defined by a "stopping policy" to decide whether to continue/stop a process based on present position and past events
- ullet Deciding whether $au \leq t$ only depends on information up to time t
- Hitting time of a set A for a process X_t is the first time X_t takes a value within the set A
- Hitting time is an example of stopping time. Formally,

$$T_{X,A} = \min\{t \in \mathbb{R} | X_t \in A\}$$

eg: Hitting time of a process to exceed a certain fixed level

P3: Optimal Stopping Problem

Optimal Stopping problem for Stochastic Process X_t:

$$W(x) = \max_{\tau} \mathbb{E}[H(X_{\tau})|X_0 = x]$$

where τ is a set of stopping times of X_t , $W(\cdot)$ is called the Value function, and H is the Reward function.

- Note that sometimes we can have several stopping times that maximize $\mathbb{E}[H(X_{\tau})]$ and we say that the optimal stopping time is the smallest stopping time achieving the maximum value.
- Example of Optimal Stopping: Optimal Exercise of American Options
 - \bullet X_t is risk-neutral process for underlying security's price
 - x is underlying security's current price
 - $oldsymbol{ au}$ is set of exercise times corresponding to various stopping policies
 - ullet $W(\cdot)$ is American option price as function of underlying's current price
 - $H(\cdot)$ is the option payoff function, adjusted for time-discounting

P3: Optimal Stopping Problems as MDPs

- We formulate Stopping Time problems as Markov Decision Processes
- State is X_t
- Action is Boolean: Stop or Continue
- Reward always 0, except upon Stopping (when it is $= H(X_{\tau})$)
- State-transitions governed by the Stochastic Process X_t
- For discrete time steps, the Bellman Optimality Equation is:

$$V^*(X_t) = \max(H(X_t), \mathbb{E}[V^*(X_{t+1})|X_t])$$


 For finite number of time steps, we can do a simple backward induction algorithm from final time step back to time step 0

23 / 34

P3: American Option Pricing

- American Option Pricing is Optimal Stopping, and hence an MDP
- So can be tackled with Dynamic Programming or RL algorithms
- But let us first review the mainstream approaches
- For some American options, just price the European, eg: vanilla call
- When payoff is not path-dependent and state dimension is not large, we can do backward induction on a binomial/trinomial tree/grid
- Otherwise, the standard approach is Longstaff-Schwartz algorithm
- Longstaff-Schwartz algorithm combines 3 ideas:
 - Valuation based on Monte-Carlo simulation
 - Function approximation of continuation value for in-the-money states
 - Backward-recursive determination of early exercise states
- RL is an attractive alternative to Longstaff-Schwartz algorithm
- LSPI and Deep Q-Learning solutions sketched <u>here</u>

P4: Trading Order Book (abbrev. OB)




P4: Basics of Order Book (OB)

- Buyers/Sellers express their intent to trade by submitting bids/asks
- These are Limit Orders (LO) with a price P and size N
- Buy LO (P, N) states willingness to buy N shares at a price $\leq P$
- Sell LO (P, N) states willingness to sell N shares at a price $\geq P$
- Order Book aggregates order sizes for each unique price
- So we can represent with two sorted lists of (Price, Size) pairs

Bids:
$$[(P_i^{(b)}, N_i^{(b)}) \mid 0 \le i < m], P_i^{(b)} > P_j^{(b)}$$
 for $i < j$
Asks: $[(P_i^{(a)}, N_i^{(a)}) \mid 0 \le i < n], P_i^{(a)} < P_i^{(a)}$ for $i < j$

- We call $P_0^{(b)}$ as simply Bid, $P_0^{(a)}$ as Ask, $\frac{P_0^{(a)} + P_0^{(b)}}{2}$ as Mid
- We call $P_0^{(a)} P_0^{(b)}$ as Spread, $P_{n-1}^{(a)} P_{m-1}^{(b)}$ as Market Depth
- A Market Order (MO) states intent to buy/sell N shares at the best possible price(s) available on the OB at the time of MO submission

P4: Trading Order Book



P4: Price Impact and Order Book Dynamics

- A new Sell LO (P, N) potentially removes best bid prices on the OB
- After this removal, it adds to the asks side of the OB
- A new Buy LO operates analogously (on the other side of the OB)
- A Sell Market Order N will remove the best bid prices on the OB
- A Buy Market Order N will remove the best ask prices on the OB
- A large-sized MO can result in a big Big-Ask Spread we call this the Temporary Price Impact
- Spread typically replenished by new LOs, potentially from either side
- Subsequent Replenishment moves Bid/Ask/Mid we call this the Permanent Price Impact
- Price Impact Models with OB Dynamics can be quite complex

P4: Optimal Trade Order Execution Problem

- The task is to sell a large number *N* of shares
- We are allowed to trade in T discrete time steps
- We are only allowed to submit Market Orders
- Need to consider both Temporary and Permanent Price Impact
- For simplicity, consider a model of just the Bid Price Dynamics
- Goal is to maximize Expected Total Utility of Sales Proceeds
- ullet By breaking N into appropriate chunks (timed appropriately)
- If we sell too fast, we are likely to get poor prices
- If we sell too slow, we risk running out of time
- Selling slowly also leads to more uncertain proceeds (lower Utility)
- This is a Dynamic Optimization problem
- We can model this problem as a Markov Decision Process (MDP)

P4: Problem Notation

- Time steps indexed by t = 0, 1, ..., T
- P_t denotes Bid Price at start of time step t
- N_t denotes number of shares sold in time step t
- $R_t = N \sum_{i=0}^{t-1} N_i$ = shares remaining to be sold at start of step t
- Price Dynamics given by:

$$P_{t+1} = f_t(P_t, N_t, \epsilon_t)$$

where $f_t(\cdot)$ is an arbitrary function incorporating:

- Permanent Price Impact of selling N_t shares
- Impact-independent market-movement of Bid Price over time step t
- ullet denotes source of randomness in Bid Price market-movement
- Sales Proceeds in time step t defined as:

$$N_t \cdot Q_t = N_t \cdot (P_t - g_t(P_t, N_t))$$

where $g_t(\cdot)$ is an arbitrary func representing Temporary Price Impact

• Utility of Sales Proceeds function denoted as $U(\cdot)$

P4: Markov Decision Process (MDP) Formulation

- This is a discrete-time, finite-horizon MDP
- ullet MDP Horizon is time T, meaning all states at time T are terminal
- Order of MDP activity in each time step $0 \le t < T$:
 - Observe State $s_t := (P_t, R_t) \in \mathcal{S}_t$
 - Perform Action $a_t := N_t \in \mathcal{A}_t$
 - Receive Reward $r_{t+1} := U(N_t \cdot Q_t) = U(N_t \cdot (P_t g_t(P_t, N_t)))$
 - Experience Price Dynamics $P_{t+1} = f_t(P_t, N_t, \epsilon_t)$
- Goal is to find a Policy $\pi_t^*((P_t, R_t)) = N_t^*$ that maximizes:

$$\mathbb{E}[\sum_{t=0}^{T-1} \gamma^t \cdot U(N_t \cdot Q_t)] \text{ where } \gamma \text{ is MDP discount factor}$$

- Closed-form solutions by Bertsimas-Lo
- Risk-Aversion considerations by Almgren-Chriss

Ashwin Rao (Stanford) RL for Finance 31/34

P5: Market-Making

- Market-makers are liquidity providers (providers of Buy and Sell LOs)
- Market participants submitting MOs are liquidity takers
- But there are also other market participants that trade with LOs
- Complex interplay between market-makers & other mkt participants
- Hence, OB Dynamics tend to be quite complex
- We view the OB from the perspective of a single market-maker who aims to gain with Buy/Sell LOs of appropriate width/size
- By anticipating OB Dynamics & dynamically adjusting Buy/Sell LOs
- Goal is to maximize Utility of Gains at the end of a suitable horizon
- If Buy/Sell LOs are too narrow, more frequent but small gains
- If Buy/Sell LOs are too wide, less frequent but large gains
- Market-maker also needs to manage potential unfavorable inventory (long or short) buildup and consequent unfavorable liquidation

P5: Notation for Optimal Market-Making Problem

- We simplify the setting for ease of exposition
- Assume finite time steps indexed by $t = 0, 1, \dots, T$
- ullet Denote $W_t \in \mathbb{R}$ as Market-maker's trading PnL at time t
- Denote $I_t \in \mathbb{Z}$ as Market-maker's inventory of shares at t $(I_0 = 0)$
- ullet $S_t \in \mathbb{R}^+$ is the OB Mid Price at time t (assume stochastic process)
- $P_t^{(b)} \in \mathbb{R}^+, N_t^{(b)} \in \mathbb{Z}^+$ are market maker's Bid Price, Bid Size at t
- $P_t^{(a)} \in \mathbb{R}^+, N_t^{(a)} \in \mathbb{Z}^+$ are market-maker's Ask Price, Ask Size at t
- Assume market-maker can add or remove bids/asks costlessly
- ullet Random var $X_t^{(b)} \in \mathbb{Z}_{\geq 0}$ denotes bid-shares "hit" $up \ to \ \mathsf{time} \ t$
- ullet Random var $X_t^{(a)} \in \mathbb{Z}_{\geq 0}$ denotes ask-shares "lifted" $up \ to \ \mathsf{time} \ t$

$$W_{t+1} = W_t + P_t^{(a)} \cdot (X_{t+1}^{(a)} - X_t^{(a)}) - P_t^{(b)} \cdot (X_{t+1}^{(b)} - X_t^{(b)})$$
 , $I_t = X_t^{(b)} - X_t^{(a)}$

Goal to maximize $\mathbb{E}[U(W_T + I_T \cdot S_T)]$ for appropriate concave $U(\cdot)$

P5: Markov Decision Process (MDP) Formulation

- Order of MDP activity in each time step $0 \le t \le T 1$:
 - Observe $State := (S_t, W_t, I_t) \in S_t$
 - Perform $Action := (P_t^{(b)}, N_t^{(b)}, P_t^{(a)}, N_t^{(a)}) \in \mathcal{A}_t$
 - Experience OB Dynamics resulting in:
 - ullet random bid-shares hit $= X_{t+1}^{(b)} X_t^{(b)}$ and ask-shares lifted $= X_{t+1}^{(a)} X_t^{(a)}$
 - update of W_t to W_{t+1} , update of I_t to I_{t+1}
 - stochastic evolution of S_t to S_{t+1}
 - Receive next-step (t+1) Reward R_{t+1}

$$R_{t+1} := egin{cases} 0 & ext{for } 1 \leq t+1 \leq T-1 \ U(W_{t+1} + I_{t+1} \cdot S_{t+1}) & ext{for } t+1 = T \end{cases}$$

• Goal is to find an *Optimal Policy* $\pi^* = (\pi_0^*, \pi_1^*, \dots, \pi_{T-1}^*)$:

$$\pi_t^*((S_t, W_t, I_t)) = (P_t^{(b)}, N_t^{(b)}, P_t^{(a)}, N_t^{(a)})$$
 that maximizes $\mathbb{E}[R_T]$

Ashwin Rao (Stanford) RL for Finance 34/34