

Spring Framework : Popular frameworks to develop java application

Highly Modular in nature

Framework :

1. Strict and disciplined implementation of an architecture
2. Reduce the boiler-plate code
3. Abstract implementations of API
4. Focus more on Business logic


J2EE Framework :**1. Complex in nature :**

Service : need to create lots of interface, abstract classes, inherit class and interface
reduces the productivity of developer
reduces the efficiency
Uses lots of deployment descriptors : xml files


Rod Johnson


Create a tool/resources : Object Factory/Bean Factory
create and manage object


Spring : Lightweight




1. All implementation will be based on Object/Bean Factory
2. highly modular in nature
3. All implementation will be based on POJOs









XML Based config : XML file + with spring dependency add (additional tags)
xml config file

BEANS : Container(Object/Bean Factory) Managed Object

Two key principals of Bean Factory

1. IoC : Inversion of Control
2. DI : Dependency Injection


IoC : Outsourcing the (control of)creation and management of Object

Bean Factory :



to represent multiple classes

type of config (xml, java...)

env (java, web ...)



Dependency




Two types of Dependency injection

1. Constructor based
2. Setter based

```
<bean id="personal"
class="com.wf.training.spring.factory.service.PersonalFortune"></bean>
  <bean id="professional"
class="com.wf.training.spring.factory.service.ProfessionallFortune"></bean>

  <!-- Injecting the dependency : How -->
  <!-- Constructor -->
  <bean id="email" class="com.wf.training.spring.factory.service.EmailService">
    <constructor-arg ref="personal"/>
  </bean>
```



Injecting Literal Values :

Delegate values to a text file : properties file
key-value pair

IoC | DI : Create a Bean

Managing the Bean

1. Scope
2. Life cycle


Scope : Accessibility of Bean

by-default : singleton
explicit : prototype

request

session : Web App

application



Prototype beans : Bean Factory does not manage the complete life-cycle

Annotation based configuration

still xml file : referencing the path/location

want to create and expose a bean of Messaging service

@Component : Any class decorated this ann. will intantiated by Bean Factory

XML : need to mention package(s) to scan for @Component ann.

id : Class Name is by-default considered as id : first character in lower case

DI ways:

1. Constructor
2. Setter Based
3. Field Based


@Autowired : searches for bean of param type, if found , inject it


@Qualifier : differentiate the bean

Literal Value : @Value

@Scope : for defining the scope of the bean

Pure Java Config
XML file will be replace with a Java class






Spring Web-MVC Module : implements MVC architecture strictly


integrate the Servlet API
and implement it in MVC

Front Controller Design Pattern




View Page:

Multiple View Template
default : JSP + JSTL
Thymeleaf
Mustache
Velocity
Tiles
FreeMarker



Controller : POJO, registered with HAndler Mapper



All handler methods must have unique URL mappings

Mapping of input field with java class : getter/setter

Mapping is flexible

Maven Project implementation

1. Create Maven Project
2. web-archetype
3. add the Server Runtime Library (Tomcat)
4. Add java 1.8 support
5. Add dependency:
 1. spring framework dependency
 2. servlet + jsp + jstl

Copied sources and xml files

Convert all config to pure Java

Servlet based config : web.xml

Spring based config : dispatcher-servlet.xml

~ Java Classes

Java class

web.xml (de-facto std) : without web.xml project will not be packaged (war)

~ plugin is provided by maven to build and package

Java class for servlet based config (web.xml)

register the DS : inbuilt class for DS register (inherit this class)

mapped the url (all url targeted to DS)

Java Class for Spring based config (dispatcher-servlet.xml)

component scanning path

expose the bean of type ViewResolver

relate the spring config with servlet config

Handling the forms : critical :

Spring forms : Custom Tag Library : need to add support of taglib
allows to do mapping of JAVa class with HTML forms,
able to control behavior of UI/forms through java classes

Introducing Validation :

defining the validation rules in java class, form will follow it

Validation rules : Validation API

Hibernate Validator API : add dependency in pom.xml

Expose Validation annotations

javax

hibernate

Validation : Standard API for JAVA classes :
Java Validation API (javax.validation.constraints)

Hibernate Validation API ?

Java Validation API : spec : set of rules : set of interface

@NotBlank

new impl.

Hibernate Validation API (implementation)

@NotBlank


javax : preferable : prevent Vendor locking


Validation

Client-Side Validation : HTML5 + JS

Server-Side Validation : Java | need to add extra code

Custom Validation Annotation





absolute URL : context-path/

Every JSP has a pre-declared object to access context path

1. Dependency : Security Module (multiple sub-api)

1. spring-security-web (security filter)

2. spring-security-config (custom config)

3. spring-security-taglibs (tags library)

2. activate/initialize the security filter : java class

3. add custom config : java class

inherit a inbuilt default config class, we override as per our requirement

Default config : all resources are by default secured

: form based authentication (inbuilt login form)

Spring security

3 type of authentication

1. HttpBasic : not recommended
2. form based auth (inbuilt login)
3. form based auth (custom login)

spring security filter :

Every form must be spring form
plain html forms: submission will be blocked

Spring forms :

security : prevent CSRF attack
cross site request froger

security token :
generated by website
need to be submitted back

inbuilt validation method is provided

username

password

submission method : POST