

Activity: Filter with grep

Introduction

In this lab, you'll learn how to use the `grep` command and piping to search for files and return specific information. You'll get information from different files, including server log files and user data files. You'll use Linux commands in the Bash shell to complete these steps.

What you'll do

You have multiple tasks in this lab:

- Search for error messages in a file
- Search for files that contain a specific string
- Search for information in user files

Activity: Filter with grep

1 hourFree

Activity overview

Previously, you learned about tools that you can use to filter information in Linux. You're also familiar with the basic commands to navigate the Linux file system by now.

In this lab activity, you'll use the `grep` command and piping to search for files and to return specific information from files.

As a security analyst, it's key to know how to find the information you need. The ability to search for specific strings can help you locate what you need more efficiently.

Scenario

In this scenario, you need to obtain information contained in server log and user data files. You also need to find files with specific names.

Here's how you'll do this: **First**, you'll navigate to the `logs` directory and return the error messages in the `server_logs.txt` file. **Next**, you'll navigate to the `users` directory and search for files that contain a specific string in their names. **Finally**, you'll search for information contained in user files.

With that in mind, you're ready to practice what you've learned.

Note: The lab starts with your user account, called `analyst`, already logged in to a Bash shell. This means you can start with the tasks as soon as you click the **Start Lab** button.

Start your lab

Before you begin, you can review the instructions for using the Qwiklabs platform under the **Resources** tab in Coursera.

If you haven't already done so, click **Start Lab**. This brings up the terminal so that you can begin completing the tasks!

When you have completed all the tasks, refer to the **End your Lab** section that follows the tasks for information on how to end your lab.

Task 1. Search for error messages in a log file

In this task, you must navigate to the `/home/analyst/logs` directory and report on the error messages in the `server_logs.txt` file. You'll do this by using `grep` to search the file and output only the entries that are for errors.

1. Navigate to the `/home/analyst/logs` directory.
2. Use `grep` to filter the `server_logs.txt` file, and return all lines containing the text string `error`.

Note: If you enter a command incorrectly and it fails to return to the command-line prompt, you can press **CTRL+C** to stop the process and force the shell to return to the command-line prompt.

How many error lines are there in the server_logs.txt file?

Eight

Six

Three

Two

Submit

Click **Check my progress** to verify that you have completed this task correctly.

Search for error messages in a log file

Check my progress

Task 2. Find files containing specific strings

In this task, you must navigate to the `/home/analyst/reports/users` directory and use the correct Linux commands and arguments to search for user data files that contain a specific string in their names.

1. Navigate to the `/home/analyst/reports/users` directory.
2. Using the pipe character (`|`), pipe the output of the `ls` command to the `grep` command to list only the files containing the string `Q1` in their names.

How many files in the /home/analyst/reports/users subdirectory contain “Q1” in their names?

Five

One

Three

Two

Submit

Note: *Piping sends the standard output of one command to the standard input of another command for further processing. In the example, the output of the `grep` command is piped to the `ls` command and the output displayed in the shell.*

3. List the files that contain the word access in their names.

How many files in the /home/analyst/reports/users directory contain “access” in their names?

Five

Four

None

Three

Submit

Click **Check my progress** to verify that you have completed this task correctly.

Find files containing specific strings

Check my progress

Task 3. Search more file contents

In this task, you must search for information contained in user files and report on users that were added and deleted from the system.

1. Display the files in the `/home/analyst/reports/users` directory.
2. Search the `Q2_deleted_users.txt` file for the username `jhill`.

Did you find the username `jhill` in the `Q2_deleted_users.txt` file?

Yes

No

Submit

3. Search the `Q4_added_users.txt` file to list the users who were added to the Human Resources department.

Note: In order for `grep` to interpret a string of two or more words correctly, you must enclose it in quotes (`"Human Resources"`).

How many users were added to the Human Resources department in quarter 4?

Two

One

Five

Three

Submit

Click **Check my progress** to verify that you have completed this task correctly.

Search more file contents

Check my progress

Conclusion

Great work!

You now have practical experience in using `grep` to:

- search for specific information contained in files, and
- find files containing specific strings that were piped into `grep`.

You're well on your way to using fundamental tools in Linux to filter the information you need.

End your lab

Before you end the lab, make sure you're satisfied that you've completed all the tasks, and follow these steps:

1. Click **End Lab**. A pop-up box will appear. Click **Submit** to confirm that you're done.
Ending the lab will remove your access to the Bash shell. You won't be able to access the work you've completed in it again.
2. Another pop-up box will ask you to rate the lab and provide feedback comments.
You can complete this if you choose to.
3. Close the browser tab containing the lab to return to your course.
4. Refresh the browser tab for the course to mark the lab as complete.

Exemplar: Filter with grep

1 hourFree

Activity overview

Previously, you learned about tools that you can use to filter information in Linux. You're also familiar with the basic commands to navigate the Linux file system by now.

In this lab activity, you'll use the `grep` command and piping to search for files and to return specific information from files.

As a security analyst, it's key to know how to find the information you need. The ability to search for specific strings can help you locate what you need more efficiently.

Scenario

In this scenario, you need to obtain information contained in server log and user data files. You also need to find files with specific names.

Here's how you'll do this: **First**, you'll navigate to the logs directory and return the error messages in the `server_logs.txt` file. **Next**, you'll navigate to the users directory and search for files that contain a specific string in their names. **Finally**, you'll search for information contained in user files.

With that in mind, you're ready to practice what you've learned.

Note: *The lab starts with your user account, called `analyst`, already logged in to a Bash shell. This means you can start with the tasks as soon as you click the **Start Lab** button.*

Start your lab

Before you begin, you can review the instructions for using the Qwiklabs platform under the **Resources** tab in Coursera.

If you haven't already done so, click **Start Lab**. This brings up the terminal so that you can begin completing the tasks!

When you have completed all the tasks, refer to the **End your Lab** section that follows the tasks for information on how to end your lab.

Task 1. Search for error messages in a log file

In this task, you must navigate to the `/home/analyst/logs` directory and report on the error messages in the `server_logs.txt` file. You'll do this by using `grep` to search the file and output only the entries that are for errors.

1. Navigate to the `/home/analyst/logs` directory.

The command to complete this step:

```
cd logs
```

Copied!

content_copy

2. Use `grep` to filter the `server_logs.txt` file, and return all lines containing the text string `error`.

Note: If you enter a command incorrectly and it fails to return to the command-line prompt, you can press **CTRL+C** to stop the process and force the shell to return to the command-line prompt.

The command to complete this step:

```
grep error server_logs.txt
```

Copied!

content_copy

This `grep` command will filter `server_logs.txt` file, and return a list of the lines that match the text string `error`.

Note: The first argument passed to `grep` is the string you're searching for, and the second argument is the name of the file you're searching through.

How many error lines are there in the `server_logs.txt` file?

Six

Three

Two

Eight

Submit

Answer: There are six entries in the `server_logs.txt` file that include the error string.

Click **Check my progress** to verify that you have completed this task correctly.

Search for error messages in a log file

Check my progress

Task 2. Find files containing specific strings

In this task, you must navigate to the `/home/analyst/reports/users` directory and use the correct Linux commands and arguments to search for user data files that contain a specific string in their names.

1. Navigate to the `/home/analyst/reports/users` directory.

The command to complete this step:

```
cd /home/analyst/reports/users
```

Copied!

content_copy

2. Using the pipe character (`|`), pipe the output of the `ls` command to the `grep` command to list only the files containing the string `Q1` in their names.

The command to complete this step:

```
ls | grep Q1
```

Copied!

content_copy

How many files in the `/home/analyst/reports/users` subdirectory contain “`Q1`” in their names?

One

Two

Three

Five

Submit

Answer: There are three files in the `reports/users` directory that have `Q1` in their names.

Note: *Piping sends the standard output of one command to the standard input of another command for further processing. In the example, the output of the `grep` command is piped to the `ls` command and the output displayed in the shell.*

3. List the files that contain the word `access` in their names.

The command to complete this step:

```
ls | grep access
```

Copied!

content_copy

How many files in the `/home/analyst/reports/users` directory contain “access” in their names?

None

Five

Four

Three

Submit

Answer: There are four files in the `reports/users` directory that have the text string `access` in their names.

Click **Check my progress** to verify that you have completed this task correctly.

Find files containing specific strings

Check my progress

Task 3. Search more file contents

In this task, you must search for information contained in user files and report on users that were added and deleted from the system.

1. Display the files in the `/home/analyst/reports/users` directory.

The command to complete this step:

```
ls
```

Copied!

```
content_copy
```

2. Search the `Q2_deleted_users.txt` file for the username `jhill`.

The command to complete this step:

```
grep jhill Q2_deleted_users.txt
```

Copied!

```
content_copy
```

Did you find the username `jhill` in the `Q2_deleted_users.txt` file?

No

Yes

Submit

Answer: Yes, the user `jhill` is listed in the `Q2_deleted_users.txt` file.

3. Search the `Q4_added_users.txt` file to list the users who were added to the Human Resources department.

The command to complete this step:

```
grep "Human Resources" Q4_added_users.txt
```

Copied!

```
content_copy
```

Note: In order for `grep` to interpret a string of two or more words correctly, you must enclose it in quotes ("`Human Resources`").

How many users were added to the Human Resources department in quarter 4?

Five

One

Two

Three

Submit

Answer: Two new users were added to the Human Resources department in quarter 4.

Click **Check my progress** to verify that you have completed this task correctly.

Search more file contents

Check my progress

Conclusion

Great work!

You now have practical experience in using `grep` to:

- search for specific information contained in files, and
- find files containing specific strings that were piped into `grep`.

You're well on your way to using fundamental tools in Linux to filter the information you need.

End your lab

Before you end the lab, make sure you're satisfied that you've completed all the tasks, and follow these steps:

1. Click **End Lab**. A pop-up box will appear. Click **Submit** to confirm that you're done.
Ending the lab will remove your access to the Bash shell. You won't be able to access the work you've completed in it again.
2. Another pop-up box will ask you to rate the lab and provide feedback comments.
You can complete this if you choose to.
3. Close the browser tab containing the lab to return to your course.
4. Refresh the browser tab for the course to mark the lab as complete.