

MotoGP™

GoPro BRITISH GRAND PRIX Free Practice Nr. 1 **Chronological Analysis of Performances**

- * Lap / Sector time cancelled
- P Crossing the finish line in pit lane
- ** Tyre data subject to further updates
- **71** Time from finish line to 1st intermediate
- 72 Time from 1st intermed. to 2nd intermed.
- 73 Time from 2nd intermed. to 3rd intermed.
- 74 Time from 3rd intermediate to finish line

	Lap Tim	e T1	T2	Т3	<i>T4</i>	Speed	Lap	Lap Tim	e	T1	T2	<i>T3</i>	<i>T4</i>	Speed
4 -4	20	Fabio Ql	JARTARA		AMAHA	FRA	12	2'00.997		23.645	39.056	27.744	30.552	322.3
1st	20		amaha SRT				13	2'15.016	Р	25.917	40.966	29.315	38.818	312.1
			Runs=3	Total laps:	=17 Ful	l laps=12	Rur	ı# 3	Fro	nt Tyre S	Slick-Medi	um <i>Rear</i>	Tyre Slick	k-Medium
Run	# 1	Front Tyre	Slick-Soft	Rear	Tyre Slick-	Medium				13 /	Laps at sta	art	13 <i>Lap</i>	s at start
			New Tyr	е	Nev	w Tyre	14	7'26.730		27.700	43.918	36.155	34.285	271.3
1	2'55.852	27.98	3 42.716	29.501	32.323	288.7	15	2'00.993		23.753	38.982	27.692	30.566	
2	2'05.089	25.09	40.176	28.574	31.249	307.6	16	2'00.538		23.648	38.929	27.447	30.514	322.3
3	2'02.862	24.13	39.427	28.155	31.147	314.8	17	2'00.874		23.774	38.901	27.633	30.566	323.3
4	2'02.372	23.89	39.606	27.930	30.938	312.1			May	verick \	/IÑALES	· v	'AMAHA	SPA
5	2'02.170			27.906	31.030	315.7	3rc	d 12			rgy Yamah			0.7
6	2'01.721	23.96		27.832	30.669	312.1						Total laps		ull laps=16
7	2'17.920			30.030	41.141	315.7	Rur	ı# 1	Fro		Slick-Soft			k-Medium
Run	# 2		Slick-Soft		<i>Tyre</i> Slick-		Nui	, ,,			New Tyr			ew Tyre
		7	' Laps at sta		7 Laps	at start	1	2'21.719		26.530	41.851	30.099	31.998	
8	6'34.700			28.280	31.632	312.1	2	2'03.734		24.287	40.110	28.389	30.948	
9	2'01.390			27.704	30.717	314.8	3	2'02.149		24.124	39.347	27.923	30.755	
10	2'01.072			27.799	30.561	313.9	4	2'01.791		24.051	39.173	27.919	30.648	315.7
11	2'01.036			27.753	30.585	313.9	5	2'02.014		23.864	39.157	27.836	31.157	316.7
12	2'00.754			27.626	30.574	314.8	6	2'03.987		23.756	40.900	28.193	31.138	315.7
13	2'17.394			29.039	39.140	246.0	7	2'05.346		23.858	39.105	27.861	34.522	314.8
Run	# 3	Front Tyre	Slick-Medi				8	2'01.369		23.705	39.015	27.791	30.858	314.8
	7105 004	07.40	New Tyr			w Tyre	9	2'01.163		23.660	38.910	27.737	30.856	314.8
14	7'35.861	- F	_	28.142 27.387	30.707	311.2	u	nfinished		23.662				316.7
15 16	1'59.952			1	30.329 30.439	313.9 314.8	Rur	n# 2	Fro	nt Tyre S	Slick-Medi	um <i>Rear</i>	Tyre Slick	k-Medium
17	2'00.196 2'06.449				32.357	314.8					New Tyr	е	N	ew Tyre
	2 00.449	20.000	30.734	31.002	32.337	314.0	10	2'06.741		27.007	40.611	28.293	30.830	305.9
2nd	93	Marc MA	RQUEZ	Н	ONDA	SPA	11	2'01.232		23.827	39.100	27.718	30.587	314.8
2110	1 95	Repsol Hor	ida Team				12_	2'02.711	,	23.691	39.079	27.725	32.216	
				Total laps:		I laps=12	13	2'00.692		23.698	38.771			
Run	# 1	Front Tyre	Slick-Medi				14	2'00.804		23.671	38.850	27.695	30.588	
			New Tyr			w Tyre	15	2'07.333		23.731	44.284	28.129	31.189	
1	2'20.368			30.298	32.233	280.5	16	2'01.088		23.683	39.035	27.712	30.658	317.6
2	2'04.258				31.013	317.6	441	40	Ale	x RINS			SUZUKI	SPA
3	2'02.133				30.692	320.4	4th	า 42			KI ECSTAF	₹		
4	2'01.360				30.537	320.4				1	Runs=3	Total laps	=16 F	ull laps=11
5	2'01.037				30.459	320.4	Rur	ı# 1	Fro	nt Tyre S	Slick-Medi	um <i>Rear</i>	Tyre Slick	k-Medium
6 7	2'06.761			28.183	31.428 40.576	305.0					New Tyr	е	N	ew Tyre
	2'11.021					325.3	1	2'38.757		27.439	43.196	30.094	32.333	288.7
Run	# 2		Slick-Medi Laps at sta		<i>yre</i> Slick- 7 <i>Laps</i>		2	2'05.149		24.797	40.277	28.429	31.646	319.5
	6'48 226				31.787		3	2'02.776		24.344	39.430	28.019	30.983	321.4
8 9	6'48.226 2'01.532			27.776	30.489	281.9 322.3	4	2'02.737		24.071	39.516	27.947	31.203	321.4
10	2'00.645			27.478	30.437	322.3	5	2'04.410		24.063	39.373	29.296	31.678	320.4
11	2'00.835			27.561	30.665	322.3	6	2'20.088	Р	27.861*	43.516	28.971	39.740	295.8
	2 00.033	20.000		27.501	50.005	J22.J								
Fast	est Lap:	Fabio QL	ARTARARC)	Petronas	Yamaha	SR F	RA 1	'59.9	952	23.527	38.709	27.387	30.329

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

© DORNA, 2019








		tice N	<u>r.</u> 1												toGP
	Lap Tim		T1				Speed	Lap	Lap Time			T1 T2			Speed
Run	# 2	Front Tyl	re Sli	ick-Mediu	ı m Rear 7	<i>Tyre</i> Slick-I	Medium	7	2'01.825		24.132	39.025	27.819	30.849	325.3
			6 <i>La</i>	aps at stal	rt	6 Laps	at start	88	2'03.789		23.650	41.110	27.956	31.073	324.3
7	10'52.206	27.6	671	41.332	28.919	35.698	305.9	9	2'01.005		23.643	38.961	27.694	30.707	325.3
8	2'01.847	24.0)38	39.204	27.790	30.815	322.3	10	2'10.426	Р	24.004	39.342	28.395	38.685	323.3
9	2'01.719	23.7	737	39.203	27.895	30.884	321.4	Run	# 3	Fron	t Tyre §	Slick-Medi	um <i>Rear</i> :	Tyre Slick	-Medium
10	2'01.672	23.7	7 42	39.297	27.863	30.770	320.4				10	Laps at sta	rt	10 <i>Laps</i>	at start
11	2'14.628	P 23.8	397	41.549	30.540	38.642	317.6	11	7'20.087		27.888	41.733	29.782	31.594	291.8
Run	# 3	Front Tyl	re Sli	ick-Mediu	m Rear 7	<i>Tyre</i> Slick-I	Medium	12	2'03.244		24.419	39.718	28.174	30.933	321.4
			11 Lá	aps at stal	rt	11 <i>Laps</i> a	at start	13	2'01.669		23.822	39.103	27.780	30.964	323.3
12	5'21.652	27.1	106	41.585	28.681	31.208	307.6	14	2'01.262		23.757	39.018	27.850	30.637	325.3
13	2'01.204	23.8	313	39.041	27.648	30.702	319.5	15	2'01.233		23.773	39.004	27.740	30.716	325.3
14	2'00.979	23.7	705	38.971	27.693	30.610	319.5			\	4*	DOOOL			
15	2'02.055	23.5	599	39.025	27.865	31.566	320.4	7th				ROSSI rgy Yamaha		AMAHA	IT/
16	2'01.305	23.7	752	39.033	27.768	30.752	321.4			IVIOLIS				40 F.	
		1							4	-			Total laps:		ıll laps=1
5th	21			RBIDEL	LI Y	AMAHA	ITA	Run	# 1	Fron	t Tyre S	Slick-Medi			
		Petronas										New Tyre			w Tyre
					Total laps=		l laps=13	1	2'40.562		27.355	42.043	29.195	32.122	293.4
Run	# 1	Front Tyl				<i>Tyre</i> Slick-I		2	2'03.666		24.564	39.553	28.265	31.284	317.6
				New Tyre		Nev	v Tyre	3	2'03.033		24.708	39.370	28.064	30.891	318.5
1	2'22.874			43.311	30.990	32.583	295.8	4	2'02.319		23.967	39.193	28.023	31.136	
2	2'04.623	24.8	346	39.645	28.400	31.732	313.0	5	2'03.015		24.162	39.428	28.360	31.065	316.7
3	2'03.532	24.2	292	39.484	28.283	31.473	314.8	6	2'15.091		29.481	43.942	29.993	31.675	259.6
4	2'03.155	24.0)23	39.827	28.163	31.142	313.9	7	2'02.333		24.168	39.243	27.942	30.980	315.7
5	2'02.441	23.9	991	39.272	27.986	31.192	313.9	8	2'09.854	Р	24.020	39.137	27.954	38.743	315.7
6	2'02.614	24.2	265	39.409	27.932	31.008	313.9	Run	# 2	Fron	t Tyre 💲	Slick-Medi	um <i>Rear</i> :	Tyre Slick	-Medium
7	2'02.050	23.9	956	39.168	27.908	31.018	313.0				8 /	Laps at sta	rt	8 Laps	at start
8	2'04.316	24.0	000	39.318	28.955	32.043	314.8	9	7'29.558		29.187	40.614	28.880	31.300	310.3
9	2'01.914	23.8	355	39.043	28.054	30.962	313.9	10	2'02.486		24.299	39.217	28.046	30.924	316.7
10	2'14.274	P 25.3	398	41.853	28.628	38.395	311.2	11	2'01.774		23.966	39.165	27.926	30.717	317.6
Run	# 2	Front Tyl	re Sli	ick-Soft	Rear 7	Tyre Slick-I	Medium	12	2'02.190		24.088	39.166	27.973	30.963	315.7
			10 <i>La</i>	aps at star	rt	10 Laps	at start	13	2'01.633		23.864	39.162	27.744	30.863	316.7
1	9'19.114	27.7	769	40.571	28.268	31.058	311.2	14	2'01.831		23.990	38.973	27.908	30.960	315.7
12	2'01.903	23.9	999	39.083	27.846	30.975	313.0	15	2'23.254	Р	33.618	40.924	30.058	38.654	305.9
13	2'01.322		780	38.934	27.639	30.969	311.2	Run	# 3	Fron	t Tyre §	Slick-Medi	um <i>Rear</i> :	Tyre Slick	-Medium
14	2'10.688		773	39.202	27.944	39.769	309.4				15	Laps at sta	rt	15 <i>Laps</i>	at start
Run	# 3					Tyre Slick-I		16	5'28.699		28.792	40.932	28.375	30.944	310.3
		•		New Tyre			v Tyre	17	2'01.298		23.785	38.879	27.851	30.783	317.6
15	4'16.796	27.6		40.675	28.253	31.038	291.8	18	2'01.403		23.788	39.012	27.821	30.782	316.7
16	2'01.348			38.955	27.630	30.827	311.2								
. 5 17	2'01.002			38.869	27.525	30.885	313.0	8th				CHLOW	Н	IONDA	GBF
18	2'01.385			38.991	27.626	31.033	311.2	•	. 00	LCR		CASTROL			
													Total laps:		ıll laps=1
6th	4			VIZIOSC) D	UCATI	ITA	Run	# 1	Fron	t Tyre S	Slick-Medi			
• • •		Ducati Te										New Tyre			w Tyre
					Total laps=		l laps=10	1	2'41.850		27.940	43.857	31.206	32.097	263.4
Run	# 1	Front Tyl				<i>Tyre</i> Slick-I		2	2'06.777		24.770	40.968	29.561	31.478	311.2
				New Tyre)	Nev	v Tyre	3	2'03.003		24.377	39.583	28.106	30.937	320.4
1	2'34.747	28.3	349	43.863	30.200	32.971	276.2	4	2'02.150		24.141	39.255	27.996	30.758	324.3
2	2'07.021	25.4	116	40.791	29.102	31.712	318.5	5	2'02.156		24.086	39.331	27.909	30.830	325.3
3	2'06.482	24.5	808	39.710	31.148	31.116	321.4	6	2'17.410	Р	27.464	41.370	29.022	39.554	307.6
4	2'01.867	24.0)22	39.104	27.971	30.770	319.5	Run	# 2	Fron	t Tyre §	Slick-Medi	um <i>Rear</i>	Tyre Slick	-Medium
5	2'10.405	P 24.0)12	39.451	28.108	38.834	321.4				6	Laps at sta	rt	6 Laps	at start
Run	# 2	Front Tyl	re Sli	ick-Mediu	m Rear 7	Tyre Slick-I	Medium	7	8'26.626		32.408	46.533	31.351	32.039	294.2
•		,		aps at star		5 Laps		8	2'02.072		24.137	39.287	27.932	30.716	323.3
6	11'02.813	27.5		42.018	30.255	35.376	308.5	9	2'01.813		23.853	39.144	27.895	30.921	324.3
-	. 52.010														
Fast	test Lap:	Fabio C	QUAR	TARARO		Petronas	Yamaha	SR F	RA 1	'59.9	52	23.527	38.709	27.387	30.329

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

© DORNA, 2019







Free Practice Nr. 1 **MotoGP** *T2 T3* T3 T4 Speed T4 Speed Lap Lap Time Lap Lap Time T2 10 28.267 40.909 28.740 31.352 317.6 23.998 39.149 27.647 30.741 322.3 2'09.268 14 2'01.535 27.935 30.695 323.3 24.089 38.973 27.823 30.690 325.3 11 2'01.824 24.032 39.162 15 2'01.575 Р 24.035 39.309 28.138 38.916 323.3 12 2'10.398 SPA Tito RABAT **DUCATI** 53 Front Tyre Slick-Medium Rear Tyre Slick-Medium 11th Run# 3 Reale Avintia Racing 12 Laps at start 12 Laps at start Total laps=19 Runs=2 Full laps=15 13 8'11.505 27.811 42.351 28.644 31.263 304.2 1 Front Tyre Slick-Medium Rear Tyre Slick-Medium Run# 23.981 39.081 27.719 30.614 323.3 2'01.395 14 New Tyre New Tyre 15 2'07.966 23.912 43.794 29.151 31.109 324.3 1 2'25.760 27.597 43.537 29.871 32.363 254.7 324.3 16 2'03.132 23.934 39.209 28.763 31.226 2 41.007 28.752 31.592 300.0 2'06.247 24.896 ITA **Danilo PETRUCCI DUCATI** 3 2'05.654 24.714 40.539 28.797 31.604 312.1 9th 9 Ducati Team 4 2'05.595 24.704 40.445 28.726 31.720 308.5 5 24.477 40.165 28.496 31.578 317.6 Runs=3 Total laps=14 Full laps=9 2'04.716 6 40.370 Front Tyre Slick-Medium Rear Tyre Slick-Medium 28.362 47.396 1 2'20.848 24.720 311.2 Run # 7 **New Tyre** 24.638 39.936 28.257 31.274 318.5 New Tyre 2'04.105 1 2'26.052 29.553 42.383 29.501 31.918 300.8 8 2'03.070 24.191 39.627 28.167 31.085 321.4 9 24.190 39.815 28.304 31.171 319.5 2 2'03.480 2'04.411 24 716 40.055 28.445 31.195 320 4 3 24.137 39.139 28.101 31.023 318.5 10 2'16.001 24.295 44.653 31.947 35.106 284.2 2'02.400 11 39.487 318.5 4 24.108 39.089 28.042 30.811 324.3 2'02.741 24.218 28.081 30.955 2'02.050 27.895 12 32.448 42.066 30.110 39.946 295.0 5 2'01.762 24.046 38.908 30.913 323.3 2'24.570 6 2'01.895 24.082 39.031 28.023 30.759 319.5 2 Front Tyre Slick-Medium Rear Tyre Slick-Soft Run# 7 2'22.218 Р 28.452 42.373 31.179 40.214 269.3 12 Laps at start New Tyre Front Tyre Slick-Medium Rear Tyre Slick-Medium 13 29.795 48.387 32.301 41.320 254.7 6'55.996 Run # 2 7 Laps at start 24.975 39.747 28.039 31.021 313.9 7 Laps at start 14 2'03.782 8 12'11.764 26.630 39.676 28.483 31.035 318.5 15 2'02.558 23.997 39.428 27.893 31.240 319.5 27.355 41.146* 29.235 39.043 301.6 9 23.954 39.063 27.992 30.710 319.5 16 2'16.779 2'01.719 318.5 17 39.095 27.704 30.723 10 2'02.046 23.898 39.345 28.018 30.785 2'01.589 24.067 319.5 18 24.082 39.369 27.910 35.165 320.4 11 2'01.756 23.968 39.005 28.005 30.778 318.5 2'06.526 26.003 42.249 30.482 41.179 281.9 19 2'02.106 24.228 39.176 27.837 30.865 319.5 12 2'19.913 Front Tyre Slick-Medium Rear Tyre Slick-Medium 3 Run # SPA Aleix ESPARGARO **APRILIA 12th** 41 12 Laps at start 12 Laps at start Aprilia Racing Team Gresini 29.755 13 31.084 314.8 7'51.510 39.972 28.302 Runs=3 Total laps=15 Full laps=10 2'01.438 23.837 38.987 27.928 30.686 325.3 14 Run # Front Tyre Slick-Medium Rear Tyre Slick-Medium AUS **New Tyre New Tyre** Jack MILLER **DUCATI** 43 10th Pramac Racing 1 2'20.793 27.256 43.157 29.490 31.919 281.9 2 24.497 40.029 28.613 31.102 317.6 Runs=3 Total laps=15 Full laps=8 2'04.241 Front Tyre Slick-Medium Rear Tyre Slick-Medium 3 2'02.312 24.209 39.362 27.899 30.842 320.4 Run# 1 319.5 4 24.007 39.124 27.807 30.818 **New Tyre New Tyre** 2'01.756 5 2'13.095 Р 24.785 39 990 29.073 39 247 307.6 1 2'25.528 27.292 42.674 29.561 31.922 276.2 Front Tyre Slick-Medium Rear Tyre Slick-Medium 2 2 24.570 39.885 28.280 31.183 304.2 Run # 2'03.918 5 Laps at start 5 Laps at start 3 2'02.778 24,196 39.317 27.926 31.339 318.5 4 2'02.135 24.095 39.262 27.765 31.013 321.4 6 8'11.175 27.692 41.298 28.904 31.348 295.8 5 27.013* 41.677 30.510 31.380 312.1 7 2'06.395 27.046 40.094 28.356 30.899 317.6 2'10.580 6 8 24.260 39.729 27.810 31.271 318.5 24.098 39.254 27.837 30.733 321.4 2'03.070 2'01.922 9 24.052 39.501 27.923 30.956 7 24.106 39.372 27.924 30.936 323.3 2'02.432 317.6 2'02.338 Ρ 8 2'16.854 Ρ 26.649 40.509 29.707 39.989 319.5 10 2'15.227 26.370 41.853 28.365 38.639 304.2 3 Front Tyre Slick-Medium Rear Tyre Slick-Medium Front Tyre Slick-Medium Rear Tyre Slick-Medium 2 Run# Run # 8 Laps at start 10 Laps at start New Tyre 8 Laps at start 9 27.652 42.875 28.261 318.5 11 10'28.655 26.707 41.097 29.263 31.765 312.1 12'18.185 31.303 28.568 320.4 12 39.132 319.5 10 2'06.921 26.396 40.615 31.342 2'15.584 23.978 36.577 35.897 11 2'02.492 24.226 39.331 27.964 30.971 320.4 13 2'01.785 23.907 39.119 27.852 30.907 320.4 12 2'12.700 Ρ 25.756 40.347 28.220 38.377 318.5 14 2'06.149 23.962 39.333 30.223 32.631 319.5

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

318.5

Rear Tyre Slick-Hard

30.954

New Tyre

Petronas Yamaha SR

15

FRA

2'01.658



3

5'12.575

Fastest Lap:

Run #

13



23.810

1'59.952

39.190

23.527

27.846

38.709



27.387

30.812

322.3

30.329

26.397

Front Tyre Slick-Medium

Fabio QUARTARARO

12 Laps at start

40.612

28.775

$\overline{}$	Prac												MOL	oGP
Lap	Lap Tim	1e	T1	1 T2	? <i>T</i> .	3 T4	Speed	Lap	Lap Tim	е	T1 T2	7	3 T4	Speed
13th	າ 29	An	drea IAN	INONE	Al	PRILIA	ITA	Run	# 1	Front Tyre	Slick-Mediu	m Rear	<i>Tyre</i> Slick-N	Medium
1311	1 23	Apr	rilia Racing	Team Gre	sini						New Tyre		New	v Tyre
			R	Runs=4 T	otal laps=	:14 Fu	ıll laps=7	1	2'24.994	28.319	43.319	29.955	32.017	257.7
Run	# 1	Fro	ont Tyre SI	lick-Mediu	m Rear 7	<i>yre</i> Slick-I	Medium	2	2'04.741	24.854	40.208	28.492	31.187	313.0
				New Tyre		Nev	v Tyre	3	2'03.414	24.294	39.504	28.117	31.499	316.7
1	2'27.608	3 *	29.385	43.384	29.891	32.275*	278.3	4	2'02.498	24.077	39.360	28.086	30.975	311.2
2	2'16.254	1 *	34.201*	40.788	29.193	32.072	310.3	5	2'02.998	24.086	39.310	28.105	31.497	319.5
3	2'03.942	2	24.880	39.980	28.155	30.927	304.2	6	2'03.123	24.238	39.420	28.249	31.216	317.6
4	2'02.593	3	24.232	39.272	28.257	30.832	320.4	7	2'28.924	P 32.505	42.954	31.357	42.108	300.0
5	2'42.290) P	41.257	47.642	31.885	41.506	180.0	Run	# 2	Front Tyre	Slick-Mediu	m Rear	<i>Tyre</i> Slick-N	Medium
Run	# 2	Fro	ont Tyre SI	lick-Mediu	m Rear 7	<i>yre</i> Slick-I	Medium			7	Laps at star	t	7 Laps a	at start
			5 L	aps at star	t	5 Laps a	at start	8	9'43.320	26.933	41.048	28.674	31.483	303.3
6	7'58.881	ΙP	26.645	54.948	35.472	39.923	305.0	9	2'03.271	24.293	39.633	28.274	31.071	317.6
Run	# 3	Fro	ont Tyre SI	lick-Mediu	m Rear 7	<i>yre</i> Slick-I	Medium	10	2'03.034	24.006	39.547	28.244	31.237	316.7
			6 L	aps at star	t	6 Laps a	at start	11	2'03.399	24.000	39.517	28.544	31.338	316.7
7	7'20.907	7	34.325	47.966	29.822	33.406	255.3	12	2'02.657	24.067	39.385	28.251	30.954	316.7
8	2'02.081	I	24.170	39.054	28.025	30.832	320.4	13	2'18.836	P 25.766	42.740	29.845	40.485	287.2
9	2'01.810)	24.046	39.127	27.869	30.768	319.5	Run	# 3	Front Tyre	Slick-Mediu	m <i>Rear</i> :	<i>Tyre</i> Slick-H	Hard
10	2'01.913	3	23.998	39.152	27.800	30.963	320.4			13	Laps at star	t	New	v Tyre
11	2'29.007	7 P	29.698	48.645	31.370	39.294	242.6	14	5'36.788	27.208	41.195	28.735	31.218	295.8
Run	# 4	Fro	ont Tyre SI	lick-Mediu	m Rear 7	<i>yre</i> Slick-I	Medium	15	2'01.860	23.950	39.116	27.961	30.833	316.7
			11 L	aps at star	t	11 <i>Laps</i> a	at start	16	2'01.872	24.004	39.085	27.980	30.803	317.6
12	5'35.605	5	26.882	40.870	28.726	31.430	307.6			Miamal O	IV/FID A		T. 4	POI
13	2'02.412	2	24.152	39.167	28.000	31.093	316.7	16tI	า 88	Miguel OI Red Bull KT		K	TM	FOI
14	2'01.875	5	24.049	39.019	27.917	30.890	318.5			INEG DUILIN		otal lana	_14 Eull	lono-1
				D 4 G 1 4 4			IT A		<i>"</i> 4	Front Turo		otal laps:		laps=10
14th	า 63		ancesco ımac Racin	BAGNAI	A D	UCATI	ITA	Run	# 1	Front Tyre	New Tyre		<i>Tyre</i> Slick-N	vieaium v Tyre
		FIA	_	•	Tatal lana	40 E.J	. I.a.a. 40		0140.040	20.002				
	<i>"</i> 4	Erc	ont Tyre SI		Total laps=	yre Slick-l	l laps=10	1	2'43.648 nfinished		42.735	29.833	32.581	267.9
Run	# 1	110	nii iyie 3	New Tyre			v Tyre		# 2	Front Tyre	Click Coff	Poar	Tyre Slick-N	Madium
1	0100 400)	29.810	43.965	30.286	32.920	279.0	Kuli	# 2		Laps at star		1 <i>Laps a</i>	
	2'32.498 2'06.74 0)		45.505	30.200	32.920					Laps at star	L		at Start
3	2 00.740			40 551	20 022	31 7/13	31/12	2	2'13 723		* 42 703	29 069	32 112	276.2
3	2105 442		25.424	40.551 40.071	29.022	31.743	314.8	2	2'13.723	* 29.749		29.069	32.112 31 181	
1	2'05.142	2	25.424 25.025	40.071	28.549	31.497	318.5	3	2'04.389	* 29.749 24.562	40.096	28.550	31.181	305.0
	2'04.281	<u>2</u> I	25.424 25.025 24.629	40.071 39.916	28.549 28.339	31.497 31.397	318.5 318.5	3 4	2'04.389 2'03.151	* 29.749 24.562 24.348	40.096 39.938	28.550 27.938	31.181 30.927	305.0 313.0
5	2'04.281 2'03.621	2 	25.424 25.025 24.629 24.348	40.071 39.916 39.645	28.549 28.339 28.304	31.497 31.397 31.324	318.5 318.5 318.5	3 4 5	2'04.389 2'03.151 2'02.246	* 29.749 24.562 24.348 24.092	40.096 39.938 39.285	28.550 27.938 27.878	31.181 30.927 30.991	276.2 305.0 313.0 315.7
5 6	2'04.281 2'03.621 2'12.076	2 *	25.424 25.025 24.629 24.348 27.875*	40.071 39.916 39.645 44.487	28.549 28.339 28.304 28.413	31.497 31.397 31.324 31.301	318.5 318.5 318.5 312.1	3 4 5 6	2'04.389 2'03.151 2'02.246 2'03.076	* 29.749 24.562 24.348 24.092 24.224	40.096 39.938 39.285 39.604	28.550 27.938 27.878 28.096	31.181 30.927 30.991 31.152	305.0 313.0 315.7 314.8
5 6 7	2'04.281 2'03.621 2'12.076 2'07.257	2 	25.424 25.025 24.629 24.348 27.875* 24.514	40.071 39.916 39.645 44.487 39.748	28.549 28.339 28.304 28.413 29.407	31.497 31.397 31.324 31.301 33.588	318.5 318.5 318.5 312.1 315.7	3 4 5 6 7	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921	* 29.749 24.562 24.348 24.092 24.224 24.358	40.096 39.938 39.285 39.604 39.386	28.550 27.938 27.878 28.096 28.028	31.181 30.927 30.991 31.152 31.149	305.0 313.0 315.7 314.8 315.7
5 6 7 8	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162	2	25.424 25.025 24.629 24.348 27.875* 24.514 24.317	40.071 39.916 39.645 44.487 39.748 39.641	28.549 28.339 28.304 28.413 29.407 28.146	31.497 31.397 31.324 31.301 33.588 31.058	318.5 318.5 318.5 312.1 315.7 317.6	3 4 5 6 7 8	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324	40.096 39.938 39.285 39.604 39.386 39.988	28.550 27.938 27.878 28.096 28.028 28.795	31.181 30.927 30.991 31.152 31.149 38.748	305.0 313.0 315.7 314.8 315.7 309.4
5 6 7 8 9	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890	2 	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094	40.071 39.916 39.645 44.487 39.748 39.641 39.427	28.549 28.339 28.304 28.413 29.407 28.146 28.203	31.497 31.397 31.324 31.301 33.588 31.058 31.166	318.5 318.5 318.5 312.1 315.7 317.6 318.5	3 4 5 6 7 8	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu	28.550 27.938 27.878 28.096 28.028 28.795 m Rear	31.181 30.927 30.991 31.152 31.149 38.748	305.0 313.0 315.7 314.8 315.7 309.4
5 6 7 8 9	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890 2'29.543	2 1 1 3 * 7 2 0	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886*	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9	3 4 5 6 7 8 Run	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre	28.550 27.938 27.878 28.096 28.028 28.795 m Rear	31.181 30.927 30.991 31.152 31.149 38.748 Tyre Slick-N 8 Laps &	305.0 313.0 315.7 314.8 315.7 309.4 Medium
5 6 7 8 9	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890	2 1 1 3 * 7 2 0	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* ont Tyre SI	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9	3 4 5 6 7 8 Run	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416	28.550 27.938 27.878 28.096 28.028 28.795 m Rear	31.181 30.927 30.991 31.152 31.149 38.748 Tyre Slick-N 8 Laps a 31.023	305.0 313.0 315.7 314.8 315.7 309.4 Medium at start 298.3
5 6 7 8 9 10	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890 2'29.543	2 	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* ont Tyre SI	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445 Rear 7	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium	3 4 5 6 7 8 Run 9	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420	28.550 27.938 27.878 28.096 28.028 28.795 m <i>Rear</i>	31.181 30.927 30.991 31.152 31.149 38.748 <i>Tyre</i> Slick-N 8 <i>Laps</i> 8 31.023 30.835	305.0 313.0 315.7 314.8 315.7 309.4 Wedium at start 298.3 315.7
5 6 7 8 9 10 Run	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890 2'29.543 # 2	2 1 1 6 * 7 2 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* ont Tyre SI 28.092	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445 Rear 7	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps 3	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1	3 4 5 6 7 8 Run 9 10	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196	28.550 27.938 27.878 28.096 28.028 28.795 m <i>Rear</i> 2 28.171 27.930 27.810	31.181 30.927 30.991 31.152 31.149 38.748 <i>Tyre</i> Slick-N 8 <i>Laps</i> 3 31.023 30.835	305.0 313.0 315.7 314.8 315.7 309.4 Medium at start 298.3 315.7 315.7
5 6 7 8 9 10 Run 3	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890 2'29.543 # 2	2 1 1 5 * 7 2 0 1 Fro	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* ont Tyre Si 10 L 28.092 24.536	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585 40.362	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445 Rear 7 t	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps 3 34.441 31.560	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5	3 4 5 6 7 8 Run 9 10 11 12	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865 2'02.095	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044 23.983	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276	28.550 27.938 27.878 28.096 28.028 28.795 m <i>Rear</i> 28.171 27.930 27.810 27.992	31.181 30.927 30.991 31.152 31.149 38.748 <i>Tyre</i> Slick-N 8 <i>Laps</i> 8 31.023 30.835 30.815 30.844	305.0 313.0 315.7 314.8 315.7 309.4 Medium at start 298.3 315.7 315.7
5 6 7 8 9 10 Run :	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890 2'29.543 # 2 11'13.277 2'04.921 2'03.661	2	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* 2017 Tyre SI 10 L 28.092 24.536 24.233	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585 40.362 39.746	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445 Rear 7 7 29.030 28.463 28.216	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps a 34.441 31.560 31.466	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5 316.7	3 4 5 6 7 8 Run 9 10	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044 23.983	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276	28.550 27.938 27.878 28.096 28.028 28.795 m <i>Rear</i> 2 28.171 27.930 27.810	31.181 30.927 30.991 31.152 31.149 38.748 <i>Tyre</i> Slick-N 8 <i>Laps</i> 3 31.023 30.835	305.0 313.0 315.7 314.8 315.7 309.4 Medium
5 6 7 8 9 10 Run : 11 1 12 13 14	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890 2'29.543 # 2 11'13.277 2'04.921 2'03.661 2'11.072	2	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* ont Tyre SI 28.092 24.536 24.233 24.499	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft <i>aps at star</i> 44.585 40.362 39.746 39.672	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445 Rear 7 29.030 28.463 28.216 28.245	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps a 34.441 31.560 31.466 38.656	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5 316.7 316.7	3 4 5 6 7 8 Run 9 10 11 12 13	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865 2'02.095 2'01.877	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044 23.983 23.957	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276 39.179	28.550 27.938 27.878 28.096 28.028 28.795 m <i>Rear</i> 2 28.171 27.930 27.810 27.892 27.886	31.181 30.927 30.991 31.152 31.149 38.748 <i>Tyre</i> Slick-N 8 <i>Laps</i> 8 31.023 30.835 30.815 30.844	305.0 313.0 315.7 314.8 315.7 309.4 Medium at start 298.3 315.7 315.7
5 6 7 8 9 10 Run : 11 1 12 13 14	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890 2'29.543 # 2 11'13.277 2'04.921 2'03.661	2	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* ont Tyre Si 28.092 24.536 24.233 24.499 ont Tyre Si	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585 40.362 39.746 39.672	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445 Rear 1 29.030 28.463 28.216 28.245 Rear 1	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps a 34.441 31.560 31.466 38.656 Tyre Slick-I	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5 316.7 316.7 Medium	3 4 5 6 7 8 Run 9 10 11 12	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865 2'02.095 2'01.877	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044 23.983 23.957	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276 39.179	28.550 27.938 27.878 28.096 28.028 28.795 m Rear 28.171 27.930 27.810 27.992 27.886	31.181 30.927 30.991 31.152 31.149 38.748 <i>Tyre</i> Slick-N 8 <i>Laps</i> 3 30.835 30.815 30.844 30.855	305.0 313.0 315.7 314.8 315.7 309.4 Medium at start 298.3 315.7 315.7 315.7
5 6 7 8 9 10 Run 11 12 13 14 Run	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890 2'29.543 # 2 11'13.277 2'04.921 2'03.661 2'11.072 # 3	2	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* 10 L 28.092 24.536 24.233 24.499 20nt Tyre SI 14 L	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585 40.362 39.746 39.672 lick-Soft aps at star	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445 Rear 1 29.030 28.463 28.216 28.245 Rear 1	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps a 34.441 31.560 31.466 38.656 Tyre Slick-I New	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5 316.7 316.7 Medium v Tyre	3 4 5 6 7 8 Run 9 10 11 12 13	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865 2'02.095 2'01.877	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044 23.983 23.957	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276 39.179	28.550 27.938 27.878 28.096 28.028 28.795 m Rear 28.171 27.930 27.810 27.992 27.886	31.181 30.927 30.991 31.152 31.149 38.748 <i>Tyre</i> Slick-N 8 <i>Laps</i> 2 31.023 30.835 30.815 30.844 30.855 [305.0 313.0 315.7 314.8 315.7 309.4 Medium at start 298.3 315.7 315.7 315.7
5 6 7 8 9 10 Run 11 12 13 14 Run	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890 2'29.543 # 2 11'13.277 2'04.921 2'03.661 2'11.072 # 3	2	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* 10 L 28.092 24.536 24.233 24.499 27.803	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585 40.362 39.746 39.672 lick-Soft aps at star 42.845	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445 Rear 7 29.030 28.463 28.216 28.245 Rear 7 t 28.568	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps a 34.441 31.560 31.466 38.656 Tyre Slick-I New 31.233	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5 316.7 316.7 Medium v Tyre	3 4 5 6 7 8 Run 9 10 11 12 13	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865 2'02.095 2'01.877	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044 23.983 23.957 Pol ESPA Red Bull KT	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276 39.179	28.550 27.938 27.878 28.096 28.028 28.795 m Rear 28.171 27.930 27.810 27.892 27.886 Kacing	31.181 30.927 30.991 31.152 31.149 38.748 7yre Slick-N 8 Laps a 31.023 30.835 30.815 30.844 30.855 [305.0 313.0 315.7 314.8 315.7 309.4 Wedium at start 298.3 315.7 315.7 315.7 318.5 SP/
5 6 7 8 9 10 Run 11 12 13 14 Run	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'02.890 2'29.543 # 2 11'13.277 2'04.921 2'03.661 2'11.072 # 3	2	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* 10 L 28.092 24.536 24.233 24.499 20nt Tyre SI 14 L	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585 40.362 39.746 39.672 lick-Soft aps at star	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445 Rear 1 29.030 28.463 28.216 28.245 Rear 1	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps a 34.441 31.560 31.466 38.656 Tyre Slick-I Nev	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5 316.7 316.7 Medium v Tyre	3 4 5 6 7 8 Run 9 10 11 12 13	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865 2'02.095 2'01.877	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044 23.983 23.957 Pol ESPA Red Bull KT	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276 39.179 RGARO M Factory Ra Runs=3	28.550 27.938 27.878 28.096 28.028 28.795 m Rear 28.171 27.930 27.810 27.992 27.886 Kacing Total laps: m Rear	31.181 30.927 30.991 31.152 31.149 38.748 <i>Tyre</i> Slick-N 8 Laps 2 31.023 30.835 30.815 30.844 30.855 [305.0 313.0 315.7 314.8 315.7 309.4 Wedium at start 298.3 315.7 315.7 315.7 318.5 SP/
5 6 7 8 9 10 Run 11 12 13 14 Run 5	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'29.543 # 2 11'13.277 2'04.921 2'04.921 2'11.072 # 3 4'29.516	2 1 1 1 1 1 1 1 1 1	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* ont Tyre Si 28.092 24.536 24.233 24.499 ont Tyre Si 14 L 27.803 24.076	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585 40.362 39.746 39.672 lick-Soft aps at star 42.845 39.110	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps a 34.441 31.560 31.466 38.656 Tyre Slick-I Nev 31.233 30.815	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5 316.7 316.7 Medium v Tyre	3 4 5 6 7 8 Run 9 10 11 12 13	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865 2'02.095 2'01.877	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044 23.983 23.957 Pol ESPA Red Bull KT	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276 39.179 RGARO M Factory Ra Runs=3 T Slick-Mediu New Tyre	28.550 27.938 27.878 28.096 28.028 28.795 m Rear 28.171 27.930 27.810 27.992 27.886 Kacing Total laps: m Rear	31.181 30.927 30.991 31.152 31.149 38.748 <i>Tyre</i> Slick-N 8 Laps 2 31.023 30.835 30.815 30.844 30.855 [305.0 313.0 315.7 314.8 315.7 309.4 Medium at start 298.3 315.7 315.7 318.5 SP/
5 6 7 8 9 10 Run 11 12 13 14 Run	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'29.543 # 2 11'13.277 2'04.921 2'04.921 2'11.072 # 3 4'29.516	2	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* ont Tyre Si 28.092 24.536 24.233 24.499 ont Tyre Si 14 L 27.803 24.076	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585 40.362 39.746 39.672 lick-Soft aps at star 42.845 39.110 RCO	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps a 34.441 31.560 31.466 38.656 Tyre Slick-I New 31.233	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5 316.7 316.7 Medium v Tyre 298.3 320.4	3 4 5 6 7 8 Run 9 10 11 12 13 17tl	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865 2'02.095 2'01.877	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044 23.983 23.957 Pol ESPA Red Bull KT Front Tyre	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276 39.179 M Factory Ra Runs=3 T Slick-Mediu New Tyre 41.743	28.550 27.938 27.878 28.096 28.028 28.795 m Rear 28.171 27.930 27.810 27.892 27.886 Kacing otal lapsa	31.181 30.927 30.991 31.152 31.149 38.748 Tyre Slick-N 8 Laps 2 31.023 30.835 30.815 30.844 30.855 [TM =16 Full Tyre Slick-New	305.0 313.0 315.7 314.8 315.7 309.4 Medium at start 298.3 315.7 315.7 318.5 SP/ Medium
5 6 7 8 9 10 Run 11 12 13 14 Run 5	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'29.543 # 2 11'13.277 2'04.921 2'04.921 2'11.072 # 3 4'29.516	2	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* 28.092 24.536 24.233 24.499 27.803 24.076 hann ZA	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585 40.362 39.746 39.672 lick-Soft aps at star 42.845 39.110 RCO Factory Ra	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445 Rear 7 t 29.030 28.463 28.216 28.245 Rear 7 t 28.568 27.851	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps a 34.441 31.560 31.466 38.656 Tyre Slick-I New 31.233 30.815	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5 316.7 316.7 Medium v Tyre 298.3 320.4	3 4 5 6 7 8 Run 9 10 11 12 13 17tl	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865 2'02.095 2'01.877	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.044 23.983 23.957 Pol ESPA Red Bull KT Front Tyre 26.871 24.498	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276 39.179 RGARO M Factory Ra Runs=3 T Slick-Mediu New Tyre 41.743 39.894	28.550 27.938 27.878 28.096 28.028 28.795 m Rear 28.171 27.930 27.810 27.992 27.886 Kacing fotal laps: m Rear	31.181 30.927 30.991 31.152 31.149 38.748 Tyre Slick-N 8 Laps a 31.023 30.835 30.815 30.844 30.855 [TM =16 Full Tyre Slick-N New 32.312	305.0 313.0 315.7 314.8 315.7 309.4 Medium at start 298.3 315.7 315.7 318.5 SP/ Medium v Tyre 294.2 317.6
5 6 7 8 9 10 Run : 11 12 13 14 Run :	2'04.281 2'03.621 2'12.076 2'07.257 2'03.162 2'29.543 # 2 11'13.277 2'04.921 2'04.921 2'11.072 # 3 4'29.516	2	25.424 25.025 24.629 24.348 27.875* 24.514 24.317 24.094 32.886* 28.092 24.536 24.233 24.499 27.803 24.076 hann ZA	40.071 39.916 39.645 44.487 39.748 39.641 39.427 45.760 lick-Soft aps at star 44.585 40.362 39.746 39.672 lick-Soft aps at star 42.845 39.110 RCO Factory Ra	28.549 28.339 28.304 28.413 29.407 28.146 28.203 31.445	31.497 31.397 31.324 31.301 33.588 31.058 31.166 39.452 Tyre Slick-I 10 Laps a 34.441 31.560 31.466 38.656 Tyre Slick-I New 31.233 30.815	318.5 318.5 318.5 312.1 315.7 317.6 318.5 276.9 Medium at start 291.1 318.5 316.7 316.7 Medium v Tyre 298.3 320.4	3 4 5 6 7 8 Run 9 10 11 12 13 17tl	2'04.389 2'03.151 2'02.246 2'03.076 2'02.921 2'12.855 # 3 11'37.255 2'02.217 2'01.865 2'02.095 2'01.877 1 44 # 1	* 29.749 24.562 24.348 24.092 24.224 24.358 P 25.324 Front Tyre 28.349 24.032 24.044 23.983 23.957 Pol ESPA Red Bull KT Front Tyre 26.871 24.498 24.025	40.096 39.938 39.285 39.604 39.386 39.988 Slick-Mediu New Tyre 40.416 39.420 39.196 39.276 39.179 RGARO M Factory Ra Runs=3 T Slick-Mediu New Tyre 41.743 39.894 39.427	28.550 27.938 27.878 28.096 28.028 28.795 m Rear 28.171 27.930 27.810 27.892 27.886 Kacing otal lapsa m Rear 29.779 28.226	31.181 30.927 30.991 31.152 31.149 38.748 Tyre Slick-N 8 Laps 2 31.023 30.835 30.815 30.844 30.855 [TM =16 Full Tyre Slick-New 32.312 31.136	305.0 313.0 315.7 314.8 315.7 309.4 Medium 298.3 315.7 315.7 315.7 318.5 SP/ Medium v Tyre 294.2

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

© DORNA, 2019







1.00		tice Nr		ro -	·	C===1	1	/ a. = =			-4	, -		CoGP
<i>Lap</i> 5	Lap Tim 2'16.520			72 7 32.476	40.743	Speed 320.4		Lap Tim			<u>72</u> Slick-Mediu			Spee
	# 2		Slick-Med				Run	# 2	110	in Tyle ;	New Tyre			wealui v Tyre
Nun	, , , _		5 Laps at st		5 Laps		6	2'17.518	*	30.444*		30.922	33.314	295.
6	8'46.626				31.866	275.5	7	2'11.049		28.917		29.113	31.984	312.
7	2'04.494				31.464	320.4	8	2'05.594		24.491	40.934	28.691	31.478	308
8	2'06.115				30.968	247.7	9	2'12.823	Р	25.214	40.279	28.635	38.695	311
9	2'02.965				31.216	321.4		# 3			Slick-Mediu			
10	2'17.228				37.924	288.7	Null	<i>"</i> 0	,,,		Laps at sta			v Tyre
	# 3		Slick-Med			Medium	10	5'08.872		27.503	40.857	33.692	33.657	309
		1	O Laps at st	art	10 <i>Laps</i>	at start	11	2'02.192] [23.946	39.217	27.995	31.034	319
11	7'14.795	26.54	1 44.170	29.977	31.855	265.3	12	2'02.885		24.109	39.542	28.131	31.103	317
12	2'06.002	24.21	2 41.511	28.860	31.419	316.7			_					
13	2'02.701	24.07	1 39.476	28.109	31.045	317.6	20th				UINTOLI		UZUKI	F
14	2'08.491	27.06	2 40.878	28.737	31.814	314.8			rea		KI ECSTAR		45 5	.01.1
15	2'04.741	23.99	5 40.835	28.469	31.442	320.4						Total laps=		ıll laps
16	2'02.028	23.96	9 39.312	27.842	30.905	319.5	Run	# 1	Frc	nt Tyre	Slick-Soft		<i>Tyre</i> Slick-l	Mediu v Tyre
		Takaaki		MI	ONDA	IDN		0140 500		20.674	New Tyre			
18t	h 30		NAKAGA I a IDEMITSU		ONDA	JPN		2'49.533		28.671	44.413	30.506	33.040	257
		LCK Hond			47 Full	lone 10	2	2'07.258		25.229	41.107	29.180	31.742	305
	<i>"</i> 4	Front Ture	Runs=3	Total laps:		laps=12	3	2'04.635		24.650	40.266	28.506	31.213	317
Run	# 1	FIOIL TYTE	Slick-Med				4	2'03.833		24.267	39.841	28.264	31.461	316
	0150 000	00.00	New Ty			v Tyre	5	2'03.786		24.253	40.145	28.297	31.091	315
1	2'50.208				33.217	278.3	6	2'17.135		24.072	39.891	30.555	42.617	313
2	2'07.580				31.538	296.7	Run	# 2	Frc	-	Slick-Soft		Tyre Slick-l	
3	2'04.845				31.244	311.2		010 = = 10			Laps at sta		6 Laps	
4	2'03.935				31.145	317.6	7	6'35.543		27.333	42.386	29.430	31.582	304
5	2'03.168				31.137	315.7	8	2'04.333		24.370	40.262	28.421	31.280	317
6	2'02.402				30.854	316.7	9	2'03.233		24.158	39.618	28.377	31.080	318
7	2'21.472				41.363	305.0	10	2'03.160		24.089	39.676	28.350	31.045	318
Run	# 2		Slick-Med 7 Laps at st		7 Laps		11	2'18.841		25.892	41.326	30.493	41.130	299
8	7'35.344		•		31.448	303.3	Run	# 3	110	in Tyle ;	Slick-Mediu New Tyre			soit v Tyre
9	2'03.652				30.969	315.7	12	8'39.502		27.936	45.282	30.707	32.361	240
10	2'06.958				31.191	318.5	13	2'05.093		24.910	40.392	28.464	31.327	313
11	2'02.471	24.29			30.858	318.5		2'02.557	1	24.074	39.282	28.329	30.872	318
12	2'02.062			27.898		316.7		nfinished		23.991	39.376	20.020	30.072	316
13	2'24.790			30.817	39.947	262.1		ministica	·	20.001	00.070			010
	# 3		Slick-Med				21s			fizh SY		K.	TM	M
,,,,,,	, ,, ,	-	3 Laps at st		13 <i>Laps</i>		213	. 33	Red	Bull KT				
14	5'32.456		•		32.454	313.0						Total laps=		ıll laps
15	2'03.298				31.209	319.5	Run	# 1	Fra	nt Tyre \$	Slick-Soft		<i>Tyre</i> Slick-l	
16	2'03.454	24.13	4 39.600		31.422	315.7					New Tyre			v Tyre
17	2'07.008	24.18	6 43.556	28.193	31.073	319.5	1	2'48.346		30.480	44.631	30.253	32.987	289
								2'08.351		25.759	41.506	29.061	32.025	308
19t	h 17	Karel AE		D	UCATI	CZE		2'05.589		25.193	40.388	28.603	31.405	305
		Reale Avin	_	T	=		4	2'04.789	_	24.711	40.541	28.275	31.262	308
		- · -	Runs=3	Total laps:		ıll laps=8	5	2'22.900		27.951	43.094*		41.445	274
Run	# 1	Front Tyre	Slick-Soft		Tyre Slick-I		Run	# 2	Fra	-	Slick-Soft		<i>Tyre</i> Slick-l	
1	2122 402	20.40	New Ty			v Tyre		7/50 000			Laps at sta		5 Laps	
1	2'22.402				32.621	293.4	6	7'59.629		28.588	43.220	29.513	32.600	284
2	2'05.411				31.464	310.3	7	2'06.260		25.124	40.943	28.587	31.606	309
3	2'04.534				31.822	319.5	8	2'03.813		24.318	39.818	28.359	31.318	314
4	2'02.988				31.095	318.5	9	2'04.601	_	24.476	40.262	28.637	31.226	311
4				28.507	31.437	319.5	10	2125 200		30.404	43.750	30.313	40.833	284
5	2'03.370 nfinished			20.507	01.107	316.7	10	2'25.300	Г	30.404	10.700	00.010	.0.000	

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

Petronas Yamaha SR FRA



23.527

38.709

1'59.952



27.387

Fastest Lap:

Fabio QUARTARARO

	<u> </u>		•									MOLOGI
ар	Lap Time	e 7	T1 T2	? <i>T</i> 3	3 T4	Speed	Lap	Lap Time	T1	<i>T2</i>	<i>T3</i>	T4 Speed
Rui	n# 3	Front Tyre \$	Slick-Mediu	ım <i>Rear T</i>	yre Slick-l	Medium						
			New Tyre	;	10 <i>Laps</i> .	at start						
11	11'08.554	29.902	45.257	29.590	31.767	232.7						
12	2'04.555	24.712	40.231	28.501	31.111	312.1						
13	2'07.802	27.861	40.247	28.355	31.339	310.3						
14	2'03.058	24.255	39.664	28.188	30.951	319.5						
22r	d 99	Jorge LOF Repsol Hond		НС	DNDA	SPA						
				Fotal laps=		l laps=13						
Rui	n# 1	Front Tyre \$		-	yre Slick-l							
			New Tyre			v Tyre						
1	3'23.798		44.768	31.245	33.487	279.0						
2	2'09.781		41.554	29.752	32.404	306.8						
3	2'07.119		40.666	29.122	31.892	307.6						
4	2'06.332		40.462	28.945	31.830	313.0						
5	2'07.638		40.643	29.051	31.948	316.7						
6	2'05.759		40.089	28.913	31.702	314.8						
7	2'05.237		40.106	28.794	31.630	319.5						
8	2'13.525		40.385	28.788	38.953	307.6						
Rui	n#2	Front Tyre \$		_	yre Slick-l							
		8 .	Laps at sta	rt	8 Laps	at start						
9	12'31.357	27.319	40.951	28.864	31.456	317.6						
10	2'04.745	24.675	39.904	28.598	31.568	320.4						
11	2'04.862	24.665	39.953	28.834	31.410	319.5						
12	2'04.884	24.620	40.103	28.648	31.513	313.9						
13	2'09.678	29.230	40.078	28.775	31.595	320.4						
14	2'04.588	24.578	39.766	28.800	31.444	321.4						
15	2'09.281	27.330	41.573	28.918	31.460	312.1						
16	2'04.354	24.568	39.784	28.747	31.255	319.5						

Fastest Lap: Fabio QUARTARARO Petronas Yamaha SR FRA 1'59.952 23.527 38.709 27.387 30.329

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

© DORNA, 2019

