

Taskserver Design

Jan Tepelmann Marcel Noe

System Architecture Group
Universität Karlsruhe (TH)

System Design & Implementation, 2008

Outline

1

Design

- System Components
- Sawmill Inspired Data Spaces
- Stack Positioning

2

Interface

- Process management
- Settings

3

Statistics

- Statistics over virtual Filesystem

Outline

1 Design

- System Components
- Sawmill Inspired Data Spaces
- Stack Positioning

2 Interface

- Process management
- Settings

3 Statistics

- Statistics over virtual Filesystem

Outline

1 Design

- System Components
- Sawmill Inspired Data Spaces
- Stack Positioning

2 Interface

- Process management
- Settings

3 Statistics

- Statistics over virtual Filesystem

Outline

1

Design

- System Components
 - Sawmill Inspired Data Spaces
 - Stack Positioning

2

Interface

- Process management
- Settings

3

Statistics

- Statistics over virtual Filesystem

System Components

L4 Microkernel

Sigma 0

Anonymous Memory Server

Syscall Server

Data Space Providers

ELF Loader

Fileserver


Taskserver

Outline

- 1 Design
 - System Components
 - **Sawmill Inspired Data Spaces**
 - Stack Positioning
- 2 Interface
 - Process management
 - Settings
- 3 Statistics
 - Statistics over virtual Filesystem

Sawmill Inspired Data Spaces

- Every address space has got it's own managing thread, called *region mapper*.
- *region mapper* resides at the end of user address space, just below kernel.
- *region mapper* holds mapping between *VM Region* and *Data Space Provider*



Outline

1

Design

- System Components
- Sawmill Inspired Data Spaces
- **Stack Positioning**

2

Interface

- Process management
- Settings

3

Statistics

- Statistics over virtual Filesystem

Stack Positioning

Outline

- 1 Design
 - System Components
 - Sawmill Inspired Data Spaces
 - Stack Positioning
- 2 **Interface**
 - **Process management**
 - Settings
- 3 Statistics
 - Statistics over virtual Filesystem

New

Fork

Exec

Kill

StartThread

Outline

- 1 Design
 - System Components
 - Sawmill Inspired Data Spaces
 - Stack Positioning
- 2 **Interface**
 - Process management
 - **Settings**
- 3 Statistics
 - Statistics over virtual Filesystem

SetStatisticInterval

SetTimeslice

SetPriority

SetPreemptionDelay

Ping

Outline

- 1 Design
 - System Components
 - Sawmill Inspired Data Spaces
 - Stack Positioning
- 2 Interface
 - Process management
 - Settings
- 3 **Statistics**
 - **Statistics over virtual Filesystem**

Ping