



## Reference

### Cloud Backup

NetApp  
June 09, 2022

This PDF was generated from <https://docs.netapp.com/us-en/cloud-manager-backup-restore/azure/reference-aws-backup-tiers.html> on June 09, 2022. Always check docs.netapp.com for the latest.

# Table of Contents

- Reference ..... 1
  - AWS S3 archival storage classes and restore retrieval times ..... 1
  - Azure archival tiers and restore retrieval times ..... 2

# Reference

## AWS S3 archival storage classes and restore retrieval times

Cloud Backup supports two S3 archival storage classes and most regions.

### Supported S3 archival storage classes for Cloud Backup

When backup files are initially created they're stored in S3 *Standard* storage. This tier is optimized for storing data that's infrequently accessed; but that also allows you to access it immediately. After 30 days the backups transition to the S3 *Standard-Infrequent Access* storage class to save on costs.

If your source clusters are running ONTAP 9.10.1 or greater, you can choose to tier backups to either S3 *Glacier* or S3 *Glacier Deep Archive* storage after a certain number of days (typically more than 30 days) for further cost optimization. Data in these tiers can't be accessed immediately when needed, and will require a higher retrieval cost, so you need to consider how often you may need to restore data from these archived backup files. See the section about [restoring data from archival storage](#).

Note that when you configure Cloud Backup with this type of lifecycle rule, you must not configure any lifecycle rules when setting up the bucket in your AWS account.

[Learn about S3 storage classes](#).

### Restoring data from archival storage

While storing older backup files in archival storage is much less expensive than Standard or Standard-IA storage, accessing data from a backup file in archive storage for restore operations will take a longer amount of time and will cost more money.

#### How much does it cost to restore data from Amazon S3 Glacier and Amazon S3 Glacier Deep Archive?

There are 3 restore priorities you can choose when retrieving data from Amazon S3 Glacier, and 2 restore priorities when retrieving data from Amazon S3 Glacier Deep Archive. S3 Glacier Deep Archive costs less than S3 Glacier:

Archive Tier	Restore Priority & Cost		
	High	Standard	Low
S3 Glacier	Fastest retrieval, highest cost	Slower retrieval, lower cost	Slowest retrieval, lowest cost
S3 Glacier Deep Archive		Faster retrieval, higher cost	Slower retrieval, lowest cost

Each method has a different per-GB retrieval fee and per-request fee. For detailed S3 Glacier pricing by AWS Region, visit the [Amazon S3 pricing page](#).

#### How long will it take to restore my objects archived in Amazon S3 Glacier?

There are 2 parts that make up the total restore time:

- **Retrieval time:** The time to retrieve the backup file from archive and place it in Standard storage. This is sometimes called the "rehydration" time. The retrieval time is different depending on the restore priority you choose.

Archive Tier	Restore Priority & Retrieval Time		
	High	Standard	Low
<b>S3 Glacier</b>	3-5 minutes	3-5 hours	5-12 hours
<b>S3 Glacier Deep Archive</b>		12 hours	48 hours

- **Restore time:** The time to restore the data from the backup file in Standard storage. This time is no different than the typical restore operation directly from Standard storage - when not using an archival tier.

For more information about Amazon S3 Glacier and S3 Glacier Deep Archive retrieval options, refer to [the Amazon FAQ about these storage classes](#).

## Azure archival tiers and restore retrieval times

Cloud Backup supports one Azure archival access tier and most regions.

### Supported Azure Blob access tiers for Cloud Backup

When backup files are initially created they're stored in the *Cool* access tier. This tier is optimized for storing data that's infrequently accessed; but when needed, can be accessed immediately.

If your source clusters are running ONTAP 9.10.1 or greater, you can choose to tier backups from *Cool* to *Azure Archive* storage after a certain number of days (typically more than 30 days) for further cost optimization. Data in this tier can't be accessed immediately when needed, and will require a higher retrieval cost, so you need to consider how often you may need to restore data from these archived backup files. See the next section about [restoring data from archival storage](#).

Note that when you configure Cloud Backup with this type of lifecycle rule, you must not configure any lifecycle rules when setting up the container in your Azure account.

[Learn about Azure Blob access tiers](#).

### Restoring data from archival storage

While storing older backup files in archival storage is much less expensive than Cool storage, accessing data from a backup file in Azure Archive for restore operations will take a longer amount of time and will cost more money.

#### How much does it cost to restore data from Azure Archive?

There are two restore priorities you can choose when retrieving data from Azure Archive:

- **High:** Fastest retrieval, higher cost
- **Standard:** Slower retrieval, lower cost

Each method has a different per-GB retrieval fee and per-request fee. For detailed Azure Archive pricing by Azure Region, visit the [Azure pricing page](#).

#### How long will it take to restore my data archived in Azure Archive?

There are 2 parts that make up the restore time:

- **Retrieval time:** The time to retrieve the archived backup file from Azure Archive and place it in Cool storage. This is sometimes called the "rehydration" time. The retrieval time is different depending on the restore priority you choose:
  - **High:** < 1 hour
  - **Standard:** < 15 hours
- **Restore time:** The time to restore the data from the backup file in Cool storage. This time is no different than the typical restore operation directly from Cool storage - when not using an archival tier.

For more information about Azure Archive retrieval options, refer to [this Azure FAQ](#).

## Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.