



## 통합 관리 Cloud Volumes ONTAP

NetApp  
April 11, 2022

# 목차

- 통합 관리 ..... 1
  - 애그리게이트 생성 ..... 1
  - 애그리게이트 관리 ..... 1

# 통합 관리

## 애그리게이트 생성

볼륨을 직접 생성하거나 Cloud Manager에서 볼륨을 생성할 때 자동으로 애그리게이트를 생성할 수 있습니다. 애그리게이트를 직접 생성할 때의 이점은 기본 디스크 크기를 선택할 수 있다는 것입니다. 이를 통해 필요한 용량 또는 성능에 맞게 애그리게이트 크기를 조정할 수 있습니다.



모든 디스크와 애그리게이트는 Cloud Manager에서 직접 생성 및 삭제해야 합니다. 다른 관리 도구에서 이러한 작업을 수행해서는 안 됩니다. 이렇게 하면 시스템 안정성에 영향을 주고 향후 디스크를 추가할 수 없도록 하며 중복 클라우드 공급자 비용을 생성할 수 있습니다.

단계

1. Canvas 페이지에서 집계를 관리할 Cloud Volumes ONTAP 인스턴스의 이름을 두 번 클릭합니다.
2. 메뉴 아이콘을 클릭한 다음 \* 고급 > 고급 할당 \* 을 클릭합니다.
3. Add Aggregate \* 를 클릭한 다음 Aggregate에 대한 세부 정보를 지정합니다.

디스크 유형 및 디스크 크기에 대한 도움말은 를 참조하십시오 ["구성 계획"](#).

4. Go \* 를 클릭한 다음 \* Approve and Purchase \* 를 클릭합니다.

## 애그리게이트 관리

디스크를 추가하고, 애그리게이트에 대한 정보를 확인하고, 삭제하여 애그리게이트를 직접 관리하십시오.



모든 디스크와 애그리게이트는 Cloud Manager에서 직접 생성 및 삭제해야 합니다. 다른 관리 도구에서 이러한 작업을 수행해서는 안 됩니다. 이렇게 하면 시스템 안정성에 영향을 주고 향후 디스크를 추가할 수 없도록 하며 중복 클라우드 공급자 비용을 생성할 수 있습니다.

Aggregate를 삭제하려면 먼저 Aggregate의 볼륨을 삭제해야 합니다.

Aggregate에 공간이 부족할 경우 System Manager를 사용하여 볼륨을 다른 애그리게이트로 이동할 수 있습니다.

단계

1. Canvas 페이지에서 집계를 관리할 Cloud Volumes ONTAP 작업 환경을 두 번 클릭합니다.
2. 메뉴 아이콘을 클릭한 다음 \* 고급 > 고급 할당 \* 을 클릭합니다.
3. 애그리게이트 관리:

| 작업                      | 조치                                |
|-------------------------|-----------------------------------|
| Aggregate에 대한 정보를 봅니다   | Aggregate를 선택하고 * Info * 를 클릭합니다. |
| 특정 Aggregate에 볼륨을 생성합니다 | 애그리게이트를 선택하고 * 볼륨 생성 * 을 클릭합니다.   |

| 작업                    | 조치  |
|-----------------------|---|
| Aggregate에 디스크를 추가합니다 | <p>a. 애그리게이트를 선택하고 * AWS 디스크 추가 * 또는 * Azure 디스크 추가 * 를 클릭합니다.</p> <p>b. 추가할 디스크 수를 선택하고 * 추가 * 를 클릭합니다.</p> <div>  <p>Aggregate의 모든 디스크는 동일한 크기여야 합니다.</p> </div> |
| 애그리게이트 삭제             | <p>a. 볼륨이 없는 Aggregate를 선택하고 * Delete * 를 클릭합니다.</p> <p>b. 확인하려면 * 삭제 * 를 다시 클릭합니다.</p>   |

## Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.