



What's new in ONTAP Cloud 9.3

Cloud Volumes ONTAP

Ben Cammett
November 04, 2020

Table of Contents

- What's new in ONTAP Cloud 9.3 1
 - ONTAP Cloud HA enhancements in AWS 1
 - Support for the EU (Paris) region in AWS 1
 - Enhanced write performance with Azure Premium disks 1
 - Increased capacity limit for ONTAP Cloud Premium and BYOL in Azure 1
 - Support for Azure US Gov regions 1
 - Support for SVM disaster recovery 2
 - Upgrade notes 2

What's new in ONTAP Cloud 9.3

ONTAP Cloud 9.3 includes several new features and enhancements.

ONTAP Cloud HA enhancements in AWS

The 9.3 release addresses the resiliency of ONTAP Cloud HA pairs to tolerate network glitches or transient higher latencies within the AWS ecosystem, and to ensure the availability of customer data during such events.

Support for the EU (Paris) region in AWS

ONTAP Cloud is now supported in the EU (Paris) region in AWS. Based on the supported instance types in this region, the following ONTAP Cloud configurations are available in the EU (Paris) region:

- ONTAP Cloud Standard (r4.xlarge)
- ONTAP Cloud Premium (r4.2xlarge)
- ONTAP Cloud BYOL (r4.xlarge and r4.2xlarge)

Enhanced write performance with Azure Premium disks

Write performance for ONTAP Cloud has been improved in Azure when using Premium Storage disks. The enhancement is supported with ONTAP Cloud Standard, Premium, and BYOL.



Write performance enhancements are not supported when using the DS3_v2 virtual machine type.

Increased capacity limit for ONTAP Cloud Premium and BYOL in Azure

The capacity limit for ONTAP Cloud Premium and ONTAP Cloud BYOL has doubled to 252 TB when using the DS5_v2 or DS14_v2 virtual machine types.



This change is possible due to an increase in the number of disks available per Azure virtual machine. It does not change the maximum capacity per aggregate.

Support for Azure US Gov regions

You can now deploy Cloud Manager and ONTAP Cloud BYOL in the following Azure regions:

- US Gov Arizona
- US Gov Texas
- US Gov Virginia

To deploy Cloud Manager in these regions, you must create a CentOS 7.3 virtual machine from the Azure Marketplace, download the Cloud Manager installer from the NetApp Support Site, and then install the software. After Cloud Manager is running, you can deploy ONTAP Cloud BYOL systems in these regions just like any other region.

Support for SVM disaster recovery

ONTAP Cloud supports one data-serving SVM and one destination SVM used for disaster recovery. You can activate the destination SVM for data access if there's an outage on the source SVM.

SVM disaster recovery is the asynchronous mirroring of SVM data and configuration from a source SVM to a destination SVM. You can quickly activate a destination SVM for data access if the source SVM is no longer available.



Cloud Manager does not provide any setup or orchestration support for SVM disaster recovery. It also does not support storage-related tasks on any additional SVMs. You must use System Manager or the CLI for SVM disaster recovery.

[SVM Disaster Recovery Preparation Express Guide](#)

[SVM Disaster Recovery Express Guide](#)

Upgrade notes

- Upgrades must be completed from Cloud Manager. You should not upgrade ONTAP Cloud by using System Manager or the CLI. Doing so can impact system stability.
- You can upgrade to ONTAP Cloud 9.3 from ONTAP Cloud 9.2.
- The upgrade of a single node system takes the system offline for up to 25 minutes, during which I/O is interrupted.
- Upgrading an HA pair is nondisruptive and I/O is uninterrupted. During this nondisruptive upgrade process, each node is upgraded in tandem to continue serving I/O to clients.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.