Known limitations

Cloud Manager 3.7

Ben Cammett
January 03, 2020

This PDF was generated from https://docs.netapp.com/us-en/occm37/reference_limitations.html on April 25, 2020.
Always check docs.netapp.com for the latest.

Table of Contents

Known limitations . . . 1
- Cloud Manager should remain running at all times . . . 1
- Shared Linux hosts are not supported . . . 1
- Cloud Manager does not support FlexGroup volumes . . . 1
- Active Directory not supported by default with new installations of Cloud Manager . . . 1
- Limitations with the AWS GovCloud (US) region . . . 1
- Cloud Manager does not set up iSCSI volumes . . . 2
- Storage Virtual Machine (SVM) limitation . . . 2

Known limitations

Known limitations identify platforms, devices, or functions that are not supported by this release of the product, or that do not interoperate correctly with it. Review these limitations carefully.

Cloud Manager should remain running at all times

Cloud Manager is a key component in the health and billing of Cloud Volumes ONTAP. If Cloud Manager is powered down, Cloud Volumes ONTAP systems will shut down after losing communication with Cloud Manager for longer than 4 days.

Shared Linux hosts are not supported

Cloud Manager is not supported on a host that is shared with other applications. The host must be a dedicated host.

Cloud Manager does not support FlexGroup volumes

While Cloud Volumes ONTAP supports FlexGroup volumes, Cloud Manager does not. If you create a FlexGroup volume from System Manager or from the CLI, then you should set Cloud Manager's Capacity Management mode to Manual. Automatic mode might not work properly with FlexGroup volumes.

Active Directory not supported by default with new installations of Cloud Manager

Starting with version 3.4, new installations of Cloud Manager do not support using your organization's Active Directory authentication for user management. If needed, NetApp can help you set up Active Directory with Cloud Manager. Click the chat icon in the lower right of Cloud Manager to get assistance.

Limitations with the AWS GovCloud (US) region

- Cloud Manager must be deployed in the AWS GovCloud (US) region if you want to launch Cloud Volumes ONTAP instances in the AWS GovCloud (US) region.
- When deployed in the AWS GovCloud (US) region, Cloud Manager cannot discover ONTAP clusters in a NetApp Private Storage for Microsoft Azure configuration or a NetApp Private Storage for SoftLayer configuration.

Cloud Manager does not set up iSCSI volumes

When you create a volume in Cloud Manager using the Storage System View, you can choose the NFS or CIFS protocol. You must use OnCommand System Manager to create a volume for iSCSI.

Storage Virtual Machine (SVM) limitation

Cloud Volumes ONTAP supports one data-serving SVM and one or more SVMs used for disaster recovery. The one data-serving SVM spans the entire Cloud Volumes ONTAP system (HA pair or single node).

Cloud Manager does not provide any setup or orchestration support for SVM disaster recovery. It also does not support storage-related tasks on any additional SVMs. You must use System Manager or the CLI for SVM disaster recovery.

Copyright Information

Copyright © 2019–2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.