System Manager enhancements

ONTAP What's New

NetApp
May 07, 2021

This PDF was generated from https://docs.netapp.com/us-en/ontap-whatsnew/ontap991fo_system_manager_enhancements.html on May 25, 2021. Always check docs.netapp.com for the latest.

Table of Contents

System Manager enhancements . . . 1
Functionality restored/usability enhancements . . . 1
Active IQ Integration . . . 4
Hardware visualization platform expansion . . . 5
Ansible Playbook workflows . . . 5
File system analytics enhancements . . . 6
Other System Manager 9.9.1 enhancements . . . 7

System Manager enhancements

With the revamped GUI experience for ONTAP introduced in ONTAP 9.8, you might have noticed that some things moved or were no longer available. In ONTAP 9.9.1, we have collected customer feedback and addressed some of the concerns around the GUI and have added some of the missing functionality back in, as well as adding new and improved features. The following section covers some of these changes and new additions. You can also find information about System Manager in the System Manager docs.

Functionality restored/usability enhancements

You asked for it, and we listened. In ONTAP 9.9.1, some of the functionality that was no longer available in ONTAP 9.8 System Manager was added back into the product. Additionally, new usability enhancements were included.

Manual selection of a local tiers/aggregates during volume provisioning

System Manager 9.9.1 allows you to manually select the physical storage tier you want to use when provisioning new volumes, including the ability to specify aggregates during FlexGroup volume creation. Optionally, you can still allow ONTAP and System Manager make selections based on balanced placement logic.

Capacity display enhancements

Now you can view the logical used space by Snapshot copies in ONTAP, as well as seeing what your storage efficiency ratios look like with and without Snapshot copies.

The following figure depicts the ONTAP System Manager 9.9.1 capacity view.



NVMe over Fibre Channel – LIF creation

With System Manager, you can now create and view LIFs used with NVMe over Fibre Channel namespaces, including port statuses, asymmetrical port selection, and the ability to see the number of LIFs created per port to help avoid overloading a physical network interface.

EMS Event Viewer – Dashboard

For a faster view of what issues might be present in your ONTAP cluster, System Manager 9.9.1 adds EMS events on the dashboard when you first log in. This includes errors in the past 24 hours, such as broken disks, network links down, license issues, and shelf or node errors.

You also get warnings from the past 24 hours, including failed volume moves and health monitor alerts.

Snapshot sizes and SnapMirror labels

From the snapshot views in System Manager, you can see snapshot sizes and labels (such as daily, weekly, and so on) on SnapMirror snapshot copies.



Re-home data LIFs

During failovers or after network outages have been resolved, data LIFs often remain on the failover port, which can create potential performance and resiliency concerns. If you need a simple way to send those data LIFs back home, System Manager 9.9.1 now offers a single-click method to send all data LIFs back to their intended home ports.

New volume fields to show/hide

There are additional ways to view volume information in System Manager 9.9.1 via the Show/Hide button, including local tiers and available/used information.

The following figure depict the new volume views in ONTAP System Manager 9.9. 1.



Bulk operations

If you need to perform multiple volume moves or deletions, map multiple LUNs to an initiator group, or add multiple volumes to a cloud tier, you can now select multiple objects and perform tasks. Volume deletions also come with a way to be able to unmount, offline and confirm deletions in a single window.

The following figure depicts simplified volume deletions in ONTAP System Manager 9.9.1.



Active IQ Integration

In the interest of giving ONTAP users a single access point for multiple information sources, System Manager 9.9.1 provides integration with the NetApp Active IQ solution. This delivers firmware recommendations as well as a method to download the images directly from the NetApp support site and easy to access support case views for when you want to see what's going on with your cluster. Simply navigate to the Support link under Cluster in the left-hand menu and register the cluster with Active IQ to begin.

The following figure depicts Active IQ views in ONTAP System Manager 9.9.1.



Hardware visualization platform expansion

Hardware visualization includes information such as platform models, serial numbers, takeover/giveback status, disk status, port information and much more. ONTAP 9.9.1 brings added platform support for hardware visualization to include all current AFF platforms.



The following components are supported in ONTAP 9.9.1:

- **Platforms.** C190 / A220 / A250 / A300 / A400 / A700 / A700s / A800 / A320 / FAS500f
- **Disk Shelves.** DS4243 / DS4486 / DS212C / DS2246 / DS224C / NS224
- **Network Switches.** Cisco Nexus 3232C / Cisco Nexus 9336C-FX2

Ansible Playbook workflows

More and more enterprises are turning to automation of day-to-day tasks using applications like Ansible to provide repeatable, error-free workflows. NetApp has an entire library of Ansible playbooks available, and you can find those and more information at the Ansible for NetApp page.

System Manager 9.9.1 adds additional avenues to use Ansible with a new way to generate playbooks with a single click. To use these playbooks, install Ansible and the NetApp Collection from Ansible Galaxy, but you can start creating playbooks by clicking the Save to Ansible Playbook link on select storage provisioning tasks in System Manager.

Clicking that button creates a .zip file with the necessary .yaml files needed for Ansible.

Name	Size	Packed Si...	Modified	Created
volumeAdd.yaml	11 740	11 740	2021-05-...	
volumeAdd_variable.yaml	2 940	2 940	2021-05-...	

File system analytics enhancements

In high file-count environments, trying to find information about folder capacity, data age, and file counts usually requires time-intensive commands or scripts that run serial operations over NAS protocols, such as `ls`, `du`, `find`, and `stat`.

ONTAP System Manager 9.8 introduced a way for admins to find out file system information in any NAS storage volume quickly and easily by enabling a low-impact scanner for each volume. This scanner crawls the ONTAP file system in the background with a low priority job and delivers a wealth of information that is available as soon as you navigate to a volume that has it enabled.

Enabling File System Analytics is as easy as navigating to the volume you want to scan. Go to Storage > Volumes and then use the search to find your desired volume. Click the volume, and then the Explorer tab.

From here, you see the Enable Analytics link on the right side of the page.

After you click enable, the scanner starts. The time of completion depends on the number of objects in the volume as well as the system load. After it is finished, you see the entire directory structure populated in the System Manager view. This view can be navigated down the directory tree, and it provides access for history information, directory size information, and file sizes.

ONTAP 9.9.1 brings some additional enhancements to the feature, such as filtering by file or directory name and performing fast directory deletes.

Other System Manager 9.9.1 enhancements

ONTAP 9. 9.1 also brings the following enhancements to System Manager:

• Nested igroups • SnapMirror Cloud - backups and restores (ONTAP S3 and StorageGrid only) • All SAN Array expansion • FlexCache pre-populate, DR, view bandwidth savings	• SVM-DR for FlexGroup volumes • SnapMirror cascade and fan-out support for FlexGroup volumes • FabricPool: Adjust or change minimum cooling days

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.