



# **Installing applications on the session host virtual machine(s)**

## **Virtual Desktop Managed Service**

NetApp  
June 16, 2021

This PDF was generated from <https://docs.netapp.com/us-en/virtual-desktop-managed-service/applications.installapplications.html> on July 30, 2021. Always check docs.netapp.com for the latest.

# Table of Contents

Installing applications on the session host virtual machine(s) .....	1
Application Delivery Methodology .....	1

# Installing applications on the session host virtual machine(s)

## Application Delivery Methodology

Users can access any applications that are installed the session host virtual machine (SHVM) where their user session is running.

Users are assigned to a pool of SHVMs ("host pool") based on their membership in a user group. Every SHVM in that host pool is based on the same VM Image, has the same applications and runs on the same VM resources. Each time a user connects, they are assigned to SHVM in their host pool with the fewest current user sessions.

By adding or removing applications from each SHVM in the host pool the VDMS administrator can control which applications VDMS users can access.

Adding (or removing) applications from each SHVM can be performed directly on each SHVM or to a single VM Image which in turn can be deployed to all SHVMs in the host pool.

This article covers directly installing applications on the SHVMs. VM Image management is covered in [this article](#).

## Manual Access

The VDMS management portal provides direct access to each VM via a just-in-time local admin account for all SHVMs and business servers. This access can be used to manually connect to each VM to manually install applications and make other configuration changes.

This functionality is found in Workspace > Servers > Actions > Connect

Virtual Desktop Service  
Version: 6.0  
Environment: production

- Home
- Organizations
- Deployments
- Workspaces
- Service Board
- Scripted Events
- Admins
- Reports
- Applications
- Cost Estimator
- SaaS Backup

Customer

[Home](#) > [Workspaces](#) > [NetApp VDMS](#) > [Servers](#)

# NetApp VDMS

Workspace

Overview

Users & Groups

Workload Schedule

WVD

Servers

Filter By

Export

Refresh

Name	Type	Machine Size	RAM	CPU	Online	Status	Actions
JZSXTSD1	TSData	Standard_B2s	4 RAM	2 CPU	Online	Available	⋮
JZSXTS1	TS	Standard_D2s_v4	8 RAM	2 CPU	Online	Available	<div> <div>Backup</div> <div>Reboot</div> <div>Connect</div> <div>Stop</div> </div>
JZSXTS2	TS	Standard_D2s_v4	8 RAM	2 CPU	Online	Available	

Previous

Page 1 of 1

Next

If domain admin credentials are required, VDMS privileged access management (PAM) functionality to generate domain admin credentials. Details can be [found here](#).

## VDMS Automation

With the VDMS portal, the "Scripted Events" section includes functionality to remotely run code.

Within Scripted Events, the Repository tab contains "global" scripts that are published by NetApp. Custom scripts can be added using the "+ Add Script" button.

Within Scripted Events, the Activities tab contains the trigger that causes a script to run against a set of VMs. For VDMS, the "Manual" and "Scheduled" event types are best to push a script across the appropriate virtual machines.



Activities have many available triggers called "Event Types". For VDMS, the "Application Install" and "Application Uninstall" types do not apply. These are RDS-specific triggers and should not be used for VDMS since VDMS is a WVD-based service, and does to follow the design architecture of RDS.

## Other Automation Tools

Virtual machines in VDMS can be managed with 3rd party management tools. Application changes and other VM configuration changes can be applied via any compatible tools.

## Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.