



Accessing VDS credentials in Azure Key Vault

Virtual Desktop Service

Toby vanRoojen
January 05, 2021

This PDF was generated from https://docs.netapp.com/us-en/virtual-desktop-service/Management.System_Administration.azure_key_vault.html on July 20, 2021. Always check docs.netapp.com for the latest.

Table of Contents


Accessing VDS credentials in Azure Key Vault	1
Overview	1

Accessing VDS credentials in Azure Key Vault


Overview

CWASetup 5.4 is a departure from previous Azure deployment methods. The configuration and validation process is streamlined to reduce the amount of information required to begin a deployment. Many of those removed prompts are for credentials or accounts such as Local VM Admin, SMTP account, Tech account, SQL SA, etc. These accounts are now automatically generated and stored in an Azure Key Vault. By default, accessing these automatically generated accounts requires an additional step, described below.

- Find the 'Key vault' resource and click into it:




- Under 'Settings', click 'Secrets'. You'll see a message stating that you are unauthorized to view:



- Add an 'Access Policy' to grant an Azure AD account (like a Global Admin or System Administrator) access to these sensitive keys:



- A Global Admin is used in this example. After selecting the principal, click 'Select', then 'Add':




- Click 'Save':



- Access policy has been successfully added:




- Revisit the 'Secrets' to verify the account now has access to the deployment accounts:




- For example, if you required the Domain Administrator credential to login to CWMGR1 and update Group Policy, check the strings under `cjDomainAdministratorName` and `cjDomainAdministratorPassword` by

clicking on each entry:



- Show or Copy the value:



Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.