# Rajalakshmi Engineering College

Name: NETHRA CHANDRAGANDHI T Email: 240701357@rajalakshmi.edu.in

Roll no: 240701357 Phone: 9487531086

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 6\_MCQ\_Updated\_1

Attempt : 1 Total Mark : 20

Marks Obtained: 14

Section 1: MCQ

1. Which of the following is true about Quicksort?

Answer

It is an in-place sorting algorithm

Status: Correct Marks: 1/1

2. Which of the following scenarios is Merge Sort preferred over Quick Sort?

Answer

When sorting small datasets

Status: Wrong Marks: 0/1

3. Which of the following statements is true about the merge sort algorithm?

## Answer

It requires additional memory for merging

Status: Correct Marks: 1/1

4. Which of the following strategies is used to improve the efficiency of Quicksort in practical implementations?

## Answer

Choosing the pivot randomly or using the median-of-three method

Status: Correct Marks: 1/1

5. What is the best sorting algorithm to use for the elements in an array that are more than 1 million in general?

#### Answer

Insertion sort.

Status: Wrong Marks: 0/1

6. Which of the following is not true about QuickSort?

### Answer

It as an adaptive sorting algorithm

Status: Wrong Marks: 0/1

7. Let P be a quick sort program to sort numbers in ascending order using the first element as a pivot. Let t1 and t2 be the number of comparisons made by P for the inputs {1, 2, 3, 4, 5} and {4, 1, 5, 3, 2}, respectively. Which one of the following holds?

Answer

t1 = t2

Status: Wrong Marks: 0/1

8. In a guick sort algorithm, what role does the pivot element play?

## Answer

It is used to partition the array

Status: Correct Marks: 1/1

9. What is the main advantage of Quicksort over Merge Sort?

## Answer

Quicksort is always faster than Merge Sort

Status: Wrong Marks: 0/1

10. Consider the Quick Sort algorithm, which sorts elements in ascending order using the first element as a pivot. Then which of the following input sequences will require the maximum number of comparisons when this algorithm is applied to it?

## Answer

22 25 56 67 89

Status: Correct Marks: 1/1

11. Why is Merge Sort preferred for sorting large datasets compared to Quick Sort?

#### Answer

Merge Sort has better worst-case time complexity

Status: Correct Marks: 1/1

12. What happens during the merge step in Merge Sort?

## Answer

Two sorted subarrays are combined into one sorted array

Status: Correct Marks: 1/1

13. Which of the following modifications can help Quicksort perform better on small subarrays?

#### Answer

Switching to Insertion Sort for small subarrays

Status: Correct A Marks: 1/1

14. Merge sort is \_\_\_\_\_

## Answer

Comparison-based sorting algorithm

Status: Correct Marks: 1/1

15. The following code snippet is an example of a quick sort. What do the 'low' and 'high' parameters represent in this code?

```
void quickSort(int arr[], int low, int high) {
   if (low < high) {
      int pivot = partition(arr, low, high);
      quickSort(arr, low, pivot - 1);
      quickSort(arr, pivot + 1, high);
   }
}</pre>
```

## Answer

The number of comparisons performed

Status: Wrong Marks: 0/1

16. In a quick sort algorithm, where are smaller elements placed to the

pivot during the partition process, assuming we are sorting in increasing order? Answer To the left of the pivot Marks: 1/1 Status: Correct 17. Which of the following methods is used for sorting in merge sort? Answer merging Marks: 1/1 Status: Correct 18. What happens when Merge Sort is applied to a single-element array? Answer The array remains unchanged and no merging is required Status: Correct Marks: 1/1 19. Which of the following sorting algorithms is based on the divide and conquer method? Answer Merge Sort Status: Correct Marks: 1/1 20. Is Merge Sort a stable sorting algorithm? Answer Yes, always stable. Status: Correct