## Rajalakshmi Engineering College

Name: NETHRA CHANDRAGANDHI T Email: 240701357@rajalakshmi.edu.in

Roll no: 240701357 Phone: 9487531086

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



## NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 5\_MCQ

Attempt : 1 Total Mark : 20

Marks Obtained: 17

Section 1: MCQ

1. Which of the following isn't true about dictionary keys?

Answer

More than one key isn't allowed

Status: Wrong Marks: 0/1

2. Set  $s1 = \{1, 2, 4, 3\}$  and  $s2 = \{1, 5, 4, 6\}$ , find s1 & amp;  $s2, s1 - s2, s1 | s2 and <math>s1 \land s2$ .

Answer

 $s1\& s2 = \{1, 4\}s1-s2 = \{2, 3\}s1^s2 = \{2, 3, 5, 6\}s1|s2 = \{1, 2, 3, 4, 5, 6\}$ 

Status: Correct Marks: 1/1

3.	What	will h	e the	output	for the	following	code?
<b>U</b> . 0	yviidt	VVIII K		output	JOI LITE	Tonowing	couc.

**Answer** 

False

Status: Correct Marks: 1/1

4. What is the output of the following code?

**Answer** 

**False** 

Status: Correct Marks: 1/1

5. Fill in the code in order to get the following output.

Output:

Tuple: (1, 3, 4)

Max value: 4

t=(1,)

print("Tuple:" ,t) print("Max value:",\_\_\_\_\_

Answer

1)  $t=t+(3,4)2) \max(t)$ 

Status: Correct

Marks: 1/1 351

6. What will be the output of the following code?

a=(1,2,3,4) print(sum(a,3))

**Answer** 

13

Status: Correct Marks: 1/1

7. What is the output of the following?

set1 = {10, 20, 30, 40, 50} set2 = {60, 70, 10, 30, 40, 80, 20, 50} print(set1.issubset(set2)) print(set2.issuperset(set1))

Answer

TrueTrue

Status: Correct Marks: 1/1

8. If 'a' is a dictionary with some key-value pairs, what does a.popitem() do?

Answer

Removes the key-value pair for the key given as an argument

Status: Wrong Marks: 0/1

9. What is the output of the following code?

```
a={1:"A",2:"B",3:"C"}
b=a.copy()
b[2]="D"
print(a)
```

**Answer** 

```
{1: 'A', 2: 'B', 3: 'C'}
```

Status: Correct Marks: 1/1

## 10. Predict the output of the following Python program

```
init_tuple_a = 1, 2, 8
init_tuple_b = (1, 2, 7)
set1=set(init_tuple_b)
set2=set(init_tuple_a)
print (set1 | set2)
print (init_tuple_a | init_tuple_b)
```

#### Answer

(1, 2, 7, 8)TypeError: unsupported operand type

Status: Correct Marks: 1/1

### 11. Which of the following is a Python tuple?

#### Answer

(1, 2, 3)

Status: Correct Marks: 1/1

# 12. What is the output of the below Python code?

```
list1 = [1, 2, 3]
list2 = [5, 6, 7]
list3 = [10, 11, 12]
set1 = set(list2)
set2 = set(list1)
set1.update(set2)
set1.update(list3)
print(set1)
```

#### **Answer**

{1, 2, 3, 5, 6, 7, 10, 11, 12}

Marks : 1/1 13. What is the output of the following code?

a={"a":1,"b":2,"c":3} Status: Correct b=dict(zip(a.values(),a.keys())) print(b) Answer {1: 'a', 2: 'b', 3: 'c'} Status: Correct Marks: 1/1 14. What will be the output of the following program?  $set1 = \{1, 2, 3\}$ set2 = set1.copy() set2.add(4) print(set1) Answer  $\{1, 2, 3\}$ Status: Correct Marks: 1/1 15. What will be the output? a={'B':5,'A':9,'C':7} print(sorted(a)) **Answer** ['A', 'B', 'C']. Status: Correct Marks: 1/1 16. What will be the output for the following code? a=(1,2,3) a=(1,2,3)

b=('A','B','C')
c=zip(a,b)

print(c)
print(tuple(c))

Answer

('1 'A') (2 'B') (3 'C')

((1, 'A'), (2, 'B'), (3, 'C'))

Status: Correct Marks: 1/1

17. Suppose t = (1, 2, 4, 3), which of the following is incorrect?

**Answer** 

t[3] = 45

Status: Correct Marks: 1/1

18. Which of the following statements is used to create an empty tuple?

**Answer** 

()

Status: Correct Marks: 1/1

19. Which of the statements about dictionary values is false?

**Answer** 

Values of a dictionary must be unique

Status: Correct Marks: 1/1

20. What is the result of print(type({}) is set)?

**Answer** 

True

Status : Wrong Marks: 0/1