

SDK API User's Guide (Media Scanner)

Version 0.6.0

Display Audio

Solution Team



Release information

The following changes have been made to this document.

Change History

Date	Change
23 October 2017	First release for v1.0.0

Proprietary Notice

Information in this document is provided solely to enable system and software implementers to use Nexell products. There are no express or implied copyright licenses granted hereunder to design or fabricate any integrated circuits or integrated circuits based on the information in this document.

Nexell reserves the right to make changes without further notice to any products herein.

Nexell makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does Nexell assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation consequential or incidental damages. "Typical" parameters which may be provided in Nexell data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. Nexell does not convey any license under its patent rights nor the rights of others. Nexell products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the Nexell product could create a situation where personal injury or death may occur. Should Buyer purchase or use Nexell products for any such unintended or unauthorized application, Buyer shall indemnify and hold Nexell and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that Nexell was negligent regarding the design or manufacture of the part.

Copyright© 2017 Nexell Co.,Ltd. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electric or mechanical, by photocopying, recording, or otherwise, without the prior written consent of Nexell.

Contact us

[11595] BundangYemiji Bldg. 12F, 31 Hwangsaeul-ro 258 beon gil, Bundang-gu, Sungnam-city, Gyeonggi-do, Korea.

TEL: 82-31-698-7400

FAX:82-31-698-7455

<http://www.nexell.co.kr>

Contents

Chap 1.	Overview	1
1.1	Overview	1
1.2	Block Diagram	1
Chap 2.	Media Scan	2
2.1	Database Structure	2
2.2	Database Access	2
Chap 3.	History	4
3.1	Known Issue	4
3.2	To Do List	4


Chap 1. Overview

1.1 Overview

이 문서는 Display Audio 내의 Media Scanner 에 대해서 설명한 문서이다.
Media Scanner 는 External Storage 를 검색하여 Media 에 대한 정보를 정리하며 이를 database 로 생성하게 된다. database 생성이 완료되면 이를 application 에 event 로 전달하며 이를 통하여 media list 를 가져올 수 있다.

1.2 Block Diagram

Display Audio 내의 Media Scanner 는 다음과 구조로 동작하고 있다. Uevent 를 통하여 External Storage 의 현재상태를 확인하고 이를 각 Application 에 전달한다. 그리고, 변경된 External Storage 에 따라서 Media Scanning 을 하게 되고, Media Scanning 이 완료되면 이 정보를 각 Application 에 전달하게 된다.
Application 사용자는 전달받은 이벤트를 통하여 Media Scan 된 Database 에 접근하여 File List 를 갱신하면 된다.



Chap 2. Media Scan

2.1 Database Structure

Media Scanning 이 완료된 database 는 다음과 같은 구조로 되어있다.

-. Database : /home/root/mediainfo.db

-. Table : tbl_media

Field	Description
_id	Integer primary key (Auto Increment) – SQLite mandatory field
_path	Media path with file name.
_type	Media type. (Video / Audio)
_date	Added time in database.

2.2 Database Access

Database 는 Database query 문을 이용하여 access 가능하다. Display Audio SDK 에서는 해당 Database 를 접근할 수 있도록 SQLite Wrapper 를 제공하여 주며 이를 이용하면 해당 Database 를 접근할 수 있도록 되어있다.

2.2.1 APIs

2.2.1.1 NX_SQLiteGetData()

```
int32_t NX_SQLiteGetData(
    const char *pDatabase,
    const char *pTable,
    int32_t (*cbFunc)(void*, int32_t, char**, char**),
    void *pObj = NULL,
) = 0;
```

Description

Access database using SQLite.

Parameter

-. pDatabase : database name.

-. pTable : table name.

-. cbFunc : result data callback

int32_t cbFunc(void *pObj, int32_t iColumnNum, char **ppColumnValue, char **ppColumnName)

-. pObj : private handle

<ul style="list-style-type: none">- iColumnNum : column number of table.- ppColumnValue: column value of table.- ppColumnName: column name of table.- pObj : private handle.
Return Value 0 is successful, -1 is failed.

CONFIDENTIAL

Chap 3. History

3.1 Known Issue

-. Not yet.

3.2 To Do List

-. Media Scanner 확장.

- 1) 일부 Storage 정보 변경 시에 Media Scanning 정책.
- 2) 동일 파일 정보에 대한 Media Scanning 정책.