



< Previous



Next >

Exercise 2

🔖 Bookmark this page



Hide Notes

Exercise 2

3/3 points (graded)

ESTIMATED TIME TO COMPLETE: 10 minutes

Consider the following code:

```
x = 25
epsilon = 0.01
step = 0.1
guess = 0.0

while guess <= x:
    if abs(guess**2 - x) < epsilon:
        break
    else:
        guess += step

if abs(guess**2 - x) >= epsilon:
    print('failed')
else:
    print('succeeded: ' + str(guess))
```

If this code is executed, it will print `succeeded: 4.999999999998` (or `succeeded: 5.0`). Remember floating point errors?

Now suppose we try the following:

```
x = 25
epsilon = 0.01
step = 0.1
guess = 0.0

while guess <= x:
    if abs(guess**2 - x) >= epsilon:
        guess += step

if abs(guess**2 - x) >= epsilon:
    print('failed')
else:
    print('succeeded: ' + str(guess))
```

Select the answer that best describes what occurs when the above code is executed:

- ☐ Script successfully completes, and prints out `succeeded: 4.999999999998` (or `succeeded: 5.0`)
- ☐ Script successfully completes, but prints out `failed`
- ☐ Script successfully completes, but prints out `succeeded:` followed by some number not really close to 5.0
- ☒ Script enters an infinite loop and never terminates



Now suppose we try

```
x = 25
epsilon = 0.01
step = 0.1
guess = 0.0

while abs(guess**2-x) >= epsilon:
    if guess <= x:
        guess += step
```

```
        else:
            break

if abs(guess**2 - x) >= epsilon:
    print('failed')
else:
    print('succeeded: ' + str(guess))
```

Select the answer that best describes what occurs when the above code is executed:

- ☒ Script successfully completes, and prints out `succeeded: 4.999999999998` (or `succeeded: 5.0`)
- ☐ Script successfully completes, but prints out `failed`
- ☐ Script successfully completes, but prints out `succeeded:` followed by some number not really close to 5.0
- ☐ Script enters an infinite loop and never terminates



Finally, let's use the same code as immediately above, but change the first line to `x = 23`. Note that the square root of 23 is roughly 4.7958.

Select the answer that best describes what occurs when the modified code is executed:

- ☐ Script successfully completes, and prints out `succeeded: 4.999999999998` (or `succeeded: 5.0`)
- ☒ Script successfully completes, but prints out `failed`
- ☐ Script successfully completes, but prints out `succeeded:` followed by some number not really close to 5.0
- ☐ Script enters an infinite loop and never terminates



Hint: If any of the above answers confuse you, try running the code on your own machine and inserting print statements to print out intermediate values of variables so you can examine what happens to certain variables - for example, `guess` - as the program is executed.

Submit

Exercise 2

Hide Discussion

Topic: Lecture 3 / Exercise 2

Show all posts	by recent activity
<div><div></div><div>Step bigger than epsilon?!</div><div>While in the video professor explain the title with increment of order 0.001 with epsilon 0.01, we see steps of order 0.1 in the example...</div></div>	2
<div><div></div><div>Can you really know the last two answers w/o running the code?</div><div>As stated above, I was wondering if there is a way to know the two answers without actually running the code? To me that seems im...</div></div>	9
<div><div></div><div>For Q3, why is the last guess 23?</div><div>I executed the code for q3 in python tutor, and when visualizing the code it moves from if guess <= x to else: break While guess =</div></div>	3



edX

- [About](#)
- [Affiliates](#)
- [edX for Business](#)
- [Open edX](#)
- [Careers](#)
- [News](#)

Legal

- [Terms of Service & Honor Code](#)
- [Privacy Policy](#)
- [Accessibility Policy](#)
- [Trademark Policy](#)
- [Sitemap](#)

Connect

- [Blog](#)
- [Contact Us](#)
- [Help Center](#)
- [Media Kit](#)

