<u>Help</u>

shengtatng 🗸

<u>Course</u> <u>Progress</u> <u>Dates</u> <u>Discussion</u> <u>Notes</u> <u>Calendar</u>

★ Course / Unit 2: Simple Programs / 4. Functions (TIME: 1:08:06)

()

< Previous 3 of 27 > Next >

Exercise 1

 \square Bookmark this page

Finger Exercises due Oct 27, 2022 07:30 +08 Completed

Exercise 1

6/6 points (graded)

ESTIMATED TIME TO COMPLETE: 12 minutes

Note that you will have to answer all questions before you can click the Check button.

Part 1: Function Types

For each of the following functions, specify the type of its return. You can assume each function is called with an appropriate argument, as specified by its docstring.

If the output can be either an int or a float, select num, which isn't a real Python type, but which we'll use to indicate that either basic numeric type is legal.

```
In fact, in Python, booleans True and False can be operated on as if they were the integers 1 and 0; but it is ugly and
confusing to take advantage of this fact, and we will resolutely pretend that it isn't true.
 What are those lines under the function definitions?
        def a(x):
           x: int or float.
           return x + 1
      Indicate the type of the output that the function a will yield.
      num
                       ~
        def b(x):
           x: int or float.
           return x + 1.0
      Indicate the type of the output that the function b will yield.
      float
    3.
        def c(x, y):
           x: int or float.
          y: int or float.
           return x + y
      Indicate the type of the output that the function c will yield.
      num
       def d(x, y):
          x: Can be int or float.
          y: Can be int or float.
           return x > y
      Indicate the type of the output that the function d will yield.
      boolean
        def e(x, y, z):
```

```
x: Can be int or float.
y: Can be int or float.
z: Can be int or float.
return x >= y and x <= z
```

Indicate the type of the output that the function e will yield.

```
def f(x, y):
  x: int or float.
  y: int or float
  x + y - 2
```

Indicate the type of the output that the function f will yield.

```
NoneType ✓
```



© All Rights Reserved



edX

<u>About</u>

<u>Affiliates</u>

edX for Business

Open edX

<u>Careers</u>

<u>News</u>

Legal

Terms of Service & Honor Code

Privacy Policy

Accessibility Policy

Trademark Policy

<u>Sitemap</u>

Connect

<u>Blog</u>

Contact Us

Help Center

Media Kit













© 2022 edX LLC. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>