For Research Use Only

DYKDDDDK tag Recombinant antibody (Binds to FLAG® tag epitope)



Catalog Number: 80010-1-RR

1 Publications

Basic Information

Catalog Number:

80010-1-RR Size

100UL, Concentration: 700 µg/ml by

Nanodrop;

Source

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG2329

GenBank Accession Number:

GeneID (NCBI):

Full Name:

Purification Method:

Protein A purification

CloneNo.: **ΔΚ1Δ**

Recommended Dilutions:

WB 1:1000-1:3000 IF 1:200-1:1000

Applications

Tested Applications:

IF, IP, WB, ELISA

Cited Applications:

Species Specificity: Recombinant

Cited Species

human

Positive Controls:

WB: TDP43-PCDNA6, PCSK9

IF: HEK-293 cells, Transfected HEK-293 cells

Background Information

DYKDDDDK Tag (Equivalent To FLAG Antibody From Sigma) with the following sequence DYKDDDDK, is a hydrophilic tag for recombinant protein technology. Tags can be used as a tool to localize gene products in a variety of cell types, study proteins topology, and also help to identify and characterize new, low abundance or poorly immunogenic proteins. Due to its high hydrophilic character, the DYKDDDDK tag is likely to be located on the surface of a fusion protein, which enables the tag to be accessible for antibodies. DYKDDDDK Tag Antibody is generated against 1xDYKDDDDK tag (DYKDDDDK) and can recognize protein containing one or more DDDDK tags, independently on N-terminal, C-terminal or internal regions of the target protein. Anti-FLAG is a registered trademark of Sigma-Aldrich Biotechnology.

Notable Publications

Author	Pubmed ID	Journal	Application
Ioanna Antoniades	33413438	Cell Commun Signal	WB

Storage

Storage:


Store at -20°C.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



With/Without pCDNA5-flag-N/TDP43 transfected HEK293 cell lysates were subjected to SDS PAGE followed by western blot with 80010-1-RR (DYKDDDDK tag antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hour.



IP result of anti-DYKDDDDK tag (IP:80010-1-RR, 2.5 ug; WB:66008-3-Ig, 1:3000) with Transfect HEK-293 cells lysate 768 ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 (eGFP-DYKDDDDK transfected) cells using DYKDDDDK tag antibody (80010-1-RR, Clone: 4K14) at dilution of 1:800 and CoraLite®594-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), eGFP (Green), DYKDDDDK (Red), DAPI (Blue).