

Lab: Racket Expressions

Use **ONLY** first, rest, and cons.

Section A. Given the following definitions:

```
(define a '())  
(define b '(() () ()))  
(define c '(Bob (Jane)))  
(define d '((Bob) (Jane)))  
(define e 'Jane)  
(define f ' ( (Bob) Jane))
```

Variable	Definition	Note: You are defining Jane as an atom ; therefore e will be equal to Jane , <i>not</i> (Jane)
a	'()	
b	'(() () ())	
c	'(Bob (Jane))	
d	'(((Bob) (Jane)))	
e	'Jane	
f	'((Bob) Jane)	

Evaluate the following expressions and write your answer in the appropriate space. If the expression cannot be evaluated, write **"Cannot be evaluated"**.

(first a)	Cannot be evaluated.
(first b)	
(first c)	
(first d)	
(first e)	
(rest f)	
(rest c)	
(rest d)	
(rest e)	
(cons a c)	
(cons a d)	
(cons a e)	
(cons f c)	
(cons e d)	
(cons a (rest c))	
(cons e (rest f))	
(cons f (rest a))	
(cons a (rest b))	
(first (rest f))	
(first (rest (first d)))	
(first (rest (cons a f)))	
(rest (rest d))	
(first (rest f))	

Section B. Given the following definitions:

Variable	Definition
a	'(5 4 3 2 1)
b	'((5) ((4) (3) 3 ((2))))
c	'(5 (4 (3 (2 (1)))))
x	'(a b c (d) e f)
y	'((5) ((4 3) 2 (1)))

Write an expression that will output the following:

Using...	Output should be...	What is the expression?
List a	'(4 3 2 1)	(rest a)
	'(3 2 1)	
	4	
List b	'((4) (3) 3 ((2)))	
	'((3) 3 ((2)))	
	'()	
List c	'(4 (3 (2 (1))))	
	5	
	'((3 (2 (1))))	
List x and y	'(a 5)	
	'(b ((4 3) 2 (1)))	
	'((5) a b c (d) e f)	