

# Assignment 2

## OPTI 502 Optical Design and Instrumentation I

University of Arizona

Nicolás Hernández Alegría

August 31, 2025

### 1 Exercise 1

- a) *Tunnel diagrams* are schemes that unfolds the optical path at each reflection, so that the total propagation of the ray remains straight. For the prism below, at each reflecting surface it must be flipped to achieve the above goal. The diagram then consists of a geometric figure composed of multiples rotation of the original prism.

On the other hand, *parity change* is the change in orientation of the object when looking backward through the  $z$  optical axis to the object. Therefore, the parity change will be due to the  $y$  axis (reversion) and  $x$  axis (inversion). However, no parity change is due rotations with respect to the  $z$  axis. In addition, only an odd number of reflection will change the parity.

In the following three prisms, we will assume the ray propagates with total internal reflection or the surface is coated so that only reflection is studied. The last surface is not coated and the ray exists perpendicular to its normal.

- i. **Right-angle prism** The ray is reflected twice (figure 1a), therefore there is no parity change.
- ii. **Dove prism** The ray is reflected three times (figure 2), so there will be a parity change.
- iii. **Pentaprism** The ray is reflected twice (figure 1c) so that there will be no parity change.




Figure 1: Tunnel diagram for the given prisms.

- b) To obtain an equivalent effect with the Dove prism, we must see the propagation inside the geometry. In figure 2 we have shown how can be disposed to achieve this, with dashed lines reinforcing this position as it can be seen as similar to a truncated right-angle prism.




Figure 2: Equivalent orientation of the Dove prism to achieve an equivalent propagation as the Right-Angle prism.

## 2 Exercise 2

The configuration is a lens of focal length  $f = 100 \text{ mm}$  with a pentaprism of  $n = 1.5$  just behind with some sides of length  $a$ . The image plane is required to be at  $f$  and outside the prism. If we denote  $d_{in}$  as the distance traveled by the ray inside the prism and  $d_{out}$  as the distance when the ray exits the prism, then the total length must be

$$d_{in} + d_{out} = f = 100 \text{ mm}.$$

- a) In this case, the maximum value of  $a$  will imply that there is no space left for the air propagation and therefore  $d_{out} = 0$ . If we create the tunnel diagram of the pentaprism (figure 3a), we will see that the distance traveled by the ray is twice the length  $a$  plus  $\sqrt{2}a$  due to the diagonal propagation along the geometry. Therefore, the reduced thickness is

$$d_{in} = \frac{(2 + \sqrt{2})a}{n}.$$

Thus, replacing  $n = 1.5$  and solving for  $a$  yields

$$\begin{aligned} \frac{(2 + \sqrt{2})a_{max}}{1.5} + 0 &= 100 \\ a_{max} &= \frac{100(1.5)}{2 + \sqrt{2}} = 43.934 \text{ mm}. \end{aligned}$$

- b) If the length is given to  $a = 40 \text{ mm}$  and the refractive index changed to  $n = 1.66$ , then the image will be located  $d_{out}$  away from the exit surface of the pentaprism, that is,

$$\begin{aligned} \frac{(2 + \sqrt{2})(40)}{1.66} + d_{out} &= 100 \\ d_{out} &= 100 - \frac{(2 + \sqrt{2})(40)}{1.66} = 17.729 \text{ mm}. \end{aligned}$$

Figure 3b illustrates this case.



(a) Distance only attributed to  $d_{in}$ (b)  $d_{in}$  and  $d_{out}$  contributes to the total propagation

Figure 3: Tunnel diagrams allow us to reduce the complexity of the optical configuration.