
Bootstrap Units

01	Videogames and Coordinate Planes	06	Comparing Functions
02	Contracts, Strings, and Images	07	Conditional Branching
03	Intro to Definitions	08	Collision Detection
04	Design Recipe	09	Prepping for Launch
05	Game Animation	10	Additional Material




Lesson 1

Reverse-Engineering: How does NinjaCat work?

Thing in the game	What changes about it?	More specifically
cloud	position	x-coordinate
	·	

Finding Coordinates




The coordinates for the PLAYER (NinjaCat) are	э:	(,)	
		x-coordinate	y-coordinate	
The coordinates for the DANGER (Dog) are:	(,)	
The coordinates for the TARGET (Ruby) are:	(,)	

Our Videogame


Created by (write your names):	
Background	
Our game takes place in:(space? the desert? a mall?)	
The Player	
The player is a	
The player moves only up and down.	
The Target Your player GAINS points when they hit the target.	
The Target is a	
The Target moves only to the left and right.	
The Danger Your player LOSES points when they hit the danger.	
The Danger is a	
The Danger moves only to the left and right	

Circle of Evaluation Practice Time: 5 minutes Don't forget to use the computer's symbols for things like multiply and divide!

Math	Circle of Evaluation	Racket Code
5 x 10		
8 + (5 x 10)		
(8 + 2) - (5 x 10)		
<u>5 x 10</u> 8 - 2		




	Circles Co	mpetition	Time: 5 minutes
	Math	Circle of Evaluation	Racket Code
Round 1	(3 * 7) - (1 + 2)		
Round 2	3 - (1 + 2)		
Round 3	3 - (1 + (5 * 6))		
Round 4	(1 + (5 * 6)) - 3		



Fast Functions			
:		->	
name	domain	range	
,,)	-)
)		
(define (
(4011110 (/
		->	
name	domain	range	
(EXAMPLE ())
(EXAMPLE ()		
			/
(deline (//		/
		->	
name	domain	/	
(EXAMPLE ()	runge)
(EXAMPLE (/
· · · · · · · · · · · · · · · · · · ·	/		′
(define ()		
;:		>	
name	domain	range	\
(EXAMPLE (/		/
(EXAMPLE ())
(define ())

Fast Functions			
; :		->	
name	domain	range	
(EXAMPLE ())
(EXAMPLE ())
(define ())
;	:	>	-
name	domain	range	
(EXAMPLE ())
(EXAMPLE ())
(define ())
;	:	>	_
name	domain	range	
(EXAMPLE ())
(EXAMPLE ())
(define ())
;	<u>:</u>	>	-
name	domain	range	
(EXAMPLE ())
(EXAMPLE ())
(define (\		1



Word Problem: rocket-height

Directions: A rocket blasts off, traveling at 7 meters per second. Write a function called 'rocket-height' that takes in the number of seconds that have passed since the rocket took off, and which produces the height of the rocket at that time.

very contract has t	three parts			
	:		\rightarrow	
function na	те	domain		range
		what does the function	n do?	
Examples				
rite some example	es, then circle and label wi	hat changes		
EXAMPLE ())
	function name	input(s)	what the function produces	
EXAMPLE ())
	function name	input(s)	what the function produces	
Definition				
rite the definition,	given variable names to a	all your input values		
define()		
	function name	variables		

Word Problem: lawn-area

Directions: Use the Design Recipe to write a function 'lawn-area', which takes in the width and length of a lawn, and returns the area of the lawn. (Don't forget: area = length * width!)

Every contract has	three parts			
;	:		\rightarrow	
function na	те	domain	rai	nge
		what does the function	do?	
Examples				
Vrite some example	es, then circle and label wh	nat changes		
(EXAMPLE ())
	function name	input(s)	what the function produces	
EXAMPLE ())
	function name	input(s)	what the function produces	
Definition				
Vrite the definition,	given variable names to a	ıll your input values		
(define()		
	function name	variables		

Word Problem: red-square

Directions: Use the Design Recipe to write a function 'red-square', which takes in a number (the length of each side of the square) and outputs a solid red rectangle whose length and width are the same size.

very contract has	three parts			
	:		\rightarrow	
function na	те	domain	ran	ge
		what does the function	on do?	
Examples				
rite some example	es, then circle and label wh	nat changes		
EXAMPLE ())
	function name	input(s)	what the function produces	
EXAMPLE ())
	function name	input(s)	what the function produces	
Definition				
rite the definition,	given variable names to a	all your input values		
define()		
	function name	variables		

target



O5 Game Animation

Word Problem: update-danger


Directions: Use the Design Recipe to write a function 'update-danger', which takes in the danger's x-coordinate and produces the next x-coordinate, which is 50 pixels to the left.

	nd Purpose Stat	Cilicit		
Every contract has	three parts			
;	:		\rightarrow	
function na	те	domain		range
;				
		what does the function	a do?	
Examples				
Vrite some example	es, then circle and label w	hat changes		
(EXAMPLE())
_	function name	input(s)	what the function produces	
(EXAMPLE ())
(EXAMPLE(function name	input(s)	what the function produces)
_	function name	input(s)	what the function produces)
Definition	function name , given variable names to a		what the function produces)
Definition Write the definition,			what the function produces)
Definition Write the definition,			what the function produces)

Word Problem: update-target

Directions: Write a function 'update-target', which takes in the target's x-coordinate and produces the next x-coordinate, which is 50 pixels to the right.

every contract has	nd Purpose Stat				
very contract has t	inree paris				
	: 			→ 	
function na	me	de	omain	i	ange
		what	t does the function do?		
Examples					
rite some example	es, then circle and label wh	nat changes			
EXAMPLE ())
_	function name	input(s)		what the function produces	
EXAMPLE ())
	function name	input(s)		what the function produces	
Definition					
rite the definition,	, given variable names to a	all your input values			
define()		
	function name	variables	<u> </u>		
)
-		what the for	nction does with those vari	ables	





"safe-left?"

Comparing Functions

Sam is in a 640 x 480 yard. How far he can go to the left and right before he's out of sight?

- 1. A piece of Sam is still visible on the left as long as...
- (> x -50)
- 2. A piece of Sam is still visible on the right as long as...
- 3. Draw the Circle of Evaluation for these two expressions in the circles below:





Word Problem: safe-left?

Directions: Use the Design Recipe to write a function 'safe-left?', which takes in an x-coordinate and checks to see if it is greater than -50

ery contract has	three parts			
	:		\rightarrow	
function na	те	domain	range	
		what does the func	tion do?	
Examples				
rite some example	es, then circle and label w	hat changes		
EXAMPLE ())
	function name	input(s)	what the function produces	
EXAMPLE ())
	function name	input(s)	what the function produces	
Definition				
rite the definition,	given variable names to a	ıll your input values		
define()		
	function name	variables		

Word Problem: safe-right?


Directions: Use the Design Recipe to write a function 'safe-right?', which takes in an x-coordinate and checks to see if it is less than 690.

ery contract has t	hree parts		<u> </u>	
	:		\rightarrow	
function na	те	domain	rang	ge
		what does the function	do?	
Examples				
	es, then circle and label w	nat changes		
EXAMPLE ())
	function name	input(s)	what the function produces	
EXAMPLE ())
	function name	input(s)	what the function produces	
Definition				
rite the definition,	given variable names to	all your input values		
define()		
	function name	variables		


and / or

Write the Circles of Evaluation for these statements, and then convert them to Racket

1. Two is less than five, <u>and</u> zero is equal to six.



2. Two is less than four <u>or</u> four is equal to six.




Word Problem: onscreen?

Directions: Use the Design Recipe to write a function 'onscreen?', which takes in the x-coordinate and checks to see if Sam is safe on the left AND safe on the right.

very contract has	three parts					
	:			\rightarrow		
function na	те	don	main		range	
		what e	does the function do?			
Examples						
	es, then circle and label wi	hat changes				
EXAMPLE ()			
	function name	input(s)				
)
		what the function produces				
EXAMPLE ()			
_	function name	input(s)				
)
		what the function produces				
Definition						
rite the definition,	given variable names to a	all your input values				
define()			
	function name	variables	_			

 $what the function \ does \ with \ those \ variables$

7 Conditional Branching



Word Problem: cost

Directions: Luigi's Pizza has hired you as a programmer. They offer Pepperoni (\$10.50), Cheese (\$9.00), Chicken (\$11.25) and Broccoli (\$10.25). Write a function called cost which takes in the name of a topping and outputs the cost of a pizza with that topping.

Contract an	id Purpose St	tatement			
Every contract has th	hree parts				
	:			\rightarrow	
function nam	ne	domai	in		range
		what doe	es the function do?		
Examples					
	s, then circle and labe	l what changes			
EXAMPLE (cost	"pepperoni"))
	function name	input(s)		what the function produces	
EXAMPLE ())
	function name	input(s)		what the function produces	
EXAMPLE ())
	function name	input(s)		what the function produces	
EXAMPLE ())
	function name	input(s)		what the function produces	
Definition					
Vrite the definition,	given variable names	to all your input values			
define()		
	function name	variables			
(co	nd				
		_			
]]
_					
]]
_					
]]
_					
[_					1
]])

Word Problem: update-player

Directions: Write a function called update-player, which takes in the player's y-coordinate and the name of the key pressed, and returns the new y-coordinate.

ery contract ha	s three parts				
	:			\rightarrow	
function	name	dom	ain	range	,
		what de	oes the function do?		
Examples					
	oles, then circle and label wh	at changes			
EXAMPLE (update-player	320 "up"))
_	function name	input(s)		what the function produces	
EXAMPLE (update-player	100 "up"))
_	function name	input(s)		what the function produces	
EXAMPLE ())
_	function name	input(s)		what the function produces	
EXAMPLE ())
-	function name	input(s)		what the function produces	
Definition					
ite the definitio	on, given variable names to a	ll your input values			
define()		
_	function name	variables	_		
(
_					
	[]
	ſ				1

]))

O8 Collision Detection

collision



Word Problem: line-length

Directions: Write a function called 'line-length', which takes in two numbers and returns the *positive difference* between them. It should always subtract the smaller number from the bigger one, and if they are equal it should return zero.

	and Purpose State	ement						
Every contract has	s three parts							
;	:					\rightarrow		
function i	name	do	omain				range	
		what	does the fund	ction do?				
Examples								
rite some examp	oles, then circle and label wha	t changes						
EXAMPLE (line-length	10 5)	(–	10 5	5))
_	function name	input(s)	-			what the function produces		
EXAMPLE (line-length	2 8)	(–	8 2))
_	function name	input(s)				what the function produces		
Definition								
Vrite the definition	n, given variable names to al	l your input values						
define()					
	function name	variables	_					
(0	cond							
_								
[[]
[[])

The Distance Formula (an example)

The distance between the points (0, 0) and (4, 3) is given by:

$$\sqrt{(line-length \ 4\ 0)^2 + (line-length \ 3\ 0)^2}$$

Convert the formula above into a Circle of Evaluation. (We've already gotten you started!)



Convert the Circle of Evaluation into Racket code:

Word Problem: distance

Directions: Write a function distance, which takes FOUR inputs:

- ullet px: The x-coordinate of the player
- py: The y-coordinate of the player
 cx: the x-coordinate of another game character
- cy: the y-coordinate of another game character

It should return the distance between the two, using the Distance formula. (HINT: look at what you did on the previous page!)

Contract ar	nd Purpose Sta	tement			
Every contract has t	hree parts				
	:			\rightarrow	
function nan	ne	de	omain		range
		what	does the function do?		
Examples					
	s, then circle and label w	hat changes			
(EXAMPLE ()		
	function name	input(s)			
)
		what th	e function produces		
(EXAMPLE ()		
	function name	input(s)			
)
		W	hat the function produces		
Definition					
	given variable names to	all your input values			
(define()		
	function name	variables	_		
)
		what the fu	action does with those variables		


Word Problem: collide?

Directions: Write a function collide?, which takes FOUR inputs:

- px: The x-coordinate of the player
 py: The y-coordinate of the player
 cx: the x-coordinate of another game character
- cy: the y-coordinate of another game character

Are the coordinates of the player within 50 pixels of the coordinates of the other character?

Contract a	nd Purpose Sta	tement			
Every contract has t	three parts				
;	:			\rightarrow	
function nar	me		domain		range
		wh	nat does the function do?		
Examples					
Vrite some example	es, then circle and label w	hat changes			
EXAMPLE ())
	function name	input(s)		what the function produces	
EXAMPLE ())
	function name	input(s)		what the function produces	
Definition					
Vrite the definition,	given variable names to	all your input values			
(define()		
	function name	variables			
)
					 -



Presentation Preparation



Lesson 9

Catchy Intro:
Name, Age, Grade:
Game Title:
Back Story:
Characters:
explain a piece of your code:

Presentation Feedback

For each question, circle the answer that fits best.

Was the introduction catchy? No way! Definitely! A little. Did they talk about their characters? No way! A little. Definitely! Did they explain the code well? No way! A little. Definitely! Did they speak slowly enough? No way! Definitely! A little. Did they speak loudly enough? No way! A little. Definitely! Were they standing confidently? No way! A little. Definitely! Did they make eye contact? No way! A little. Definitely!

Presentation Feedback

For each question, circle the answer that fits best.

Was the introduction catchy? No way! Definitely! A little. Did they talk about their characters? No way! A little. Definitely! Did they explain the code well? No way! A little. Definitely! Did they speak slowly enough? No way! Definitely! A little. Did they speak loudly enough? No way! A little. Definitely! Were they standing confidently? No way! A little. Definitely! Did they make eye contact? No way! A little. Definitely!

Word Problem: red-shape

Directions: Write a function called red-shape, which takes in the name of a shape and draws that shape (solid and red). Add an else clause that produces a sensible output.

Contract a	nd Purpose Stat	ement					
very contract has	three parts						
	:					\rightarrow	
function na	ите	dom	ain			range	
		what d	oes the fi	unction do?			
Examples							
	es, then circle and label wh	hat changes					
EXAMPLE (red-shape	"circle")	(circle	e 50	"solid" "red"))
	function name	input(s)				what the function produces	
EXAMPLE ())
_	function name	input(s)				what the function produces	
EXAMPLE ())
_	function name	input(s)				what the function produces	
EXAMPLE ())
<u> </u>	function name	input(s)				what the function produces	
Definition							
	, given variable names to a	all your input values					
define(, ,)				
	function name	variables	_ ′				
(00	ond						
1				(circle	50	"solid" "red")	1
-				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		100 /	
1							1
-							
1							1
-							
ı							٦
L]

]))

Translating into Algebra

Value Definitions

Racket Code	Algebra
(define x 10)	x = 10
(define y (* x 2))	y = x*2
(define z (+ x y))	
(define age 14)	
(define months (* age 12))	
(define days (* months 30))	
(define hours (* days 24))	
(define minutes (* hours 60))	

Function Definitions

Racket Code	Algebra
<pre>(define (area length width) (* length width))</pre>	area(length, width) = length * width
(define (circle-area radius) (* pi (sqr radius)))	
(define (distance x1 y1 x2 y2) (sqrt (+ (sqr (- x1 x2)) (sqr (- y1 y2)))))	

A rocket is flying from Earth to Mars at 80 miles per second. Write a function that describes the **distance** D that the rocket has traveled, as a function of **time** t.

I. Contract+Purpose S Every contract has three p		
Every communities p	, can 5.	
; <u>D</u> :		>
name	Domain	Range
,	What does the function do?	
II. Give Examples		
Write an example of your t	function for <u>some sample inputs</u>	
D(1) =		
Use the function here	What should the function produce?	
D(2)=		
Use the function here	What should the function produce?	
D() =		
Use the function here	What should the function produce?	
=		
Use the function here	What should the function produce?	
III. Definition		
Write the formula, giving v	ariable names to all your input values.	
D() =		

A rocket is traveling from Earth to Mars at 80 miles per second. Write a function that describes the <u>time</u> the rocket has been traveling, as a function of <u>distance</u>.

Contract+Purpose S		
very contract has three p	parts:	
•		
•		
name	Domain	Range
	What does the function do?	
Give Examples		
-	function for <u>some sample inputs</u>	
, ,	· · · · · · · · · · · · · · · · · · ·	
=		
se the function here	What should the function produce?	
=		
se the function here	What should the function produce?	
- 40 - 4 4		
e the function here	What should the function produce?	
=		
e the function here	What should the function produce?	
e me fortenon nero	What should the folleholf produce;	
. Definition		
rite the Formula, giving v	variable names to all your input values.	
=		

A rocket leaves Earth, headed for Mars at 80 miles per second. **At the exact same time**, an asteroid leaves Mars traveling towards Earth, moving at 70 miles per second. If the distance from the Earth to Mars is 50,000,000 miles, how long will it take for them to meet?

:		·>
name	Domain	Range
	What does the function do?	
Give Examples	function for <u>some sample inputs</u>	
=		
e the function here	What should the function produce?	
=		
e the function here	What should the function produce?	
=		
e the function here	What should the function produce?	
=		
e the function here	What should the function produce?	
. Definition		

	•	>
name	Domain	Range
	What does the function do?	
Give Examples		
	ur function for some sample inputs	
=		
the function here	What should the function produce?	
=		
the function here	What should the function produce?	
=		
the function here	What should the function produce?	
=		
	What should the function produce?	

•		->
name	Domain	Range
	What does the function do?	
Give Examples	unction for <u>some sample inputs</u>	
=	sinction for <u>some sample inputs</u>	
the function here	What should the function produce?	
=		
the function here	What should the function produce?	
the function here		
=		
	What should the function produce?	
=	What should the function produce?	
= the function here	What should the function produce? What should the function produce?	
= the function here		

Contracts

Name	Domain	Range	example
•		^	
••	••	^	
••	••	^	
•	:	^	
•	:	*	
•	:	*	
•	:	↑	
•	:	*	
•	:	*	
•	:	↑	
•	:	*	
•	:	^	
•	:	*	
•	:	^	
••	:	↑	
••	:	↑	
••		^	
••	:	*	

Contracts

Name	Domain	Range	example
•		^	
••	••	^	
••	••	^	
•	:	^	
•	:	*	
•	:	*	
•	:	↑	
•	:	*	
•	:	*	
•	:	↑	
•	:	*	
•	:	^	
•	:	*	
•	:	^	
••	:	↑	
••	:	↑	
••		^	
••	:	*	