STATISTICS WORKSHEET-3

Q1 to Q9 have only one correct answer. Choose the correct option to answer your question.

1. Which of the following is the correct formula for total variation?
   a) Total Variation = Residual Variation – Regression Variation
   b) Total Variation = Residual Variation + Regression Variation
   c) Total Variation = Residual Variation * Regression Variation
   d) All of the mentioned

2. Collection of exchangeable binary outcomes for the same covariate data are called_____outcomes.
   a) random
   b) direct
   c) binomial
   d) none of the mentioned

3. How many outcomes are possible with Bernoulli trial?
   a) 2
   b) 3
   c) 4
   d) None of the mentioned

4. If Ho is true and we reject it is called
   a) Type-I error
   b) Type-II error
   c) Standard error
   d) Sampling error

5. Level of significance is also called:
   a) Power of the test
   b) Size of the test
   c) Level of confidence
   d) Confidence coefficient

6. The chance of rejecting a true hypothesis decreases when sample size is:
   a) Decrease
   b) Increase
   c) Both of them
   d) None

7. Which of the following testing is concerned with making decisions using data?
   a) Probability
   b) Hypothesis
   c) Causal
   d) None of the mentioned

8. What is the purpose of multiple testing in statistical inference?
   a) Minimize errors
   b) Minimize false positives
   c) Minimize false negatives
   d) All of the mentioned

9. Normalized data are centred at____and have units equal to standard deviations of the original data

a) 0
b) 5
c) 1
d) 10

Q10and Q15 are subjective answer type questions, Answer them in your own words briefly.

10. What Is Bayes' Theorem?

Answer : - Bayes' Theorem is a mathematical formula for determining conditional probability. Conditional probability is the likelihood of an outcome occurring, based on a previous outcome occurring. Bayes' theorem provides a way to revise existing predictions or theories (update probabilities) given new or additional evidence.

11. What is z-score?

Answer : - A Z-score is a numerical measurement that describes a value's relationship to the mean of a group of values. Z-score is measured in terms of standard deviations from the mean.

12. What is t-test?

Answer : - A t-test is a type of inferential statistic used to determine if there is a significant difference between the means of two groups, which may be related in certain features.

13. What is percentile?

Answer: - A percentile is a comparison score between a particular score and the scores of the rest of a group. It shows the percentage of scores that a particular score surpassed.

14. What is ANOVA?

Answer: - ANOVA is Analysis of variance, ANOVA is a statistical technique that is used to check if the means of two or more groups are significantly different from each other. ANOVA checks the impact of one or more factors by comparing the means of different samples.

15. How can ANOVA help?

Answer: - An ANOVA test is a way to find out if survey or experiment results are significant. In other words, they help you to figure out if you need to reject the null hypothesis or accept the alternate hypothesis. Basically, you're testing groups to see if there's a difference between them.