

Tab 1

☒ Autocommit Display 10 ▼

```
CREATE TABLE EMPLOYEES (  
  EMPLOYEE_ID NUMBER(7),  
  FIRST_NAME VARCHAR(25),  
  LAST_NAME VARCHAR(25),  
  JOB_ID NUMBER(7),  
  HIRE_DATE NUMBER(7),  
  SALARY NUMBER(7)  
);
```

Results Explain Describe Saved SQL History

Table created.

0.00 seconds

☒ Autocommit Display ▼

```
SELECT EMPLOYEE_ID , LAST_NAME, SALARY*12 AS ANNUAL_SALARY  
FROM EMPLOYEES;
```

Results Explain Describe Saved SQL History

EMPLOYEE_ID	LAST_NAME	ANNUAL_SALARY
1	NIJANTHAN	30000000
2	NIRANJAN	30000000
3	NIRMAL	30000000
4	DESH	30000000
5	NARESH	30000000

5 rows returned in 0.00 seconds

[CSV Export](#)

Tab 2

DESC EMPLOYEES;	
-----------------	--

Results Explain **Describe** Saved SQL History

Object Type	TABLE	Object	EMPLOYEES
-------------	-------	--------	-----------

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMPLOYEES	EMPLOYEE_ID	Number	-	7	0	-	✓	-	-
	FIRST_NAME	Varchar2	25	-	-	-	✓	-	-
	LAST_NAME	Varchar2	25	-	-	-	✓	-	-
	JOB_ID	Number	-	7	0	-	✓	-	-
	HIRE_DATE	Number	-	7	0	-	✓	-	-
	SALARY	Number	-	7	0	-	✓	-	-

1 - 6

☒ Autocommit Display ▼

```
SELECT*  
FROM EMPLOYEES;
```

Results Explain Describe Saved SQL History

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	JOB_ID	HIRE_DATE	SALARY
1	V	NIJANTHAN	31	-2002	2500000
2	V	NIRANJAN	32	-2002	2500000
3	V	NIRMAL	33	-2002	2500000
4	N	DESH	34	-2002	2500000
5	G	NARESH	35	-2002	2500000

5 rows returned in 0.02 seconds

[CSV Export](#)

Tab 3

☒ Autocommit Display ▼

```
SELECT  
  EMPLOYEE_ID,  
  LAST_NAME,  
  JOB_ID,  
  HIRE_DATE  
FROM EMPLOYEES;
```

Results Explain Describe Saved SQL History

EMPLOYEE_ID	LAST_NAME	JOB_ID	HIRE_DATE
1	NIJANTHAN	31	-2002
2	NIRANJAN	32	-2002
3	NIRMAL	33	-2002
5	DESH	35	-2002
4	NARESH	34	-2002

5 rows returned in 0.00 seconds

[CSV Export](#)

Tab 4

☒ Autocommit Display ▼

```
SELECT  
  HIRE_DATE AS START_DATE  
FROM EMPLOYEES;
```

Results Explain Describe Saved SQL History

START_DATE
-2002
-2002
-2002
-2002
-2002

5 rows returned in 0.00 seconds

[CSV Export](#)

Tab 5

```
SELECT
  DISTINCT JOB_ID
FROM EMPLOYEES;
```

Results Explain Describe Saved SQL History

JOB_ID
34
31
32
35
33

5 rows returned in 0.00 seconds

[CSV Export](#)

Tab 6

☒ Autocommit Display ▼

```
SELECT  
  LAST_NAME||' ', ' '||JOB_ID AS EMPLOYEE_AND_TITLE  
FROM EMPLOYEES;
```

Results Explain Describe Saved SQL History

EMPLOYEE_AND_TITLE
NIJANTHAN , 31
NIRANJAN , 32
NIRMAL , 33
DESH , 34
NARESH , 35

5 rows returned in 0.00 seconds

[CSV Export](#)

Tab 7

☒ Autocommit

Display

10

SELECT

EMPLOYEE_ID || ' , ' || FIRST_NAME || ' , ' || LAST_NAME || ' , ' || JOB_ID || ' , ' || HIRE_DATE || ' , ' || SALARY AS THE_OUTPUT

FROM EMPLOYEES;

Results

Explain

Describe

Saved SQL

History

THE_OUTPUT	
1 , V , NIJANTHAN , 31 , -2002 , 2500000	
2 , V , NIRANJAN , 32 , -2002 , 2500000	
3 , V , NIRMAL , 33 , -2002 , 2500000	
4 , N , DESH , 34 , -2002 , 2500000	
5 , G , NARESH , 35 , -2002 , 2500000	

5 rows returned in 0.00 seconds

[CSV Export](#)