

[Dashb...](#) / [My co...](#) / [CS23331-DAA-2...](#) / [Competitive Prog...](#) / [4-Print Intersection of 2 sorted arrays- \$O\(m+n\)\$ Time Complexit...](#)

Started on	Wednesday, 20 November 2024, 8:35 PM
State	Finished
Completed on	Wednesday, 20 November 2024, 8:36 PM
Time taken	1 min 8 secs
Marks	1.00/1.00
Grade	30.00 out of 30.00 (100%)

Question 1

Correct

Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

```
1
3 10 17 57
6 2 7 10 15 57 246
```

Output:

```
10 57
```

Input:

```
1
6 1 2 3 4 5 6
2 1 6
```

Output:

```
1 6
```

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2
3 void findIntersection(int arr1[], int arr2[], int m, int n) {
4     int i = 0, j = 0;
5     int found = 0;
6
7     while (i < m && j < n) {
8         if (arr1[i] == arr2[j]) {
9             if (!found) {
10                 printf("%d", arr1[i]);
11                 found = 1;
12             } else {
13                 printf(" %d", arr1[i]);
14             }
15             i++;
16             j++;
17         }
18     }
19 }
```

```
17     } else if (arr1[i] < arr2[j]) {
18         i++;
19     } else {
20         j++;
21     }
22 }
23 printf("\n");
24 }
25
26 int main() {
27     int T;
28     scanf("%d", &T);
29
30     while (T--) {
31         int N1, N2;
32         scanf("%d", &N1);
33         int arr1[N1];
34         for (int i = 0; i < N1; i++) {
35             scanf("%d", &arr1[i]);
36         }
37
38         scanf("%d", &N2);
39         int arr2[N2];
40         for (int i = 0; i < N2; i++) {
41             scanf("%d", &arr2[i]);
42         }
43
44         findIntersection(arr1, arr2, N1, N2);
45     }
46
47     return 0;
48 }
49
```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

◀ 3-Print Intersection of 2 sorted arrays-O(m*n)Time Complexity,O(1) Space Complexity

Jump to...

5-Pair with Difference-O(n^2)Time Complexity,O(1) Space Complexity ▶