

[Dashb...](#) / [My co...](#) / [CS23331-DAA-2...](#) / [Competitive Prog...](#) / [3-Print Intersection of 2 sorted arrays- \$O\(m \cdot n\)\$ Time Complexit...](#)

Started on	Wednesday, 20 November 2024, 8:30 PM
State	Finished
Completed on	Wednesday, 20 November 2024, 8:35 PM
Time taken	4 mins 43 secs
Marks	1.00/1.00
Grade	30.00 out of 30.00 (100%)

Question 1

Correct

Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

```
1
3 10 17 57
6 2 7 10 15 57 246
```

Output:

```
10 57
```

Input:

```
1
6 1 2 3 4 5 6
2 1 6
```

Output:

```
1 6
```

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2
3 void findIntersection(int arr1[], int arr2[], int m, int n) {
4     int i = 0, j = 0;
5     int found = 0;
6     while (i < m && j < n) {
7         if (arr1[i] == arr2[j]) {
8             if (!found) {
9                 printf("%d", arr1[i]);
10                found = 1;
11            } else {
12                printf(" %d", arr1[i]);
13            }
14            i++;
15            j++;
16        } else if (arr1[i] < arr2[j]) {
```

```

17         i++;
18     } else {
19         j++;
20     }
21 }
22 printf("\n");
23 }
24
25 int main() {
26     int T;
27     scanf("%d", &T);
28
29     while (T--) {
30         int N1, N2;
31         scanf("%d", &N1);
32         int arr1[N1];
33         for (int i = 0; i < N1; i++) {
34             scanf("%d", &arr1[i]);
35         }
36
37         scanf("%d", &N2);
38         int arr2[N2];
39         for (int i = 0; i < N2; i++) {
40             scanf("%d", &arr2[i]);
41         }
42
43         findIntersection(arr1, arr2, N1, N2);
44     }
45
46     return 0;
47 }
48

```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

◀ 2-Finding Duplicates-O(n) Time Complexity,O(1) Space Complexity

Jump to...

4-Print Intersection of 2 sorted arrays-O(m+n)Time Complexity,O(1) Space Complexity ▶