

SAFETY DATA SHEET A465

1. Identification

Product identifier

Product name A465 Product number

USA

Recommended use of the chemical and restrictions on use

Application Water-based Adhesive

Details of the supplier of the safety data sheet

Supplier Forza Inc

3211 Nebraska Ave Council Bluffs, IA 51501

(402) 731 9300 (402) 731 1473 info@forzabuilt.com

Emergency telephone number

Emergency telephone Chemtrec: 1 800 424 9300

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Human health The liquid may be irritating to eyes, respiratory system and skin.

Label elements

Hazard statements NC Not Classified

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

Mineral Oil 10-25%

CAS number: 8042-47-5

Classification

Not Classified

The full text for all hazard statements is displayed in Section 16.

CREATING ADHESIVE, TAPE AND SEALANT SOLUTIONS THAT OUTPERFORM.

A465

4. First-aid measures

Description of first aid measures

General information Get medical advice/attention if you feel unwell.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Move

affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Get medical attention.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention promptly if symptoms occur after washing.

Most important symptoms and effects, both acute and delayed

Ingestion May Cause the following effects: Nausea, vomiting. Entry into the lungs following ingestion or

vomiting may cause chemical pneumonitis.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes.

5. Fire-fighting measures

Advice for firefighters

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Avoid discharge into drains. Contain spillage with sand, earth or other suitable non-

combustible material.

Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Provide adequate ventilation. Avoid the spillage or runoff

entering drains, sewers or watercourses. Absorb in vermiculite, dry sand or earth and place

into containers. Wash thoroughly after dealing with a spillage.

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation

of vapors. Use approved respirator if air contamination is above an acceptable level.

Container must be kept tightly closed when not in use.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage precautions Keep container tightly closed. Keep only in the original container.

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limits

Mineral Oil

A465

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³

Short-term exposure limit (15-minute): NIOSH: National Institute of Occupational Safety and Health 10 mg/m³

OSHA = Occupational Safety and Health Administration.

Exposure controls

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Liquid.

Color White. Blue. Green.

Odor Sweetish.

100°C/212°F @ 1013.25 mbar Initial boiling point and range

Relative density 1.1

Solubility(ies) Soluble in water.

Volatile organic compound No information required.

10. Stability and reactivity

Stability Stable at normal ambient temperatures and when used as recommended.

Hazardous decomposition

Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2). Aldehydes. Hydrocarbons.

products

11. Toxicological information

Information on toxicological effects

Toxicological information on ingredients.

Mineral Oil

Toxicological effects No information available.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Aspiration hazard

Aspiration hazard No data available.

Inhalation May be harmful if inhaled. May cause respiratory irritation.

Ingestion May be harmful if swallowed.

Skin Contact May cause skin irritation.

Eye contact May cause eye irritation.

12. Ecological Information

A465

13. Disposal considerations

Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

14. Transport information

UN proper shipping name

Proper shipping name (TDG) Not Regulated For Shipping

Proper shipping name (DOT) Not Regulated For Shipping

Transport hazard class(es)

Transport labels

No transport warning sign required.

Packing group

Not applicable.

15. Regulatory information

16. Other information

Revision date 4/2/2018

Revision 6

Supersedes date 12/1/2017

SDS No. 20889

ACA HMIS Health rating. Minimal hazard. (0)

ACA HMIS Flammability

rating.

Will not burn. (0)

ACA HMIS Physical hazard

rating.

Normally stable. (0)

ACA HMIS Personal

protection rating.

В

DIRECTIONS FOR USE

PRODUCT LOGO

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, many of which are solely within the user's knowledge and control, the user is responsible for determining whether the usage of this product is fit for a particular purpose and suitable for the user's method of use or application. It is essential that the user, not the manufacturer, evaluates this product to determine whether it is fit for a particular purpose and suitable for the user's method of use or application.