



UTM DEGREE PROGRAMME

UNIVERSITI TEKNOLOGI MALAYSIA

Database

(SECD 2523)

Lab 4:DML 3 -Part 1

Name of Lecturer: Dr Noor Hidayah binti Zakaria

Name: Cheng See Chee

Matric number: A22EC0043

Section: 08

Database Design Project

Oracle Baseball League Store Database

Project Scenario:

You are a small consulting company specializing in database development. You have just been awarded the contract to develop a data model for a database application system for a small retail store called Oracle Baseball League (OBL).

The Oracle Baseball League store serves the entire surrounding community selling baseball kit. The OBL has two types of customer, there are individuals who purchase items like balls, cleats, gloves, shirts, screen printed t-shirts, and shorts. Additionally customers can represent a team when they purchase uniforms and equipment on behalf of the team.

Teams and individual customers are free to purchase any item from the inventory list, but teams get a discount on the list price depending on the number of players. When a customer places an order we record the order items for that order in our database.

OBL has a team of three sales representatives that officially only call on teams but have been known to handle individual customer complaints.

Section 6 Lesson 9 Exercise 1: Joining Tables Using JOIN

Write SELECT Statements Using Data From Multiple Tables Using Equijoins and Non-Equijoins (S6L9 Objective 1)

In this exercise you will write SELECT statements to access data from more than one table.

Part 1: Creating Natural Joins.

1. Display all of the information about sales representatives and their addresses using a natural join.

The screenshot shows the Oracle APEX SQL Workshop interface. The 'SQL Commands' tab is active, displaying a query that performs a natural join between the `sales_representatives` and `sales_rep_addresses` tables. The query is as follows:

```
1 SELECT id, email, first_name, last_name, phone_number, commission_rate,  
2 supervisor_id, address_line_1,  
3 address_line_2, city, zip_code  
4 FROM sales_representatives NATURAL JOIN sales_rep_addresses;
```

The 'Results' tab shows the output of the query, which consists of 3 rows. The columns are: ID, EMAIL, FIRST_NAME, LAST_NAME, PHONE_NUMBER, COMMISSION_RATE, SUPERVISOR_ID, ADDRESS_LINE_1, ADDRESS_LINE_2, CITY, and ZIP_CODE.

ID	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	COMMISSION_RATE	SUPERVISOR_ID	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	ZIP_CODE
sr01	chray@obl.com	Charles	Raymond	0134598761	10	sr01	12 Cherry Lane	Denton	Detroit	DT48211
sr02	vwright@obl.com	Victoria	Wright	0134598762	5	sr01	87 Blossom Hill	Uptown	Detroit	DT52314
sr03	bspeed@obl.com	Barry	Speed	0134598763	5	sr01	12 Junction Row	Skinflats	Detroit	DT52564

3 rows returned in 0.04 seconds

2. Adapt the query from the previous question to only show the id, first name, last name, address line 1, address line 2, city, email and phone_number for the sales representatives.

The screenshot shows the Oracle APEX SQL Workshop interface with the 'SQL Commands' tab active. The query has been adapted to only select the required columns: id, first_name, last_name, address_line_1, address_line_2, city, email, and phone_number. The query is as follows:

```
1 SELECT id, first_name, last_name, address_line_1, address_line_2, city, email, phone_number  
2 FROM sales_representatives NATURAL JOIN sales_rep_addresses;
```

The 'Results' tab shows the output of the query, which consists of 3 rows. The columns are: ID, FIRST_NAME, LAST_NAME, ADDRESS_LINE_1, ADDRESS_LINE_2, CITY, EMAIL, and PHONE_NUMBER.

ID	FIRST_NAME	LAST_NAME	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	EMAIL	PHONE_NUMBER
sr01	Charles	Raymond	12 Cherry Lane	Denton	Detroit	chray@obl.com	0134598761
sr02	Victoria	Wright	87 Blossom Hill	Uptown	Detroit	vwright@obl.com	0134598762
sr03	Barry	Speed	12 Junction Row	Skinflats	Detroit	bspeed@obl.com	0134598763

3 rows returned in 0.03 seconds

Part 2: Creating Joins with the USING Clause

1. Adapt the previous query answer to use the USING clause instead of a natural join.

The screenshot shows the Oracle APEX SQL Workshop interface. The SQL command area contains the following query:

```
1 SELECT id, first_name, last_name, address_line_1, address_line_2, city, email, phone_number
2 FROM sales_representatives JOIN sales_rep_addresses
3 USING (id);
```

The Results tab displays the following data:

ID	FIRST_NAME	LAST_NAME	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	EMAIL	PHONE_NUMBER
sr01	Charles	Raymond	12 Cherry Lane	Denton	Detroit	chray@obl.com	0134598761
sr02	Victoria	Wright	87 Blossom Hill	Uptown	Detroit	vwright@obl.com	0134598762
sr03	Barry	Speed	12 Junction Row	Skinflats	Detroit	bspeed@obl.com	0134598763

3 rows returned in 0.04 seconds

2. Display all of the information about items and their price history by joining the items and price_history tables.

The screenshot shows the Oracle APEX SQL Workshop interface. The SQL command area contains the following query:

```
1 SELECT itm_number, name, description, category, color, "Size", ilt_id,
2 start_date, start_time, price, end_date, end_time
3 FROM items JOIN price_history
4 USING (itm_number);
```

The Results tab displays the following data:

ITM_NUMBER	NAME	DESCRIPTION	CATEGORY	COLOR	Size	ILT_ID	START_DATE	START_TIME	PRICE	END_DATE	END_TIME
im01101048	premium bat	high quality baseball bat	equipment	-	-	il010230128	12/18/2023	12/18/2023	99.99	-	-
im01101044	gloves	catcher mitt	clothing	brown	m	il010230124	06/17/2017	06/17/2016	4.99	-	-
im01101045	under shirt	top worn under the game top	clothing	white	s	il010230125	11/25/2016	11/25/2016	14.99	01/25/2017	01/25/2017
im01101045	under shirt	top worn under the game top	clothing	white	s	il010230125	01/25/2017	01/25/2017	8.99	01/25/2017	01/25/2017
im01101045	under shirt	top worn under the game top	clothing	white	s	il010230125	01/26/2017	01/26/2017	15.99	-	-
im01101046	socks	team socks with emblem	clothing	range	l	il010230126	02/12/2017	02/12/2017	7.99	-	-
im01101047	game top	team shirt with emblem	clothing	range	m	il010230127	04/25/2017	04/25/2017	24.99	-	-
im01101048	premium bat	high quality baseball bat	equipment	-	-	il010230128	05/31/2017	05/31/2017	149	12/18/2023	12/18/2023

8 rows returned in 0.04 seconds

Part 3: Creating Joins with the ON Clause

1. Use an ON clause to join the customer and sales representative table so that you display the customer number, customer first name, customer last name, customer phone number, customer email, sales representative id, sales representative first name, sales representative last name and sales representative email. You will need to use a table alias in your answer as both tables have columns with the same name.

The screenshot shows the APEX SQL Workshop interface. The SQL command area contains the following query:

```
1 SELECT c.ctr_number AS "Customer Number",
2 c.first_name AS "Customer First Name",
3 c.last_name AS "Customer Last Name",
4 c.phone_number AS "Customer Phone Number",
5 c.email AS "Customer Email",
6 s.id AS "Sales Representative ID",
7 s.first_name AS "Sales Representative First Name",
8 s.last_name AS "Sales Representative Last Name",
9 s.email AS "Sales Representative Email"
10 FROM customers c JOIN sales_representatives s
11 ON s.id = c.sre_id;
```

The Results tab shows the following data:

Customer Number	Customer First Name	Customer Last Name	Customer Phone Number	Customer Email	Sales Representative ID	Sales Representative First Name	Sales Representative Last Name	Sales Representative Email
c00001	Robert	Thornberry	01234567898	bob.thornberry@heatmail.com	sr01	Charles	Raymond	chray@obl.com
c00101	John	Doe	03216547808	unknown@here.com	sr01	Charles	Raymond	chray@obl.com
c01986	Maria	Galant	01442736589	margal87@delphiview.com	sr03	Barry	Speed	bspeed@obl.com

3 rows returned in 0.02 seconds

Part 4- Creating Three-Way Joins with the ON Clause

1. Using the answer to Task 3 add a join that will allow the team name that the customer represents to be included in the results.

The screenshot shows the APEX SQL Workshop interface. The SQL command area contains the following query:

```
1 SELECT c.ctr_number AS "Customer Number",
2 c.first_name AS "Customer First Name",
3 c.last_name AS "Customer Last Name",
4 c.phone_number AS "Customer Phone Number",
5 c.email AS "Customer Email",
6 s.id AS "Sales Representative ID",
7 s.first_name AS "Sales Representative First Name",
8 s.last_name AS "Sales Representative Last Name",
9 s.email AS "Sales Representative Email",
10 t.name AS "Team Name"
11 FROM customers c JOIN sales_representatives s
12 ON c.sre_id=s.id
13 JOIN teams t
14 ON c.team_id = t.id ;
```

The Results tab shows the following data:

Customer Number	Customer First Name	Customer Last Name	Customer Phone Number	Customer Email	Sales Representative ID	Sales Representative First Name	Sales Representative Last Name	Sales Representative Email	Team Name
c00001	Robert	Thornberry	01234567898	bob.thornberry@heatmail.com	sr01	Charles	Raymond	chray@obl.com	Rockets

Results									
Explain Describe Saved SQL History									
Customer Number	Customer First Name	Customer Last Name	Customer Phone Number	Customer Email	Sales Representative ID	Sales Representative First Name	Sales Representative Last Name	Sales Representative Email	Team Name
c00001	Robert	Thornberry	01234567898	bob.thornberry@heatmail.com	sr01	Charles	Raymond	chray@obl.com	Rockets
c00101	John	Doe	03216547808	unknown@here.com	sr01	Charles	Raymond	chray@obl.com	Celtics
c01986	Maria	Galant	01442736589	margal87@delphiview.com	sr03	Barry	Speed	bspeed@obl.com	Rovers

3 rows returned in 0.02 seconds [Download](#)

chengchee@graduate.utm.my sc123 en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.21

Part 5: Applying Additional Conditions to a Join

- Using the answer to Task 4 add an additional condition to only show the results for the customer that has the number - c00001.

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema WKSP_SC123

Language SQL Rows 10 Clear Command Find Tables Save Run

```

1 SELECT c.ctr_number AS "Customer Number",
2 c.first_name AS "Customer First Name",
3 c.last_name AS "Customer Last Name",
4 c.phone_number AS "Customer Phone Number",
5 c.email AS "Customer Email",
6 s.id AS "Sales Representative ID",
7 s.first_name AS "Sales Representative First Name",
8 s.last_name AS "Sales Representative Last Name",
9 s.email AS "Sales Representative Email",
10 t.name AS "Team Name"
11 FROM customers c JOIN sales_representatives s
12 ON c.sre_id=s.id
13 JOIN teams t
14 ON c.tem_id = t.id
15 WHERE c.ctr_number = 'c00001';

```

Results									
Explain Describe Saved SQL History									
Customer Number	Customer First Name	Customer Last Name	Customer Phone Number	Customer Email	Sales Representative ID	Sales Representative First Name	Sales Representative Last Name	Sales Representative Email	Team Name
c00001	Robert	Thornberry	01234567898	bob.thornberry@heatmail.com	sr01	Charles	Raymond	chray@obl.com	Rockets

1 rows returned in 0.01 seconds [Download](#)

chengchee@graduate.utm.my sc123 en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.21

Part 6: Retrieving Records with Nonequijoins

- Write a query that will display name and cost of the item with the number im01101045 on the 12th of December 2016. The output of the query should look like this:

The cost of the under shirt on this day was 14.99

APEX App Builder SQL Workshop Team Development Gallery

Search

SQL Commands Schema WKSP_SC123

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT 'The cost of the ' || i.name || ' on this day was ' || p.price AS "cost of the item with the number im01101045"
2 on the 12th of December 2016"
3 FROM items i JOIN price_history p
4 ON TO_DATE('12-Dec-2016', 'DD-MM-YYYY') BETWEEN p.start_date AND p.end_date AND
5 i.item_number = 'im01101045';
```

Results Explain Describe Saved SQL History

cost of the item with the number im01101045 on the 12th of December 2016

The cost of the under shirt on this day was 14.99

1 rows returned in 0.02 seconds Download

chengchee@graduate.utm.my sc123 am Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.21



UTM DEGREE PROGRAMME

UNIVERSITI TEKNOLOGI MALAYSIA

Database

(SECD 2523)

Lab 4:DML 3 -Part 2

Name of Lecturer: Dr Noor Hidayah binti Zakaria

Name: Cheng See Chee

Matric number: A22EC0043

Section: 08

Section 6 Lesson 9 Exercise 2: Joining Tables Using JOIN

Write SELECT Statements Using Data From Multiple Tables Using Equijoins and Non-Equijoins (S6L9 Objective 1)

Part 1 : Use a Self-Join to Join a Table to Itself (S6L9 Objective 2)

1. Write a query that will display who the supervisor is for each of the sales representatives. The information should be displayed in two columns, the first column will be the first name and last name of the sales representative and the second will be the first name and last name of the supervisor. The column aliases should be Rep and Supervisor.

The screenshot shows the APEX SQL Workshop interface. The SQL Commands panel contains the following query:

```
1 SELECT
2 c.first_name || ' ' || c.last_name AS "Rep",
3 s.first_name || ' ' || s.last_name AS "Supervisor"
4 FROM
5 customers c
6 JOIN
7 sales_representatives s
8 ON
9 c.sre_id = s.supervisor_id;
```

The Results panel shows the output of the query, displaying two columns: **rep** and **supervisor**. The results are as follows:

rep	supervisor
Robert Thornberry	Charles Raymond
Robert Thornberry	Victoria Wright
Robert Thornberry	Barry Speed
John Doe	Charles Raymond
John Doe	Victoria Wright
John Doe	Barry Speed

6 rows returned in 0.02 seconds

Part 2 : Use OUTER joins (S6L9 Objective 3)

1. Write a query that will display all of the team and customer information even if there is no match with the table on the left (team).

APEX

App Builder

SQL Workshop

Team Development

Gallery

Search

SC

sc123

SQL Commands

Schema WKSP_SC123

Language SQL

Rows 10

Clear Command

Find Tables

Save

Run

1

SELECT

2

t.id, t.name, t.number_of_players, t.discount,

3

c.ctr_number, c.email, c.first_name, c.last_name, c.phone_number, c.current_balance, c.sre_id, c.tem_id,

4

c.loyalty_card_number

5

FROM

6

teams t

7

LEFT OUTER JOIN

8

customers c

9

ON

10

(t.id = c.tem_id);

Results

Explain

Describe

Saved SQL

History

ID	NAME	NUMBER_OF_PLAYERS	DISCOUNT	CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CAR
t001	Rockets	25	10	c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-
t002	Celtics	42	20	c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	t002	-
t003	Rovers	8	-	c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-
t004	Jets	10	5	-	-	-	-	-	-	-	-	-

4 rows returned in 0.01 secondsDownload

chengchee@graduate.utm.my

sc123

en

Copyright © 1999, 2023, Oracle and/or its affiliates.

Oracle APEX 23.21

Part 3 : Generating a Cartesian Product (S6L9 Objective 4)

1. Create a Cartesian product between the customer and sales representative tables.

APEX

App Builder

SQL Workshop

Team Development

Gallery

Search

SC

sc123

SQL Commands

Schema WKSP_SC123

Language SQL

Rows 10

Clear Command

Find Tables

Save

Run

1

SELECT

2

c.ctr_number, c.email, c.first_name, c.last_name, c.phone_number, c.current_balance, c.sre_id,

3

c.tem_id, c.loyalty_card_number,

4

s.id, s.email, s.first_name, s.last_name, s.phone_number, s.commission_rate, s.supervisor_id

5

FROM

6

customers c, sales_representatives s;

Results											
Explain											
Describe											
Saved SQL											
History											
CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER	ID	EMAIL	FIRST_NAME
c02001	brianrog@hootech.com	Brian	Rogers	01654564898	50	-	-	lc4587	sr01	chray@obl.com	Charles
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-	sr01	chray@obl.com	Charles
c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-	-	lc1015	sr01	chray@obl.com	Charles
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	t002	-	sr01	chray@obl.com	Charles
c00103	MurciaA@globaltech.com	Andrew	Murcia	07715246890	85	-	-	lc2341	sr01	chray@obl.com	Charles
c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-	sr01	chray@obl.com	Charles
c02001	brianrog@hootech.com	Brian	Rogers	01654564898	50	-	-	lc4587	sr02	vwright@obl.com	Victoria
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-	sr02	vwright@obl.com	Victoria
c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-	-	lc1015	sr02	vwright@obl.com	Victoria
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	t002	-	sr02	vwright@obl.com	Victoria

More than 10 rows available. Increase rows selector to view more rows.

Copyright © 2020, Oracle and/or its affiliates. All rights reserved. Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.