Filter Summary Report: CG,Test,simple,Z3,Z4

Generated by MacAnalog-Symbolix

December 20, 2024

## Contents

1 Examined H(z) for CG Test simple Z3 Z4:  $\frac{Z_3Z_4g_m}{2Z_3g_m+Z_4g_m}$ 

$$H(z) = \frac{Z_3 Z_4 g_m}{2Z_3 g_m + Z_4 g_m}$$

- 2 HP
- 3 BP
- **3.1** BP-1  $Z(s) = \left(\infty, \infty, R_3, \frac{L_4s}{C_4L_4s^2+1}, \infty, \infty\right)$

#### Parameters:

Q: 
$$2C_4R_3\sqrt{\frac{1}{C_4L_4}}$$
  
wo:  $\sqrt{\frac{1}{C_4L_4}}$   
bandwidth:  $\frac{1}{2C_4R_3}$   
K-LP: 0  
K-HP: 0  
K-BP:  $R_3$   
Qz: 0  
Wz: None

**3.2** BP-2  $Z(s) = \left(\infty, \infty, R_3, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$ 

### Parameters:

Q: 
$$\frac{2C_4R_3R_4\sqrt{\frac{1}{C_4L_4}}}{2R_3+R_4}$$
 wo: 
$$\sqrt{\frac{1}{C_4L_4}}$$
 bandwidth: 
$$\frac{2R_3+R_4}{2C_4R_3R_4}$$
 K-LP: 0 K-HP: 0 K-BP: 
$$\frac{R_3R_4}{2R_3+R_4}$$
 Qz: 0 Wz: None

**3.3 BP-3**  $Z(s) = \left(\infty, \infty, \frac{1}{C_3 s}, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$ 

#### Parameters:

Q: 
$$\frac{\sqrt{2}R_4\sqrt{\frac{1}{L_4(C_3+2C_4)}}(C_3+2C_4)}{2}$$
 wo: 
$$\sqrt{2}\sqrt{\frac{1}{L_4(C_3+2C_4)}}$$
 bandwidth: 
$$\frac{2}{R_4(C_3+2C_4)}$$
 K-LP: 0 K-HP: 0 K-BP: 
$$\frac{R_4}{2}$$
 Qz: 0

 $H(s) = \frac{L_4 R_3 s}{2C_4 L_4 R_3 s^2 + L_4 s + 2R_3}$ 

$$H(s) = \frac{L_4 R_3 R_4 s}{2 C_4 L_4 R_3 R_4 s^2 + 2 R_3 R_4 + s \left(2 L_4 R_3 + L_4 R_4\right)}$$

$$H(s) = \frac{L_4 R_4 s}{2L_4 s + 2R_4 + s^2 \left(C_3 L_4 R_4 + 2C_4 L_4 R_4\right)}$$

Wz: None

**3.4** BP-4 
$$Z(s) = \left(\infty, \infty, \frac{R_3}{C_3 R_3 s + 1}, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

#### Parameters:

Q: 
$$\sqrt{2}R_3\sqrt{\frac{1}{L_4(C_3+2C_4)}}$$
 ( $C_3+2C_4$ )  
wo:  $\sqrt{2}\sqrt{\frac{1}{L_4(C_3+2C_4)}}$   
bandwidth:  $\frac{1}{R_3(C_3+2C_4)}$   
K-LP: 0  
K-HP: 0  
K-BP:  $R_3$   
Qz: 0  
Wz: None

**3.5 BP-5** 
$$Z(s) = \left(\infty, \infty, \frac{R_3}{C_3 R_3 s + 1}, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

#### Parameters:

Q: 
$$\frac{\sqrt{2}R_{3}R_{4}\sqrt{\frac{1}{L_{4}(C_{3}+2C_{4})}}(C_{3}+2C_{4})}{2R_{3}+R_{4}}$$
 wo: 
$$\sqrt{2}\sqrt{\frac{1}{L_{4}(C_{3}+2C_{4})}}$$
 bandwidth: 
$$\frac{2R_{3}+R_{4}}{R_{3}R_{4}(C_{3}+2C_{4})}$$
 K-LP: 0 K-HP: 0 K-BP: 
$$\frac{R_{3}R_{4}}{2R_{3}+R_{4}}$$
 Qz: 0 Wz: None

**3.6** BP-6 
$$Z(s) = \left(\infty, \infty, \frac{L_{3s}}{C_3L_3s^2+1}, R_4, \infty, \infty\right)$$

Q: 
$$\frac{C_3R_4\sqrt{\frac{1}{C_3L_3}}}{2}$$
 wo:  $\sqrt{\frac{1}{C_3L_3}}$  bandwidth:  $\frac{2}{C_3R_4}$  K-LP: 0 K-HP: 0 K-BP:  $\frac{R_4}{2}$  Qz: 0 Wz: None

$$H(s) = \frac{L_4 R_3 s}{L_4 s + 2R_3 + s^2 \left(C_3 L_4 R_3 + 2C_4 L_4 R_3\right)}$$

$$H(s) = \frac{L_4 R_3 R_4 s}{2 R_3 R_4 + s^2 \left( C_3 L_4 R_3 R_4 + 2 C_4 L_4 R_3 R_4 \right) + s \left( 2 L_4 R_3 + L_4 R_4 \right)}$$

$$H(s) = \frac{L_3 R_4 s}{C_3 L_3 R_4 s^2 + 2L_3 s + R_4}$$

**3.7** BP-7 
$$Z(s) = \left(\infty, \infty, \frac{L_{3s}}{C_{3}L_{3}s^{2}+1}, \frac{R_{4}}{C_{4}R_{4}s+1}, \infty, \infty\right)$$

Q: 
$$\frac{R_4\sqrt{\frac{1}{L_3(C_3+2C_4)}}(C_3+2C_4)}{2}$$
 wo: 
$$\sqrt{\frac{1}{L_3(C_3+2C_4)}}$$
 bandwidth: 
$$\frac{2}{R_4(C_3+2C_4)}$$
 K-LP: 0 K-HP: 0 K-BP: 
$$\frac{R_4}{2}$$
 Qz: 0 Wz: None

**3.8** BP-8 
$$Z(s) = \left(\infty, \infty, \frac{L_3s}{C_3L_3s^2+1}, \frac{L_4R_4s}{C_4L_4R_4s^2+L_4s+R_4}, \infty, \infty\right)$$

#### Parameters:

Q: 
$$\frac{R_4\sqrt{\frac{2L_3+L_4}{L_3L_4(C_3+2C_4)}}(C_3+2C_4)}{2}$$
 wo: 
$$\sqrt{\frac{2L_3+L_4}{L_3L_4(C_3+2C_4)}}$$
 bandwidth: 
$$\frac{2}{R_4(C_3+2C_4)}$$
 K-LP: 0 K-HP: 0 K-BP: 
$$\frac{R_4}{2}$$
 Qz: 0 Wz: None

**3.9** BP-9 
$$Z(s) = \left(\infty, \infty, \frac{L_3 R_3 s}{C_3 L_3 R_3 s^2 + L_3 s + R_3}, R_4, \infty, \infty\right)$$

#### Parameters:

Q: 
$$\frac{C_3R_3R_4\sqrt{\frac{1}{C_3L_3}}}{2R_3+R_4}$$
 wo: 
$$\sqrt{\frac{1}{C_3L_3}}$$
 bandwidth: 
$$\frac{2R_3+R_4}{C_3R_3R_4}$$
 K-LP: 0 K-HP: 0 K-BP: 
$$\frac{R_3R_4}{2R_3+R_4}$$
 Qz: 0 Wz: None

**3.10** BP-10 
$$Z(s) = \left(\infty, \infty, \frac{L_3 R_3 s}{C_3 L_3 R_3 s^2 + L_3 s + R_3}, \frac{1}{C_4 s}, \infty, \infty\right)$$

Q: 
$$R_3\sqrt{\frac{1}{L_3(C_3+2C_4)}}$$
  $(C_3+2C_4)$   
wo:  $\sqrt{\frac{1}{L_3(C_3+2C_4)}}$ 

$$H(s) = \frac{L_3 R_4 s}{2L_3 s + R_4 + s^2 \left(C_3 L_3 R_4 + 2C_4 L_3 R_4\right)}$$

$$H(s) = \frac{L_3L_4R_4s}{2L_3L_4s + 2L_3R_4 + L_4R_4 + s^2\left(C_3L_3L_4R_4 + 2C_4L_3L_4R_4\right)}$$

$$H(s) = \frac{L_3 R_3 R_4 s}{C_3 L_3 R_3 R_4 s^2 + R_3 R_4 + s \left(2 L_3 R_3 + L_3 R_4\right)}$$

$$H(s) = \frac{L_3 R_3 s}{L_3 s + R_3 + s^2 \left(C_3 L_3 R_3 + 2 C_4 L_3 R_3\right)}$$

bandwidth: 
$$\frac{1}{R_3(C_3+2C_4)}$$
  
K-LP: 0  
K-HP: 0  
K-BP:  $R_3$   
Qz: 0  
Wz: None

**3.11** BP-11 
$$Z(s) = \left(\infty, \infty, \frac{L_3 R_3 s}{C_3 L_3 R_3 s^2 + L_3 s + R_3}, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_{3}R_{3}R_{4}s}{R_{3}R_{4} + s^{2}\left(C_{3}L_{3}R_{3}R_{4} + 2C_{4}L_{3}R_{3}R_{4}\right) + s\left(2L_{3}R_{3} + L_{3}R_{4}\right)}$$

Q: 
$$\frac{R_3R_4\sqrt{\frac{1}{L_3(C_3+2C_4)}}(C_3+2C_4)}{2R_3+R_4}$$
 wo: 
$$\sqrt{\frac{1}{L_3(C_3+2C_4)}}$$
 bandwidth: 
$$\frac{2R_3+R_4}{R_3R_4(C_3+2C_4)}$$
 K-LP: 0 K-HP: 0 K-BP: 
$$\frac{R_3R_4}{2R_3+R_4}$$
 Qz: 0 Wz: None

**3.12** BP-12 
$$Z(s) = \left(\infty, \infty, \frac{L_3 R_{3s}}{C_3 L_3 R_{3s}^2 + L_3 s + R_3}, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_3 L_4 R_3 s}{L_3 L_4 s + 2 L_3 R_3 + L_4 R_3 + s^2 \left(C_3 L_3 L_4 R_3 + 2 C_4 L_3 L_4 R_3\right)}$$

#### Parameters:

Q: 
$$R_3\sqrt{\frac{2L_3+L_4}{L_3L_4(C_3+2C_4)}}$$
 ( $C_3+2C_4$ )  
wo:  $\sqrt{\frac{2L_3+L_4}{L_3L_4(C_3+2C_4)}}$   
bandwidth:  $\frac{1}{R_3(C_3+2C_4)}$   
K-LP: 0  
K-HP: 0  
K-BP:  $R_3$   
Qz: 0  
Wz: None

**3.13 BP-13** 
$$Z(s) = \left(\infty, \infty, \frac{L_3 R_{3s}}{C_3 L_3 R_3 s^2 + L_3 s + R_3}, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{L_3L_4R_3R_4s}{2L_3R_3R_4 + L_4R_3R_4 + s^2\left(C_3L_3L_4R_3R_4 + 2C_4L_3L_4R_3R_4\right) + s\left(2L_3L_4R_3 + L_3L_4R_4\right)}$$

$$\begin{array}{l} \text{Q:} \ \frac{R_3R_4\sqrt{\frac{2L_3+L_4}{L_3L_4(C_3+2C_4)}}(C_3+2C_4)}{2R_3+R_4}\\ \text{wo:} \ \sqrt{\frac{2L_3+L_4}{L_3L_4(C_3+2C_4)}}\\ \text{bandwidth:} \ \frac{2R_3+R_4}{R_3R_4(C_3+2C_4)}\\ \text{K-LP:} \ 0\\ \text{K-HP:} \ 0\\ \text{K-BP:} \ \frac{R_3R_4}{2R_3+R_4}\\ \text{Qz:} \ 0\\ \text{Wz:} \ \text{None} \end{array}$$

- 4 LP
- 5 BS
- **5.1** BS-1  $Z(s) = \left(\infty, \infty, R_3, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$

Q: 
$$\frac{L_4\sqrt{\frac{1}{C_4L_4}}}{2R_3}$$
 wo:  $\sqrt{\frac{1}{C_4L_4}}$  bandwidth:  $\frac{2R_3}{L_4}$  K-LP:  $R_3$  K-HP:  $R_3$  K-BP: 0 Qz: None Wz:  $\sqrt{\frac{1}{C_4L_4}}$ 

**5.2** BS-2 
$$Z(s) = \left(\infty, \infty, R_3, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \infty, \infty\right)$$

#### Parameters:

$$\begin{array}{l} \text{Q:} \ \frac{L_4\sqrt{\frac{1}{C_4L_4}}(2R_3+R_4)}{2R_3R_4}\\ \text{wo:} \ \sqrt{\frac{1}{C_4L_4}}\\ \text{bandwidth:} \ \frac{2R_3R_4}{L_4(2R_3+R_4)}\\ \text{K-LP:} \ \frac{R_3R_4}{2R_3+R_4}\\ \text{K-HP:} \ \frac{R_3R_4}{2R_3+R_4}\\ \text{K-BP:} \ 0\\ \text{Qz:} \ \text{None}\\ \text{Wz:} \ \sqrt{\frac{1}{C_4L_4}} \end{array}$$

**5.3** BS-3 
$$Z(s) = \left(\infty, \infty, L_3 s + \frac{1}{C_3 s}, R_4, \infty, \infty\right)$$

Q: 
$$\frac{2L_3\sqrt{\frac{1}{C_3L_3}}}{R_4}$$
 wo:  $\sqrt{\frac{1}{C_3L_3}}$  bandwidth:  $\frac{R_4}{2L_3}$  K-LP:  $\frac{R_4}{2}$  K-HP:  $\frac{R_4}{2}$  K-BP: 0 Qz: None Wz:  $\sqrt{\frac{1}{C_3L_3}}$ 

$$H(s) = \frac{C_4 L_4 R_3 s^2 + R_3}{C_4 L_4 s^2 + 2C_4 R_3 s + 1}$$

$$H(s) = \frac{C_4 L_4 R_3 R_4 s^2 + R_3 R_4}{2C_4 R_3 R_4 s + 2R_3 + R_4 + s^2 (2C_4 L_4 R_3 + C_4 L_4 R_4)}$$

$$H(s) = \frac{C_3 L_3 R_4 s^2 + R_4}{2C_3 L_3 s^2 + C_3 R_4 s + 2}$$

**5.4** BS-4 
$$Z(s) = \left(\infty, \infty, \frac{R_3(C_3L_3s^2+1)}{C_3L_3s^2+C_3R_3s+1}, R_4, \infty, \infty\right)$$

$$\begin{array}{l} \text{Q:} \ \frac{L_3\sqrt{\frac{1}{C_3L_3}}(2R_3+R_4)}{R_3R_4} \\ \text{wo:} \ \sqrt{\frac{1}{C_3L_3}} \\ \text{bandwidth:} \ \frac{R_3R_4}{L_3(2R_3+R_4)} \\ \text{K-LP:} \ \frac{R_3R_4}{2R_3+R_4} \\ \text{K-HP:} \ \frac{R_3R_4}{2R_3+R_4} \\ \text{K-BP:} \ 0 \\ \text{Qz:} \ \text{None} \\ \text{Wz:} \ \sqrt{\frac{1}{C_3L_3}} \end{array}$$

## 6 GE

**6.1 GE-1** 
$$Z(s) = \left(\infty, \infty, R_3, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

#### Parameters:

$$\begin{array}{l} \text{Q:} \ \frac{L_4\sqrt{\frac{1}{C_4L_4}}}{2R_3+R_4} \\ \text{wo:} \ \sqrt{\frac{1}{C_4L_4}} \\ \text{bandwidth:} \ \frac{2R_3+R_4}{L_4} \\ \text{K-LP:} \ R_3 \\ \text{K-HP:} \ R_3 \\ \text{K-BP:} \ \frac{R_3R_4}{2R_3+R_4} \\ \text{Qz:} \ \frac{L_4\sqrt{\frac{1}{C_4L_4}}}{R_4} \\ \text{Wz:} \ \sqrt{\frac{1}{C_4L_4}} \end{array}$$

**6.2** GE-2 
$$Z(s) = \left(\infty, \infty, R_3, \frac{L_4s}{C_4L_4s^2+1} + R_4, \infty, \infty\right)$$

Q: 
$$C_4\sqrt{\frac{1}{C_4L_4}}$$
  $(2R_3+R_4)$   
wo:  $\sqrt{\frac{1}{C_4L_4}}$   
bandwidth:  $\frac{1}{C_4(2R_3+R_4)}$   
K-LP:  $\frac{R_3R_4}{2R_3+R_4}$   
K-HP:  $\frac{R_3R_4}{2R_3+R_4}$   
K-BP:  $R_3$   
Qz:  $C_4R_4\sqrt{\frac{1}{C_4L_4}}$   
Wz:  $\sqrt{\frac{1}{C_4L_4}}$ 

$$H(s) = \frac{C_3 L_3 R_3 R_4 s^2 + R_3 R_4}{C_3 R_3 R_4 s + 2R_3 + R_4 + s^2 \left(2C_3 L_3 R_3 + C_3 L_3 R_4\right)}$$

$$H(s) = \frac{C_4 L_4 R_3 s^2 + C_4 R_3 R_4 s + R_3}{C_4 L_4 s^2 + s \left(2 C_4 R_3 + C_4 R_4\right) + 1}$$

$$H(s) = \frac{C_4 L_4 R_3 R_4 s^2 + L_4 R_3 s + R_3 R_4}{L_4 s + 2R_3 + R_4 + s^2 (2C_4 L_4 R_3 + C_4 L_4 R_4)}$$

**6.3** GE-3 
$$Z(s) = \left(\infty, \infty, L_3 s + R_3 + \frac{1}{C_3 s}, R_4, \infty, \infty\right)$$

 $H(s) = \frac{C_3 L_3 R_4 s^2 + C_3 R_3 R_4 s + R_4}{2C_3 L_3 s^2 + s (2C_3 R_3 + C_3 R_4) + 2}$ 

Parameters:

Q: 
$$\frac{2L_{3}\sqrt{\frac{1}{C_{3}L_{3}}}}{2R_{3}+R_{4}}$$
 wo: 
$$\sqrt{\frac{1}{C_{3}L_{3}}}$$
 bandwidth: 
$$\frac{2R_{3}+R_{4}}{2L_{3}}$$
 K-LP: 
$$\frac{R_{4}}{2}$$
 K-HP: 
$$\frac{R_{4}}{2}$$
 K-BP: 
$$\frac{R_{3}R_{4}}{2R_{3}+R_{4}}$$
 Qz: 
$$\frac{L_{3}\sqrt{\frac{1}{C_{3}L_{3}}}}{R_{3}}$$
 Wz: 
$$\sqrt{\frac{1}{C_{3}L_{3}}}$$

**6.4** GE-4 
$$Z(s) = \left(\infty, \infty, \frac{L_3 s}{C_3 L_3 s^2 + 1} + R_3, R_4, \infty, \infty\right)$$

 $H(s) = \frac{C_3 L_3 R_3 R_4 s^2 + L_3 R_4 s + R_3 R_4}{2L_3 s + 2R_3 + R_4 + s^2 (2C_3 L_3 R_3 + C_3 L_3 R_4)}$ 

Parameters:

$$\begin{array}{l} \text{Q:} \ \frac{C_3\sqrt{\frac{1}{C_3L_3}}(2R_3+R_4)}{2} \\ \text{wo:} \ \sqrt{\frac{1}{C_3L_3}} \\ \text{bandwidth:} \ \frac{2}{C_3(2R_3+R_4)} \\ \text{K-LP:} \ \frac{R_3R_4}{2R_3+R_4} \\ \text{K-HP:} \ \frac{R_3R_4}{2R_3+R_4} \\ \text{K-BP:} \ \frac{R_4}{2} \\ \text{Qz:} \ C_3R_3\sqrt{\frac{1}{C_3L_3}} \\ \text{Wz:} \ \sqrt{\frac{1}{C_3L_3}} \end{array}$$

7 AP

## 8 INVALID-NUMER

8.1 INVALID-NUMER-1  $Z(s) = \left(\infty, \infty, \frac{R_3}{C_3 R_3 s + 1}, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$ 

 $H(s) = \frac{C_4 R_3 R_4 s + R_3}{C_3 C_4 R_3 R_4 s^2 + s \left(C_3 R_3 + 2C_4 R_3 + C_4 R_4\right) + 1}$ 

$$\begin{array}{l} \text{Q:} \ \frac{C_3C_4R_3R_4\sqrt{\frac{1}{C_3C_4R_3R_4}}}{C_3R_3+2C_4R_3+C_4R_4} \\ \text{wo:} \ \sqrt{\frac{1}{C_3C_4R_3R_4}} \\ \text{bandwidth:} \ \frac{C_3R_3+2C_4R_3+C_4R_4}{C_3C_4R_3R_4} \\ \text{K-LP:} \ R_3 \\ \text{K-HP:} \ 0 \\ \text{K-BP:} \ \frac{C_4R_3R_4}{C_3R_3+2C_4R_3+C_4R_4} \\ \text{Qz:} \ 0 \\ \text{Wz:} \ \text{None} \end{array}$$

# 8.2 INVALID-NUMER-2 $Z(s) = \left(\infty, \infty, R_3 + \frac{1}{C_3 s}, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$

 $H(s) = \frac{C_3 R_3 R_4 s + R_4}{2C_3 C_4 R_3 R_4 s^2 + s (2C_3 R_3 + C_3 R_4 + 2C_4 R_4) + 2}$ 

Parameters:

$$\begin{array}{l} \text{Q:} \ \frac{2C_3C_4R_3R_4\sqrt{\frac{1}{C_3C_4R_3R_4}}}{2C_3R_3+C_3R_4+2C_4R_4}\\ \text{wo:} \ \sqrt{\frac{1}{C_3C_4R_3R_4}}\\ \text{bandwidth:} \ \frac{2C_3R_3+C_3R_4+2C_4R_4}{2C_3C_4R_3R_4}\\ \text{K-LP:} \ \frac{R_4}{2}\\ \text{K-HP:} \ 0\\ \text{K-BP:} \ \frac{C_3R_3R_4}{2C_3R_3+C_3R_4+2C_4R_4}\\ \text{Qz:} \ 0\\ \text{Wz:} \ \text{None} \end{array}$$

## 9 INVALID-WZ

## 10 INVALID-ORDER

10.1 INVALID-ORDER-1  $Z(s) = (\infty, \infty, R_3, R_4, \infty, \infty)$ 

$$H(s) = \frac{R_3 R_4}{2R_3 + R_4}$$

10.2 INVALID-ORDER-2  $Z(s) = \left(\infty, \infty, R_3, \frac{1}{C_4 s}, \infty, \infty\right)$ 

$$H(s) = \frac{R_3}{2C_4R_3s + 1}$$

10.3 INVALID-ORDER-3  $Z(s) = \left(\infty, \infty, R_3, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$ 

$$H(s) = \frac{R_3 R_4}{2C_4 R_3 R_4 s + 2R_3 + R_4}$$

10.4 INVALID-ORDER-4  $Z(s) = \left(\infty, \infty, R_3, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$ 

$$H(s) = \frac{C_4 R_3 R_4 s + R_3}{s \left(2 C_4 R_3 + C_4 R_4\right) + 1}$$

10.5 INVALID-ORDER-5  $Z(s) = \left(\infty, \infty, \frac{1}{C_3 s}, R_4, \infty, \infty\right)$ 

$$H(s) = \frac{R_4}{C_3 R_4 s + 2}$$

10.6 INVALID-ORDER-6  $Z(s) = \left(\infty, \infty, \frac{1}{C_3 s}, \frac{1}{C_4 s}, \infty, \infty\right)$ 

$$H(s) = \frac{1}{s\left(C_3 + 2C_4\right)}$$

9

10.7 INVALID-ORDER-7 
$$Z(s) = \left(\infty, \infty, \frac{1}{C_3 s}, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{R_4}{s(C_3R_4 + 2C_4R_4) + 2}$$

10.8 INVALID-ORDER-8 
$$Z(s) = \left(\infty, \infty, \frac{1}{C_3 s}, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 R_4 s + 1}{C_3 C_4 R_4 s^2 + s \left(C_3 + 2C_4\right)}$$

10.9 INVALID-ORDER-9 
$$Z(s) = \left(\infty, \infty, \frac{1}{C_3 s}, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_4 s^2 + 1}{C_3 C_4 L_4 s^3 + s (C_3 + 2C_4)}$$

10.10 INVALID-ORDER-10 
$$Z(s) = \left(\infty, \infty, \frac{1}{C_3 s}, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 s}{s^2 (C_3 L_4 + 2C_4 L_4) + 2}$$

10.11 INVALID-ORDER-11 
$$Z(s) = \left(\infty, \infty, \frac{1}{C_3 s}, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_4 s^2 + C_4 R_4 s + 1}{C_3 C_4 L_4 s^3 + C_3 C_4 R_4 s^2 + s (C_3 + 2C_4)}$$

**10.12** INVALID-ORDER-12 
$$Z(s) = \left(\infty, \infty, \frac{1}{C_3 s}, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_3 C_4 L_4 R_4 s^3 + C_3 R_4 s + s^2 (C_3 L_4 + 2C_4 L_4) + 2}$$

10.13 INVALID-ORDER-13 
$$Z(s) = \left(\infty, \infty, \frac{1}{C_3 s}, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_4 R_4 s^2 + R_4}{C_3 C_4 L_4 R_4 s^3 + 2C_4 L_4 s^2 + s \left(C_3 R_4 + 2C_4 R_4\right) + 2}$$

10.14 INVALID-ORDER-14 
$$Z(s) = \left(\infty, \infty, \frac{R_3}{C_3 R_3 s + 1}, R_4, \infty, \infty\right)$$

$$H(s) = \frac{R_3 R_4}{C_3 R_3 R_4 s + 2R_3 + R_4}$$

10.15 INVALID-ORDER-15 
$$Z(s) = \left(\infty, \infty, \frac{R_3}{C_3 R_3 s + 1}, \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{R_3}{s(C_3R_3 + 2C_4R_3) + 1}$$

10.16 INVALID-ORDER-16 
$$Z(s) = \left(\infty, \infty, \frac{R_3}{C_3R_3s+1}, \frac{R_4}{C_4R_4s+1}, \infty, \infty\right)$$

$$H(s) = \frac{R_3 R_4}{2 R_3 + R_4 + s \left( C_3 R_3 R_4 + 2 C_4 R_3 R_4 \right)}$$

**10.17** INVALID-ORDER-17 
$$Z(s) = \left(\infty, \infty, \frac{R_3}{C_3 R_3 s + 1}, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_4 R_3 s^2 + R_3}{C_3 C_4 L_4 R_3 s^3 + C_4 L_4 s^2 + s \left(C_3 R_3 + 2C_4 R_3\right) + 1}$$

**10.18** INVALID-ORDER-18 
$$Z(s) = \left(\infty, \infty, \frac{R_3}{C_3 R_3 s + 1}, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_4 R_3 s^2 + C_4 R_3 R_4 s + R_3}{C_3 C_4 L_4 R_3 s^3 + s^2 \left(C_3 C_4 R_3 R_4 + C_4 L_4\right) + s \left(C_3 R_3 + 2 C_4 R_3 + C_4 R_4\right) + 1}$$

**10.19** INVALID-ORDER-19 
$$Z(s) = \left(\infty, \infty, \frac{R_3}{C_3 R_3 s + 1}, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_4 R_3 R_4 s^2 + L_4 R_3 s + R_3 R_4}{C_3 C_4 L_4 R_3 R_4 s^3 + 2 R_3 + R_4 + s^2 \left( C_3 L_4 R_3 + 2 C_4 L_4 R_3 + C_4 L_4 R_4 \right) + s \left( C_3 R_3 R_4 + L_4 \right)}$$

10.20 INVALID-ORDER-20 
$$Z(s) = \left(\infty, \infty, \frac{R_3}{C_3 R_3 s + 1}, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_4 R_3 R_4 s^2 + R_3 R_4}{C_3 C_4 L_4 R_3 R_4 s^3 + 2R_3 + R_4 + s^2 \left(2C_4 L_4 R_3 + C_4 L_4 R_4\right) + s \left(C_3 R_3 R_4 + 2C_4 R_3 R_4\right)}$$

10.21 INVALID-ORDER-21  $Z(s) = \left(\infty, \infty, R_3 + \frac{1}{C_3 s}, R_4, \infty, \infty\right)$ 

$$H(s) = \frac{C_3 R_3 R_4 s + R_4}{s \left(2 C_3 R_3 + C_3 R_4\right) + 2}$$

10.22 INVALID-ORDER-22  $Z(s) = \left(\infty, \infty, R_3 + \frac{1}{C_3 s}, \frac{1}{C_4 s}, \infty, \infty\right)$ 

$$H(s) = \frac{C_3 R_3 s + 1}{2C_3 C_4 R_3 s^2 + s \left(C_3 + 2C_4\right)}$$

**10.23** INVALID-ORDER-23  $Z(s) = \left(\infty, \infty, R_3 + \frac{1}{C_3 s}, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$ 

$$H(s) = \frac{C_3 C_4 R_3 R_4 s^2 + s (C_3 R_3 + C_4 R_4) + 1}{s^2 (2C_3 C_4 R_3 + C_3 C_4 R_4) + s (C_3 + 2C_4)}$$

**10.24** INVALID-ORDER-24  $Z(s) = \left(\infty, \ \infty, \ R_3 + \frac{1}{C_3 s}, \ L_4 s + \frac{1}{C_4 s}, \ \infty, \ \infty\right)$ 

$$H(s) = \frac{C_3 C_4 L_4 R_3 s^3 + C_3 R_3 s + C_4 L_4 s^2 + 1}{C_3 C_4 L_4 s^3 + 2C_3 C_4 R_3 s^2 + s (C_3 + 2C_4)}$$

**10.25** INVALID-ORDER-25  $Z(s) = \left(\infty, \infty, R_3 + \frac{1}{C_3 s}, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$ 

$$H(s) = \frac{C_3 L_4 R_3 s^2 + L_4 s}{2C_3 C_4 L_4 R_3 s^3 + 2C_3 R_3 s + s^2 (C_3 L_4 + 2C_4 L_4) + 2}$$

**10.26** INVALID-ORDER-26  $Z(s) = \left(\infty, \infty, R_3 + \frac{1}{C_3 s}, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$ 

$$H(s) = \frac{C_3C_4L_4R_3s^3 + s^2\left(C_3C_4R_3R_4 + C_4L_4\right) + s\left(C_3R_3 + C_4R_4\right) + 1}{C_3C_4L_4s^3 + s^2\left(2C_3C_4R_3 + C_3C_4R_4\right) + s\left(C_3 + 2C_4\right)}$$

10.27 INVALID-ORDER-27 
$$Z(s) = \left(\infty, \ \infty, \ R_3 + \frac{1}{C_3 s}, \ \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_3L_4R_3R_4s^2 + L_4R_4s}{2C_3C_4L_4R_3R_4s^3 + 2R_4 + s^2\left(2C_3L_4R_3 + C_3L_4R_4 + 2C_4L_4R_4\right) + s\left(2C_3R_3R_4 + 2L_4\right)}{2C_3C_4L_4R_3R_4s^3 + 2R_4 + s^2\left(2C_3L_4R_3 + C_3L_4R_4 + 2C_4L_4R_4\right) + s\left(2C_3R_3R_4 + 2L_4\right)}$$

10.28 INVALID-ORDER-28 
$$Z(s) = \left(\infty, \infty, R_3 + \frac{1}{C_3 s}, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_4R_3R_4s^3 + R_4 + s^2\left(C_3L_4R_3 + C_4L_4R_4\right) + s\left(C_3R_3R_4 + L_4\right)}{s^3\left(2C_3C_4L_4R_3 + C_3C_4L_4R_4\right) + s^2\left(C_3L_4 + 2C_4L_4\right) + s\left(2C_3R_3 + C_3R_4\right) + 2}$$

10.29 INVALID-ORDER-29 
$$Z(s) = \left(\infty, \infty, R_3 + \frac{1}{C_3 s}, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_4R_3R_4s^3 + C_3R_3R_4s + C_4L_4R_4s^2 + R_4}{s^3\left(2C_3C_4L_4R_3 + C_3C_4L_4R_4\right) + s^2\left(2C_3C_4R_3R_4 + 2C_4L_4\right) + s\left(2C_3R_3 + C_3R_4 + 2C_4R_4\right) + 2}$$

10.30 INVALID-ORDER-30 
$$Z(s) = \left(\infty, \infty, L_3 s + \frac{1}{C_3 s}, \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3 L_3 s^2 + 1}{2C_3 C_4 L_3 s^3 + s (C_3 + 2C_4)}$$

10.31 INVALID-ORDER-31 
$$Z(s) = \left(\infty, \infty, L_3 s + \frac{1}{C_3 s}, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3 L_3 R_4 s^2 + R_4}{2C_3 C_4 L_3 R_4 s^3 + 2C_3 L_3 s^2 + s (C_3 R_4 + 2C_4 R_4) + 2}$$

10.32 INVALID-ORDER-32 
$$Z(s) = \left(\infty, \infty, L_3 s + \frac{1}{C_3 s}, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3R_4s^3 + C_3L_3s^2 + C_4R_4s + 1}{2C_3C_4L_3s^3 + C_3C_4R_4s^2 + s\left(C_3 + 2C_4\right)}$$

10.33 INVALID-ORDER-33 
$$Z(s) = \left(\infty, \infty, L_3 s + \frac{1}{C_3 s}, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3 C_4 L_3 L_4 s^4 + s^2 (C_3 L_3 + C_4 L_4) + 1}{s^3 (2C_3 C_4 L_3 + C_3 C_4 L_4) + s (C_3 + 2C_4)}$$

10.34 INVALID-ORDER-34 
$$Z(s) = \left(\infty, \infty, L_3 s + \frac{1}{C_3 s}, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3 L_3 L_4 s^3 + L_4 s}{2C_3 C_4 L_3 L_4 s^4 + s^2 (2C_3 L_3 + C_3 L_4 + 2C_4 L_4) + 2}$$

**10.35** INVALID-ORDER-35 
$$Z(s) = \left(\infty, \infty, L_3 s + \frac{1}{C_3 s}, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4s^4 + C_3C_4L_3R_4s^3 + C_4R_4s + s^2(C_3L_3 + C_4L_4) + 1}{C_3C_4R_4s^2 + s^3(2C_3C_4L_3 + C_3C_4L_4) + s(C_3 + 2C_4)}$$

10.36 INVALID-ORDER-36 
$$Z(s) = \left(\infty, \infty, L_3 s + \frac{1}{C_3 s}, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{C_3L_3L_4R_4s^3 + L_4R_4s}{2C_3C_4L_3L_4R_4s^4 + 2C_3L_3L_4s^3 + 2L_4s + 2R_4 + s^2(2C_3L_3R_4 + C_3L_4R_4 + 2C_4L_4R_4)}$$

**10.37** INVALID-ORDER-37 
$$Z(s) = \left(\infty, \ \infty, \ L_3 s + \frac{1}{C_3 s}, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4R_4s^4 + C_3L_3L_4s^3 + L_4s + R_4 + s^2\left(C_3L_3R_4 + C_4L_4R_4\right)}{2C_3C_4L_3L_4s^4 + C_3C_4L_4R_4s^3 + C_3R_4s + s^2\left(2C_3L_3 + C_3L_4 + 2C_4L_4\right) + 2}$$

10.38 INVALID-ORDER-38 
$$Z(s) = \left(\infty, \infty, L_3 s + \frac{1}{C_3 s}, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4R_4s^4 + R_4 + s^2\left(C_3L_3R_4 + C_4L_4R_4\right)}{2C_3C_4L_3L_4s^4 + s^3\left(2C_3C_4L_3R_4 + C_3C_4L_4R_4\right) + s^2\left(2C_3L_3 + 2C_4L_4\right) + s\left(C_3R_4 + 2C_4R_4\right) + 2c_4R_4\right) + c_4R_4$$

**10.39** INVALID-ORDER-39 
$$Z(s) = \left(\infty, \infty, \frac{L_{3}s}{C_{3}L_{3}s^{2}+1}, \frac{1}{C_{4}s}, \infty, \infty\right)$$

$$H(s) = \frac{L_3 s}{s^2 (C_3 L_3 + 2C_4 L_3) + 1}$$

**10.40** INVALID-ORDER-40 
$$Z(s) = \left(\infty, \infty, \frac{L_{3s}}{C_3L_3s^2+1}, R_4 + \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_3 R_4 s^2 + L_3 s}{C_3 C_4 L_3 R_4 s^3 + C_4 R_4 s + s^2 (C_3 L_3 + 2C_4 L_3) + 1}$$

10.41 INVALID-ORDER-41 
$$Z(s) = \left(\infty, \ \infty, \ \frac{L_{3s}}{C_{3}L_{3}s^{2}+1}, \ L_{4}s + \frac{1}{C_{4}s}, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_4 L_3 L_4 s^3 + L_3 s}{C_3 C_4 L_3 L_4 s^4 + s^2 (C_3 L_3 + 2C_4 L_3 + C_4 L_4) + 1}$$

**10.42** INVALID-ORDER-42 
$$Z(s) = \left(\infty, \infty, \frac{L_3s}{C_3L_3s^2+1}, \frac{L_4s}{C_4L_4s^2+1}, \infty, \infty\right)$$

$$H(s) = \frac{L_3 L_4 s}{2L_3 + L_4 + s^2 (C_3 L_3 L_4 + 2C_4 L_3 L_4)}$$

**10.43** INVALID-ORDER-43 
$$Z(s) = \left(\infty, \infty, \frac{L_3s}{C_3L_3s^2+1}, L_4s + R_4 + \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_3 L_4 s^3 + C_4 L_3 R_4 s^2 + L_3 s}{C_3 C_4 L_3 L_4 s^4 + C_3 C_4 L_3 R_4 s^3 + C_4 R_4 s + s^2 (C_3 L_3 + 2C_4 L_3 + C_4 L_4) + 1}$$

**10.44** INVALID-ORDER-44 
$$Z(s) = \left(\infty, \infty, \frac{L_3s}{C_3L_3s^2+1}, \frac{L_4s}{C_4L_4s^2+1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_3 L_4 R_4 s^3 + L_3 L_4 s^2 + L_3 R_4 s}{C_3 C_4 L_3 L_4 R_4 s^4 + R_4 + s^3 \left(C_3 L_3 L_4 + 2C_4 L_3 L_4\right) + s^2 \left(C_3 L_3 R_4 + C_4 L_4 R_4\right) + s \left(2L_3 + L_4\right)}$$

10.45 INVALID-ORDER-45 
$$Z(s) = \left(\infty, \infty, \frac{L_{3s}}{C_3L_3s^2+1}, \frac{R_4\left(C_4L_4s^2+1\right)}{C_4L_4s^2+C_4R_4s+1}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_3 L_4 R_4 s^3 + L_3 R_4 s}{C_3 C_4 L_3 L_4 R_4 s^4 + 2C_4 L_3 L_4 s^3 + 2L_3 s + R_4 + s^2 \left(C_3 L_3 R_4 + 2C_4 L_3 R_4 + C_4 L_4 R_4\right)}$$

10.46 INVALID-ORDER-46 
$$Z(s) = \left(\infty, \infty, L_3s + R_3 + \frac{1}{C_3s}, \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3 L_3 s^2 + C_3 R_3 s + 1}{2C_3 C_4 L_3 s^3 + 2C_3 C_4 R_3 s^2 + s (C_3 + 2C_4)}$$

**10.47** INVALID-ORDER-47 
$$Z(s) = \left(\infty, \infty, L_3 s + R_3 + \frac{1}{C_3 s}, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3L_3R_4s^2 + C_3R_3R_4s + R_4}{2C_3C_4L_3R_4s^3 + s^2\left(2C_3C_4R_3R_4 + 2C_3L_3\right) + s\left(2C_3R_3 + C_3R_4 + 2C_4R_4\right) + 2}$$

10.48 INVALID-ORDER-48 
$$Z(s) = \left(\infty, \ \infty, \ L_3 s + R_3 + \frac{1}{C_3 s}, \ R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_3C_4L_3R_4s^3 + s^2\left(C_3C_4R_3R_4 + C_3L_3\right) + s\left(C_3R_3 + C_4R_4\right) + 1}{2C_3C_4L_3s^3 + s^2\left(2C_3C_4R_3 + C_3C_4R_4\right) + s\left(C_3 + 2C_4\right)}$$

**10.49** INVALID-ORDER-49 
$$Z(s) = \left(\infty, \infty, L_3 s + R_3 + \frac{1}{C_3 s}, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4s^4 + C_3C_4L_4R_3s^3 + C_3R_3s + s^2(C_3L_3 + C_4L_4) + 1}{2C_3C_4R_3s^2 + s^3(2C_3C_4L_3 + C_3C_4L_4) + s(C_3 + 2C_4)}$$

**10.50** INVALID-ORDER-50 
$$Z(s) = \left(\infty, \infty, L_3 s + R_3 + \frac{1}{C_3 s}, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3 L_3 L_4 s^3 + C_3 L_4 R_3 s^2 + L_4 s}{2C_3 C_4 L_3 L_4 s^4 + 2C_3 C_4 L_4 R_3 s^3 + 2C_3 R_3 s + s^2 (2C_3 L_3 + C_3 L_4 + 2C_4 L_4) + 2}$$

10.51 INVALID-ORDER-51 
$$Z(s) = \left(\infty, \ \infty, \ L_3 s + R_3 + \frac{1}{C_3 s}, \ L_4 s + R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4s^4 + s^3\left(C_3C_4L_3R_4 + C_3C_4L_4R_3\right) + s^2\left(C_3C_4R_3R_4 + C_3L_3 + C_4L_4\right) + s\left(C_3R_3 + C_4R_4\right) + 1}{s^3\left(2C_3C_4L_3 + C_3C_4L_4\right) + s^2\left(2C_3C_4R_3 + C_3C_4R_4\right) + s\left(C_3 + 2C_4\right)}$$

10.52 INVALID-ORDER-52 
$$Z(s) = \left(\infty, \infty, L_3 s + R_3 + \frac{1}{C_3 s}, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{C_3L_3L_4R_4s^3 + C_3L_4R_3R_4s^2 + L_4R_4s}{2C_3C_4L_3L_4R_4s^4 + 2R_4 + s^3\left(2C_3C_4L_4R_3R_4 + 2C_3L_3L_4\right) + s^2\left(2C_3L_3R_4 + 2C_3L_4R_3 + C_3L_4R_4 + 2C_4L_4R_4\right) + s\left(2C_3R_3R_4 + 2L_4\right)}$$

**10.53** INVALID-ORDER-53 
$$Z(s) = \left(\infty, \infty, L_3 s + R_3 + \frac{1}{C_3 s}, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4R_4s^4 + R_4 + s^3\left(C_3C_4L_4R_3R_4 + C_3L_3L_4\right) + s^2\left(C_3L_3R_4 + C_3L_4R_3 + C_4L_4R_4\right) + s\left(C_3R_3R_4 + L_4\right)}{2C_3C_4L_3L_4s^4 + s^3\left(2C_3C_4L_4R_3 + C_3C_4L_4R_4\right) + s^2\left(2C_3L_3 + C_3L_4 + 2C_4L_4\right) + s\left(2C_3R_3 + C_3R_4\right) + 2}$$

$$\textbf{10.54} \quad \textbf{INVALID-ORDER-54} \ Z(s) = \left( \infty, \ \infty, \ L_3s + R_3 + \frac{1}{C_3s}, \ \frac{R_4\left(C_4L_4s^2 + 1\right)}{C_4L_4s^2 + C_4R_4s + 1}, \ \infty, \ \infty \right)$$
 
$$H(s) = \frac{C_3C_4L_3L_4R_4s^4 + C_3C_4L_4R_3R_4s^3 + C_3R_3R_4s + R_4 + s^2\left(C_3L_3R_4 + C_4L_4R_4\right)}{2C_3C_4L_3L_4s^4 + s^3\left(2C_3C_4L_3R_4 + 2C_3C_4L_4R_3 + C_3C_4L_4R_4\right) + s^2\left(2C_3C_4R_3R_4 + 2C_3L_4\right) + s\left(2C_3R_3 + C_3R_4 + 2C_4R_4\right) + 2c_3C_4L_4R_4 + c_3C_4L_4R_4 + c_3C_4$$

**10.55** INVALID-ORDER-55 
$$Z(s) = \left(\infty, \infty, \frac{L_3 R_3 s}{C_3 L_3 R_3 s^2 + L_3 s + R_3}, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_3 R_3 R_4 s^2 + L_3 R_3 s}{C_3 C_4 L_3 R_3 R_4 s^3 + R_3 + s^2 \left(C_3 L_3 R_3 + 2C_4 L_3 R_3 + C_4 L_3 R_4\right) + s \left(C_4 R_3 R_4 + L_3\right)}$$

**10.56** INVALID-ORDER-56 
$$Z(s) = \left(\infty, \infty, \frac{L_3 R_3 s}{C_3 L_3 R_3 s^2 + L_3 s + R_3}, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_3 L_4 R_3 s^3 + L_3 R_3 s}{C_3 C_4 L_3 L_4 R_3 s^4 + C_4 L_3 L_4 s^3 + L_3 s + R_3 + s^2 \left( C_3 L_3 R_3 + 2 C_4 L_3 R_3 + C_4 L_4 R_3 \right)}$$

10.57 INVALID-ORDER-57 
$$Z(s) = \left(\infty, \infty, \frac{L_3 R_3 s}{C_3 L_3 R_3 s^2 + L_3 s + R_3}, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_3 L_4 R_3 s^3 + C_4 L_3 R_3 R_4 s^2 + L_3 R_3 s}{C_3 C_4 L_3 L_4 R_3 s^4 + R_3 + s^3 \left( C_3 C_4 L_3 R_3 R_4 + C_4 L_3 L_4 \right) + s^2 \left( C_3 L_3 R_3 + 2 C_4 L_3 R_3 + C_4 L_3 R_4 + C_4 L_4 R_3 \right) + s \left( C_4 R_3 R_4 + L_3 \right)}$$

**10.58** INVALID-ORDER-58 
$$Z(s) = \left(\infty, \infty, \frac{L_3 R_3 s}{C_3 L_3 R_3 s^2 + L_3 s + R_3}, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{C_4 L_3 L_4 R_3 R_4 s^3 + L_3 L_4 R_3 s^2 + L_3 R_3 R_4 s}{C_3 C_4 L_3 L_4 R_3 R_4 s^4 + R_3 R_4 + s^3 \left(C_3 L_3 L_4 R_3 + 2 C_4 L_3 L_4 R_3 + C_4 L_3 L_4 R_4\right) + s^2 \left(C_3 L_3 R_3 R_4 + C_4 L_4 R_3 R_4 + L_3 L_4\right) + s \left(2 L_3 R_3 + L_3 R_4 + L_4 R_3\right)}$$

10.59 INVALID-ORDER-59 
$$Z(s) = \left(\infty, \infty, \frac{L_3 R_3 s}{C_3 L_3 R_3 s^2 + L_3 s + R_3}, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{C_4L_3L_4R_3R_4s^3 + L_3R_3R_4s}{C_3C_4L_3L_4R_3R_4s^4 + R_3R_4 + s^3\left(2C_4L_3L_4R_3 + C_4L_3L_4R_4\right) + s^2\left(C_3L_3R_3R_4 + 2C_4L_3R_3R_4 + C_4L_4R_3R_4\right) + s\left(2L_3R_3 + L_3R_4\right)}$$

**10.60** INVALID-ORDER-60 
$$Z(s) = \left(\infty, \infty, \frac{L_{3s}}{C_3L_3s^2+1} + R_3, \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3 L_3 R_3 s^2 + L_3 s + R_3}{2C_3 C_4 L_3 R_3 s^3 + 2C_4 R_3 s + s^2 (C_3 L_3 + 2C_4 L_3) + 1}$$

**10.61** INVALID-ORDER-61 
$$Z(s) = \left(\infty, \infty, \frac{L_3s}{C_3L_3s^2+1} + R_3, \frac{R_4}{C_4R_4s+1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3L_3R_3R_4s^2 + L_3R_4s + R_3R_4}{2C_3C_4L_3R_3R_4s^3 + 2R_3 + R_4 + s^2\left(2C_3L_3R_3 + C_3L_3R_4 + 2C_4L_3R_4\right) + s\left(2C_4R_3R_4 + 2L_3\right)}$$

10.62 INVALID-ORDER-62 
$$Z(s) = \left(\infty, \infty, \frac{L_3s}{C_3L_3s^2+1} + R_3, R_4 + \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3R_3R_4s^3 + R_3 + s^2\left(C_3L_3R_3 + C_4L_3R_4\right) + s\left(C_4R_3R_4 + L_3\right)}{s^3\left(2C_3C_4L_3R_3 + C_3C_4L_3R_4\right) + s^2\left(C_3L_3 + 2C_4L_3\right) + s\left(2C_4R_3 + C_4R_4\right) + 1}$$

**10.63** INVALID-ORDER-63 
$$Z(s) = \left(\infty, \infty, \frac{L_{3s}}{C_3L_3s^2+1} + R_3, L_4s + \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4R_3s^4 + C_4L_3L_4s^3 + L_3s + R_3 + s^2\left(C_3L_3R_3 + C_4L_4R_3\right)}{C_3C_4L_3L_4s^4 + 2C_3C_4L_3R_3s^3 + 2C_4R_3s + s^2\left(C_3L_3 + 2C_4L_3 + C_4L_4\right) + 1}$$

**10.64** INVALID-ORDER-64 
$$Z(s) = \left(\infty, \infty, \frac{L_{3s}}{C_3L_3s^2+1} + R_3, \frac{L_{4s}}{C_4L_4s^2+1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3L_3L_4R_3s^3 + L_3L_4s^2 + L_4R_3s}{2C_3C_4L_3L_4R_3s^4 + 2R_3 + s^3\left(C_3L_3L_4 + 2C_4L_3L_4\right) + s^2\left(2C_3L_3R_3 + 2C_4L_4R_3\right) + s\left(2L_3 + L_4\right)}$$

**10.65** INVALID-ORDER-65 
$$Z(s) = \left(\infty, \infty, \frac{L_3s}{C_3L_3s^2+1} + R_3, L_4s + R_4 + \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4R_3s^4 + R_3 + s^3\left(C_3C_4L_3R_3R_4 + C_4L_3L_4\right) + s^2\left(C_3L_3R_3 + C_4L_3R_4 + C_4L_4R_3\right) + s\left(C_4R_3R_4 + L_3\right)}{C_3C_4L_3L_4s^4 + s^3\left(2C_3C_4L_3R_3 + C_3C_4L_3R_4\right) + s^2\left(C_3L_3 + 2C_4L_3 + C_4L_4\right) + s\left(2C_4R_3 + C_4R_4\right) + 1}$$

**10.66** INVALID-ORDER-66 
$$Z(s) = \left(\infty, \infty, \frac{L_{3s}}{C_3L_3s^2+1} + R_3, \frac{L_4R_4s}{C_4L_4R_4s^2+L_4s+R_4}, \infty, \infty\right)$$

$$H(s) = \frac{C_3L_3L_4R_3R_4s^3 + L_3L_4R_4s^2 + L_4R_3R_4s}{2C_3C_4L_3L_4R_3R_4s^4 + 2R_3R_4 + s^3\left(2C_3L_3L_4R_3 + C_3L_3L_4R_4 + 2C_4L_3L_4R_4\right) + s^2\left(2C_3L_3R_3R_4 + 2C_4L_4R_3R_4 + 2L_4R_3 + L_4R_4\right)}$$

10.67 INVALID-ORDER-67 
$$Z(s) = \left(\infty, \infty, \frac{L_3s}{C_3L_3s^2+1} + R_3, \frac{L_4s}{C_4L_4s^2+1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4R_3R_4s^4 + R_3R_4 + s^3\left(C_3L_3L_4R_3 + C_4L_3L_4R_4\right) + s^2\left(C_3L_3R_3R_4 + C_4L_4R_3R_4 + L_3L_4\right) + s\left(L_3R_4 + L_4R_3\right)}{2R_3 + R_4 + s^4\left(2C_3C_4L_3L_4R_3 + C_3C_4L_3L_4R_4\right) + s^3\left(C_3L_3L_4 + 2C_4L_3L_4\right) + s^2\left(2C_3L_3R_3 + C_3L_3R_4 + 2C_4L_4R_3 + C_4L_4R_4\right) + s\left(2L_3 + L_4\right)}$$

**10.68** INVALID-ORDER-68 
$$Z(s) = \left(\infty, \infty, \frac{L_3s}{C_3L_3s^2+1} + R_3, \frac{R_4\left(C_4L_4s^2+1\right)}{C_4L_4s^2+C_4R_4s+1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4R_3R_4s^4 + C_4L_3L_4R_4s^3 + L_3R_4s + R_3R_4 + s^2\left(C_3L_3R_3R_4 + C_4L_4R_3R_4\right)}{2R_3 + R_4 + s^4\left(2C_3C_4L_3L_4R_3 + C_3C_4L_3L_4R_4\right) + s^3\left(2C_3C_4L_3R_3R_4 + 2C_4L_3L_4\right) + s^2\left(2C_3L_3R_3 + C_4L_4R_3 + 2C_4L_4R_3 + C_4L_4R_4\right) + s\left(2C_4R_3R_4 + 2L_4R_4\right)}$$

**10.69** INVALID-ORDER-69 
$$Z(s) = \left(\infty, \infty, \frac{R_3(C_3L_3s^2+1)}{C_3L_3s^2+C_3R_3s+1}, \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3 L_3 R_3 s^2 + R_3}{2C_3 C_4 L_3 R_3 s^3 + C_3 L_3 s^2 + s (C_3 R_3 + 2C_4 R_3) + 1}$$

10.70 INVALID-ORDER-70 
$$Z(s) = \left(\infty, \infty, \frac{R_3\left(C_3L_3s^2+1\right)}{C_3L_3s^2+C_3R_3s+1}, \frac{R_4}{C_4R_4s+1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3L_3R_3R_4s^2 + R_3R_4}{2C_3C_4L_3R_3R_4s^3 + 2R_3 + R_4 + s^2(2C_3L_3R_3 + C_3L_3R_4) + s(C_3R_3R_4 + 2C_4R_3R_4)}$$

10.71 INVALID-ORDER-71 
$$Z(s) = \left(\infty, \infty, \frac{R_3(C_3L_3s^2+1)}{C_3L_3s^2+C_3R_3s+1}, R_4 + \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3R_3R_4s^3 + C_3L_3R_3s^2 + C_4R_3R_4s + R_3}{s^3\left(2C_3C_4L_3R_3 + C_3C_4L_3R_4\right) + s^2\left(C_3C_4R_3R_4 + C_3L_3\right) + s\left(C_3R_3 + 2C_4R_3 + C_4R_4\right) + 1}$$

10.72 INVALID-ORDER-72 
$$Z(s) = \left(\infty, \ \infty, \ \frac{R_3\left(C_3L_3s^2+1\right)}{C_3L_3s^2+C_3R_3s+1}, \ L_4s + \frac{1}{C_4s}, \ \infty, \ \infty\right)$$
 
$$H(s) = \frac{C_3C_4L_3L_4R_3s^4 + R_3 + s^2\left(C_3L_3R_3 + C_4L_4R_3\right)}{C_3C_4L_3L_4s^4 + s^3\left(2C_3C_4L_3R_3 + C_3C_4L_4R_3\right) + s^2\left(C_3L_3R_3 + C_4L_4\right) + s\left(C_3R_3 + 2C_4R_3\right) + 1}$$

10.73 INVALID-ORDER-73 
$$Z(s) = \left(\infty, \infty, \frac{R_3\left(C_3L_3s^2+1\right)}{C_3L_3s^2+C_3R_3s+1}, \frac{L_4s}{C_4L_4s^2+1}, \infty, \infty\right)$$

$$H(s) = \frac{C_3 L_3 L_4 R_3 s^3 + L_4 R_3 s}{2C_3 C_4 L_3 L_4 R_3 s^4 + C_3 L_3 L_4 s^3 + L_4 s + 2R_3 + s^2 (2C_3 L_3 R_3 + C_3 L_4 R_3 + 2C_4 L_4 R_3)}$$

**10.74** INVALID-ORDER-74 
$$Z(s) = \left(\infty, \infty, \frac{R_3(C_3L_3s^2+1)}{C_3L_3s^2+C_3R_3s+1}, L_4s + R_4 + \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4R_3s^4 + C_3C_4L_3R_3R_4s^3 + C_4R_3R_4s + R_3 + s^2\left(C_3L_3R_3 + C_4L_4R_3\right)}{C_3C_4L_3L_4s^4 + s^3\left(2C_3C_4L_3R_3 + C_3C_4L_3R_4 + C_3C_4L_4R_3\right) + s^2\left(C_3C_4R_3R_4 + C_3L_3 + C_4L_4\right) + s\left(C_3R_3 + 2C_4R_3 + C_4R_4\right) + 1}$$

10.75 INVALID-ORDER-75 
$$Z(s) = \left(\infty, \infty, \frac{R_3\left(C_3L_3s^2+1\right)}{C_3L_3s^2+C_3R_3s+1}, \frac{L_4R_4s}{C_4L_4R_4s^2+L_4s+R_4}, \infty, \infty\right)$$

$$H(s) = \frac{C_3L_3L_4R_3R_4s^3 + L_4R_3R_4s}{2C_3C_4L_3L_4R_3R_4s^4 + 2R_3R_4 + s^3\left(2C_3L_3L_4R_3 + C_3L_3L_4R_4\right) + s^2\left(2C_3L_3R_3R_4 + C_3L_4R_3R_4 + 2C_4L_4R_3R_4\right) + s\left(2L_4R_3 + L_4R_4\right)}$$

10.76 INVALID-ORDER-76 
$$Z(s) = \left(\infty, \infty, \frac{R_3\left(C_3L_3s^2+1\right)}{C_3L_3s^2+C_3R_3s+1}, \frac{L_4s}{C_4L_4s^2+1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4R_3R_4s^4 + C_3L_3L_4R_3s^3 + L_4R_3s + R_3R_4 + s^2\left(C_3L_3R_3R_4 + C_4L_4R_3R_4\right)}{2R_3 + R_4 + s^4\left(2C_3C_4L_3L_4R_3 + C_3C_4L_3L_4R_4\right) + s^3\left(C_3C_4L_4R_3R_4 + C_3L_3L_4\right) + s^2\left(2C_3L_3R_3 + C_3L_3R_4 + C_3L_4R_3 + C_4L_4R_3 + C_4L_4R_4\right) + s\left(C_3R_3R_4 + L_4\right)}$$

10.77 INVALID-ORDER-77 
$$Z(s) = \left(\infty, \ \infty, \ \frac{R_3\left(C_3L_3s^2+1\right)}{C_3L_3s^2+C_3R_3s+1}, \ \frac{R_4\left(C_4L_4s^2+1\right)}{C_4L_4s^2+C_4R_4s+1}, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_3C_4L_3L_4R_3R_4s^4 + R_3R_4 + s^2\left(C_3L_3R_3R_4 + C_4L_4R_3R_4\right)}{2R_3 + R_4 + s^4\left(2C_3C_4L_3L_4R_3 + C_3C_4L_3L_4R_4\right) + s^3\left(2C_3C_4L_3R_3R_4 + C_3C_4L_4R_3R_4\right) + s^2\left(2C_3L_3R_3 + C_3L_3R_4 + 2C_4L_4R_3 + C_4L_4R_4\right) + s\left(C_3R_3R_4 + 2C_4R_3R_4\right)}$$

## 11 PolynomialError