Filter Summary Report: CG,TIA,simple,Z4,Z5

Generated by MacAnalog-Symbolix

January 18, 2025

Contents

1 Examined $H(z)$ for CG TIA simple Z4 Z5: $\frac{Z_4Z_5g_m-Z_4}{2Z_4g_m+2Z_5g_m+2}$	5
2 HP	5
3 BP 3.1 BP-1 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, R_5, \infty\right)$. 5
3.2 BP-2 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, R_5, \infty\right)$. 5
$4~~\mathrm{LP}$	5
5 BS 5.1 BS-1 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, R_5, \infty\right)$. 6
5.2 BS-2 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, R_5, \infty\right)$. 6
$6~{ m GE}$	6
6.1 GE-1 $Z(s) = \left(\infty, \infty, \infty, R_4, L_5 s + \frac{1}{C_5 s}, \infty\right)$. 6
6.2 GE-2 $Z(s) = \left(\infty, \infty, \infty, R_4, \frac{L_5 s}{C_5 L_5 s^2 + 1}, \infty\right)$. 7
6.3 GE-3 $Z(s) = \left(\infty, \infty, \infty, R_4, L_5 s + R_5 + \frac{1}{C_5 s}, \infty\right)$ 6.4 GE-4 $Z(s) = \left(\infty, \infty, \infty, R_4, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \infty\right)$ 6.5 GE-4 $Z(s) = \left(\infty, \infty, \infty, R_4, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \infty\right)$. 7
$6.4 \text{GE-4 } Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4, \ \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \ \infty\right) \dots $. 7
$6.5 \text{GE-5} \ Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4, \ \frac{C_5L_5R_5s^2 + L_5s + R_5}{C_5L_5s^2 + 1}, \ \infty\right) \dots \dots \dots \dots \dots \dots \dots \dots \dots $. 8
6.6 GE-6 $Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4, \ \frac{R_5 \left(C_5 L_5 s^2 + 1 \right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}, \ \infty \right)'$. 8
6.7	. 8
6.8 GE-8 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, R_5, \infty\right)$. 9
7 AP	6
8 INVALID-NUMER	8
8.1 INVALID-NUMER-1 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, \frac{R_{c_5}}{C_5 R_5 s + 1}, \infty\right)$. 9
8 INVALID-NUMER. 8.1 INVALID-NUMER-1 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, \frac{R_5}{C_5 R_5 s + 1}, \infty\right)$. 9
8.3 INVALID-NUMER-3 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \frac{R_5}{C_5 R_5 s + 1}, \infty\right)$. 10
8.4 INVALID-NUMER-4 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, R_5 + \frac{1}{C_5 s}, \infty\right)$. 10
9 INVALID-WZ 9.1 INVALID-WZ-1 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \frac{R_5}{C_5 R_5 s + 1}, \infty\right)$. 10
10 INVALID-ORDER	11
10.1 INVALID-ORDER-1 $Z(s) = (\infty, \infty, \infty, R_4, R_5, \infty)$. 11
10.2 IN VALID-UKDER-2 $Z(s) = \left(\infty, \infty, \infty, \infty, K_4, \frac{1}{C_5 s}, \infty\right)$. 11
10.3 INVALID-ORDER-3 $Z(s) = \left(\infty, \infty, \infty, R_4, \frac{R_5}{C_5 R_5 s + 1}, \infty\right)$. 11
10.3 INVALID-ORDER-3 $Z(s) = \left(\infty, \infty, \infty, R_4, \frac{R_5}{C_5 R_5 s + 1}, \infty\right)$. 11
10.5 INVALID-ORDER-5 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, R_5, \infty\right)$. 11

10.6 INVALID-ORDER-6 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, \frac{1}{C_5 s}, \infty\right)$
10.7 INVALID-ORDER-7 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, R_5 + \frac{1}{C_5 s}, \infty\right)$
10.8 INVALID-ORDER-8 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, L_5 s + \frac{1}{C_5 s}, \infty\right)$
10.9 INVALID-ORDER-9 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, \frac{L_5 s}{C_5 L_5 s^2 + 1}, \infty\right)$
$10.10 \text{INVALID-ORDER-10 } Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{1}{C_4 s}, \ L_5 s + R_5 + \frac{1}{C_5 s}, \ \infty\right) \dots $
10.11INVALID-ORDER-11 $Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{1}{C_4 s}, \ \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \ \infty\right)$
$10.12 \text{INVALID-ORDER-} 12 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{1}{C_4 s}, \ \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}, \ \infty\right) \ \dots $
$10.13 \text{INVALID-ORDER-} 13 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{1}{C_4 s}, \ \frac{R_5 \left(C_5 L_5 s^2 + 1 \right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}, \ \infty \right) \dots $
$10.14 \text{INVALID-ORDER-} 14 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{R_4}{C_4 R_4 s + 1}, \ R_5, \ \infty \right) \qquad $
$10.15 \text{INVALID-ORDER-15 } Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{R_4}{C_4 R_4 s + 1}, \ L_5 s + \frac{1}{C_5 s}, \ \infty\right) $
$10.16 \text{INVALID-ORDER-} 16 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{R_4}{C_4 R_4 s + 1}, \ \frac{L_5 s}{C_5 L_5 s^2 + 1}, \ \infty\right) \dots $
$10.17 \text{INVALID-ORDER-17 } Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{R_4}{C_4 R_4 s + 1}, \ L_5 s + R_5 + \frac{1}{C_5 s}, \ \infty\right) $
$10.18 \text{INVALID-ORDER-} 18 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{R_4}{C_4 R_4 s + 1}, \ \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \ \infty\right) $
10.19INVALID-ORDER-19 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}, \infty\right)$
$10.20 \text{INVALID-ORDER-20 } Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{R_4}{C_4 R_4 s + 1}, \ \frac{R_5 \left(C_5 L_5 s^2 + 1 \right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}, \ \infty \right) $
$10.21 \text{INVALID-ORDER-} 21 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ R_5, \ \infty\right) \dots $
$10.22 \text{INVALID-ORDER-} 22 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ \frac{1}{C_5 s}, \ \infty\right) \dots \qquad 10.22 \text{INVALID-ORDER-} 22 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ \frac{1}{C_5 s}, \ \infty\right)$
$10.23 \text{INVALID-ORDER-} 23 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ R_5 + \frac{1}{C_5 s}, \ \infty\right) $
$10.24 \text{INVALID-ORDER-} 24 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ L_5 s + \frac{1}{C_5 s}, \ \infty\right) \dots \qquad 1$
$10.25 \text{INVALID-ORDER-} 25 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ \frac{L_5 s}{C_5 L_5 s^2 + 1}, \ \infty\right) \qquad . \qquad 1$
$10.26 \text{INVALID-ORDER-} 26 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ L_5 s + R_5 + \frac{1}{C_5 s}, \ \infty\right) $
10.27INVALID-ORDER-27 $Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \ \infty \right)$
10.28INVALID-ORDER-28 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}, \infty\right)$
$10.29 \text{INVALID-ORDER-29 } Z(s) = \left(\infty, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ \frac{R_5 \left(C_5 L_5 s^2 + 1 \right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}, \ \infty \right) $ $10.30 \text{INVALID-ORDER-30 } Z(s) = \left(\infty, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \frac{1}{C_5 s}, \ \infty \right) $
$10.30 \text{INVALID-ORDER-30 } Z(s) = \left(\infty, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \frac{1}{C_5 s}, \ \infty\right) \dots $
$10.31 \text{INVALID-ORDER-} 31 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \frac{R_5}{C_5 R_5 s + 1}, \ \infty\right) \dots \qquad 10.31 \text{INVALID-ORDER-} 31 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \frac{R_5}{C_5 R_5 s + 1}, \ \infty\right)$
$10.32 \text{INVALID-ORDER-32 } Z(s) = \left(\infty, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ R_5 + \frac{1}{C_5 s}, \ \infty \right) $
$10.33 \text{INVALID-ORDER-33 } Z(s) = \left(\infty, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ L_5 s + \frac{1}{C_5 s}, \ \infty \right) $
$10.34 \text{INVALID-ORDER-34 } Z(s) = \left(\infty, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \frac{L_5 s}{C_5 L_5 s^2 + 1}, \ \infty \right)' $
$10.35 \text{INVALID-ORDER-35 } Z(s) = \left(\infty, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ L_5 s + R_5 + \frac{1}{C_5 s}, \ \infty \right) $
$10.36 \text{INVALID-ORDER-36 } Z(s) = \left(\infty, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \ \infty\right) $
10.37INVALID-ORDER-37 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}, \infty \right)$
10.38INVALID-ORDER-38 $Z(s) = \left(\infty, \ \infty, \ \infty, \ L_4s + \frac{1}{C_4s}, \ \frac{R_5\left(C_5L_5s^2 + 1\right)}{C_5L_5s^2 + C_5R_5s + 1}, \ \infty\right)$
$10.39 \text{INVALID-ORDER-39 } Z(s) = \left(\infty, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \frac{1}{C_5 s}, \infty\right) $
$10.40 \text{INVALID-ORDER-40 } Z(s) = \left(\infty, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \frac{R_5}{C_5 R_5 s + 1}, \infty\right) \dots \dots$
$10.41\text{INVALID-ORDER-41 } Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{L_4s}{C_4L_4s^2+1}, \ R_5 + \frac{1}{C_5s}, \ \infty\right) $ $10.42\text{INVALID-ORDER-42 } Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{L_4s}{C_4L_4s^2+1}, \ L_5s + \frac{1}{C_5s}, \ \infty\right) $ $10.42\text{INVALID-ORDER-42 } Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{L_4s}{C_4L_4s^2+1}, \ L_5s + \frac{1}{C_5s}, \ \infty\right) $
$10.42 \text{INVALID-ORDER-} 42 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1}, \ L_5 s + \frac{1}{C_5 s}, \ \infty\right) \dots $
$10.43 \text{INVALID-ORDER-} 43 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{L_4s}{C_4L_4s^2+1}, \ \frac{L_5s}{C_7L_5s^2+1}, \ \infty\right) \qquad . \qquad 1$
$10.44 \text{INVALID-ORDER-} 44 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1}, \ L_5 s + R_5 + \frac{1}{C_5 s}, \ \infty\right) \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $

```
10.45INVALID-ORDER-45 Z(s) = \left(\infty, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1}, \frac{L_5R_5s}{C_5L_5R_5s^2+L_5s+R_5}, \infty\right)
10.46INVALID-ORDER-46 Z(s) = \left(\infty, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}, \infty\right)
10.47INVALID-ORDER-47 Z(s) = \left(\infty, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1}, \frac{R_5(C_5L_5s^2+1)}{C_5L_5s^2+C_5R_5s+1}, \infty\right)
 10.48INVALID-ORDER-48 Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{1}{C_5 s}, \infty\right) \dots
10.49INVALID-ORDER-49 Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{R_5}{C_5 R_5 s + 1}, \infty\right)
 10.50INVALID-ORDER-50 Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_{45}}, R_5 + \frac{1}{C_{55}}, \infty\right)
10.51INVALID-ORDER-51 Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, L_5 s + \frac{1}{C_5 s}, \infty\right)
10.52INVALID-ORDER-52 Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{L_5 s}{C_5 L_5 s^2 + 1}, \infty\right)
10.53INVALID-ORDER-53 Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, L_5 s + R_5 + \frac{1}{C_5 s}, \infty\right)
10.54INVALID-ORDER-54 Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \infty\right)
10.55INVALID-ORDER-55 Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_{48}}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}, \infty\right)
10.56INVALID-ORDER-56 Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{R_5 \left(C_5 L_5 s^2 + 1\right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}, \infty\right)
10.57INVALID-ORDER-57 Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \frac{1}{C_5 s}, \infty\right).
 10.58INVALID-ORDER-58 Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \frac{R_5}{C_5 R_5 s + 1}, \infty\right)
10.59INVALID-ORDER-59 Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, R_5 + \frac{1}{C_5 s}, \infty\right)
10.60INVALID-ORDER-60 Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, L_5 s + \frac{1}{C_5 s}, \infty\right)
10.61INVALID-ORDER-61 Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \frac{L_5 s}{C_5 L_5 s^2 + 1}, \infty\right)
10.62INVALID-ORDER-62 Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, L_5 s + R_5 + \frac{1}{C_5 s}, \infty\right)
10.63 \text{INVALID-ORDER-} 63 \ Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \ \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \ \infty \right)
10.64INVALID-ORDER-64 Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}, \infty\right)
10.65INVALID-ORDER-65 Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \frac{R_5 \left(C_5 L_5 s^2 + 1\right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}, \infty\right)
10.66INVALID-ORDER-66 Z(s) = \left(\infty, \infty, \infty, \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_4 L_4 s^2 + 1}, \frac{1}{C_5 s}, \infty\right) \dots
10.67INVALID-ORDER-67 Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, \frac{R_5}{C_5R_5s + 1}, \infty\right)
10.68INVALID-ORDER-68 Z(s) = \left(\infty, \infty, \infty, \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_4 L_4 s^2 + 1}, R_5 + \frac{1}{C_5 s}, \infty\right)
 10.69INVALID-ORDER-69 Z(s) = \left(\infty, \infty, \infty, \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_4 L_4 s^2 + 1}, L_5 s + \frac{1}{C_5 s}, \infty\right)
10.70INVALID-ORDER-70 Z(s) = \left(\infty, \infty, \infty, \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_4 L_4 s^2 + 1}, \frac{L_5 s}{C_5 L_5 s^2 + 1}, \infty\right)
10.71INVALID-ORDER-71 Z(s) = \left(\infty, \infty, \infty, \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_4 L_4 s^2 + 1}, L_5 s + R_5 + \frac{1}{C_5 s}, \infty\right)
10.72INVALID-ORDER-72 Z(s) = \left(\infty, \infty, \infty, \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_4 L_4 s^2 + 1}, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \infty\right)
10.73INVALID-ORDER-73 Z(s) = \left(\infty, \infty, \infty, \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_4 L_4 s^2 + 1}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}, \infty\right)
10.74INVALID-ORDER-74 Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, \frac{R_5(C_5L_5s^2 + 1)}{C_5L_5s^2 + C_5R_5s + 1}, \frac{R_5(C_5L_5s^2 + 1)}{C_5L_5s^2 + C_5R_5s^2 + 1}, \frac{R_5(C_5L_5s^2 + 1)}{C_5L_5c^2 + C_5R_5s^2 + 1}, \frac{R_5(C_5L_5s^2 + 1)}{C_5L_5c^2 + C_5R_5s^2 + 1}, \frac{R_5(C_5L_5s^2 + 1)}{C_5L_5c^2 + C_5C_5c^2 + 1}, \frac{R_5(C_5L_5s^2 + 1)}{C_5L_5c^2 + C_5C_5c^2 + 1}, \frac{R_5(C_5L_5s^2 + 1)}{C_5L_5c^2 + C_5C_5c^2 + 1}, \frac{R_5(C_5C_5c^2 + 1)}{C_5C_5c^2 + C_5C_5c^2 + 1}, \frac{R_5(C_5C_5c^2 + 1)}{C_5C_5c^2 + C_5C_5c^2 + 1}
                                                                                      (\infty, \infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \frac{1}{C_5s}, \infty)
10.75INVALID-ORDER-75 Z(s) =
                                                                                      (\infty, \infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \frac{R_5}{C_5R_5s+1}, \infty)
10.76INVALID-ORDER-76 Z(s) =
                                                                                      \left(\infty, \ \infty, \ \infty, \ \frac{R_4\left(C_4L_4s^2+1\right)}{C_4L_4s^2+C_4R_4s+1}, \ R_5 + \frac{1}{C_5s}, \ \infty\right)
 10.77INVALID-ORDER-77 Z(s) =
                                                                                      (\infty, \infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, L_5s+\frac{1}{C_5s}, \infty)
 10.78INVALID-ORDER-78 Z(s) = 1
                                                                                       \stackrel{\sim}{\infty}, \, \infty, \, \infty, \, \frac{R_4\left(C_4L_4s^2+1\right)}{C_4L_4s^2+C_4R_4s+1}, \, \frac{L_5s}{C_5L_5s^2+1}, \, \infty
 10.79INVALID-ORDER-79 Z(s) =
                                                                                      (\infty, \infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, L_5s+R_5+\frac{1}{C_5s}, \infty)
                                                                                                                                                                                                                                           10.80INVALID-ORDER-80 Z(s) =
10.81INVALID-ORDER-81 Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \frac{L_5R_5s}{C_5L_5R_5s^2+L_5s+R_5}, \infty\right)
```

10.82INVALID-ORDER-82 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \frac{C_5L_5R_5s^2+L_5s+R_5}{C_5L_5s^2+1}, \infty\right)$	
10.83INVALID-ORDER-83 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \frac{R_5(C_5L_5s^2+1)}{C_5L_5s^2+C_5R_5s+1}, \infty\right)$	

1 Examined H(z) for CG TIA simple Z4 Z5: $\frac{Z_4Z_5Z_Lg_m-Z_4Z_L}{Z_4Z_5g_m+2Z_4Z_Lg_m+Z_4+2Z_5Z_Lg_m+2Z_L}$

$$H(z) = \frac{Z_4 Z_5 Z_L g_m - Z_4 Z_L}{Z_4 Z_5 g_m + 2 Z_4 Z_L g_m + Z_4 + 2 Z_5 Z_L g_m + 2 Z_L}$$

- 2 HP
- 3 BP
- **3.1** BP-1 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, R_5\right)$

$$H(s) = \frac{s \left(L_4 R_5 Z_L g_m - L_4 Z_L \right)}{2 R_5 Z_L g_m + 2 Z_L + s^2 \left(2 C_4 L_4 R_5 Z_L g_m + 2 C_4 L_4 Z_L \right) + s \left(L_4 R_5 g_m + 2 L_4 Z_L g_m + L_4 \right)}$$

Parameters:

$$\begin{array}{l} \text{Q:} \ \frac{2C_4R_5Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+2C_4Z_L\sqrt{\frac{1}{C_4L_4}}}{R_5g_m+2Z_Lg_m+1} \\ \text{wo:} \ \sqrt{\frac{1}{C_4L_4}} \\ \text{bandwidth:} \ \frac{\sqrt{\frac{1}{C_4L_4}}(R_5g_m+2Z_Lg_m+1)}{2C_4R_5Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+2C_4Z_L\sqrt{\frac{1}{C_4L_4}}} \\ \text{K-LP:} \ 0 \\ \text{K-HP:} \ 0 \\ \text{K-BP:} \ \frac{R_5Z_Lg_m-Z_L}{R_5g_m+2Z_Lg_m+1} \\ \text{Qz:} \ \text{None} \\ \text{Wz:} \ \text{None} \end{array}$$

3.2 BP-2 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, R_5\right)$

$$H(s) = \frac{s \left(L_4 R_4 R_5 Z_L g_m - L_4 R_4 Z_L \right)}{2 R_4 R_5 Z_L g_m + 2 R_4 Z_L + s^2 \left(2 C_4 L_4 R_4 R_5 Z_L g_m + 2 C_4 L_4 R_4 Z_L \right) + s \left(L_4 R_4 R_5 g_m + 2 L_4 R_4 Z_L g_m + L_4 R_4 + 2 L_4 R_5 Z_L g_m + 2 L_4 Z_L \right)}$$

$$\begin{array}{l} \text{Q:} \ \frac{2C_4R_4R_5Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+2C_4R_4Z_L\sqrt{\frac{1}{C_4L_4}}}{R_4R_5g_m+2R_4Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L} \\ \text{wo:} \ \sqrt{\frac{1}{C_4L_4}} \\ \text{bandwidth:} \ \frac{\sqrt{\frac{1}{C_4L_4}}(R_4R_5g_m+2R_4Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L)}{2C_4R_4R_5Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+2C_4R_4Z_L\sqrt{\frac{1}{C_4L_4}}} \\ \text{K-LP:} \ 0 \\ \text{K-HP:} \ 0 \\ \text{K-BP:} \ \frac{R_4R_5Z_Lg_m-R_4Z_L}{R_4R_5g_m+2R_4Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L} \\ \text{Qz:} \ \text{None} \\ \text{Wz:} \ \text{None} \end{array}$$

- 4 LP
- 5 BS

5.1 BS-1
$$Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, R_5\right)$$

$$H(s) = \frac{R_5 Z_L g_m - Z_L + s^2 \left(C_4 L_4 R_5 Z_L g_m - C_4 L_4 Z_L \right)}{R_5 g_m + 2 Z_L g_m + s^2 \left(C_4 L_4 R_5 g_m + 2 C_4 L_4 Z_L g_m + C_4 L_4 \right) + s \left(2 C_4 R_5 Z_L g_m + 2 C_4 Z_L \right) + 1}$$

$$\begin{array}{l} \text{Q:} \ \frac{L_4R_5g_m\sqrt{\frac{1}{C_4L_4}}+2L_4Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+L_4\sqrt{\frac{1}{C_4L_4}}}{2R_5Z_Lg_m+2Z_L} \\ \text{wo:} \ \sqrt{\frac{1}{C_4L_4}} \\ \text{bandwidth:} \ \frac{\sqrt{\frac{1}{C_4L_4}}(2R_5Z_Lg_m+2Z_L)}{L_4R_5g_m\sqrt{\frac{1}{C_4L_4}}+2L_4Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+L_4\sqrt{\frac{1}{C_4L_4}}} \\ \text{K-LP:} \ \frac{R_5Z_Lg_m-Z_L}{R_5g_m+2Z_Lg_m+1} \\ \text{K-HP:} \ \frac{R_5Z_Lg_m-Z_L}{R_5g_m+2Z_Lg_m+1} \\ \text{K-BP:} \ 0 \\ \text{Qz:} \ \text{None} \\ \text{Wz:} \ \sqrt{\frac{1}{C_4L_4}} \end{array}$$

5.2 BS-2
$$Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, R_5\right)$$

$$H(s) = \frac{R_4 R_5 Z_L g_m - R_4 Z_L + s^2 \left(C_4 L_4 R_4 R_5 Z_L g_m - C_4 L_4 R_4 Z_L\right)}{R_4 R_5 g_m + 2 R_4 Z_L g_m + R_4 + 2 R_5 Z_L g_m + 2 Z_L + s^2 \left(C_4 L_4 R_4 R_5 g_m + 2 C_4 L_4 R_4 Z_L g_m + C_4 L_4 R_4 + 2 C_4 L_4 R_5 Z_L g_m + 2 C_4 L_4 Z_L\right) + s \left(2 C_4 R_4 R_5 Z_L g_m + 2 C_4 R_4 Z_L\right)}$$

Parameters:

$$\begin{array}{l} \text{Q:} \ \frac{L_4R_4R_5g_m\sqrt{\frac{1}{C_4L_4}}+2L_4R_4Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+L_4R_4\sqrt{\frac{1}{C_4L_4}}+2L_4R_5Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+2L_4Z_L\sqrt{\frac{1}{C_4L_4}}}{2R_4R_5Z_Lg_m+2R_4Z_L} \\ \text{wo:} \ \sqrt{\frac{1}{C_4L_4}} \\ \text{bandwidth:} \ \frac{\sqrt{\frac{1}{C_4L_4}}(2R_4R_5Z_Lg_m+2R_4Z_L)}{L_4R_4S_g_m\sqrt{\frac{1}{C_4L_4}}+2L_4R_4Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+L_4R_4\sqrt{\frac{1}{C_4L_4}}+2L_4R_5Z_Lg_m\sqrt{\frac{1}{C_4L_4}}}+2L_4Z_L\sqrt{\frac{1}{C_4L_4}}} \\ \text{K-LP:} \ \frac{R_4R_5Z_Lg_m-R_4Z_L}{R_4R_5Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L}}{R_4R_5Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L} \\ \text{K-HP:} \ \frac{R_4R_5Z_Lg_m-R_4Z_L}{R_4R_5g_m+2R_4Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L}} \\ \text{K-BP:} \ 0 \\ \text{Qz:} \ \text{None} \\ \text{Wz:} \ \sqrt{\frac{1}{C_4L_4}} \end{array}$$

6 GE

6.1 GE-1
$$Z(s) = \left(\infty, \infty, \infty, R_4, L_5 s + \frac{1}{C_5 s}\right)$$

$$H(s) = \frac{C_5L_5R_4Z_Lg_ms^2 - C_5R_4Z_Ls + R_4Z_Lg_m}{R_4g_m + 2Z_Lg_m + s^2\left(C_5L_5R_4g_m + 2C_5L_5Z_Lg_m\right) + s\left(2C_5R_4Z_Lg_m + C_5R_4 + 2C_5Z_L\right)}$$

$$\begin{aligned} & \text{Q:} \ \frac{L_5 R_4 g_m \sqrt{\frac{1}{C_5 L_5}} + 2 L_5 Z_L g_m \sqrt{\frac{1}{C_5 L_5}}}{2 R_4 Z_L g_m + R_4 + 2 Z_L} \\ & \text{wo:} \ \sqrt{\frac{1}{C_5 L_5}} \\ & \text{bandwidth:} \ \frac{\sqrt{\frac{1}{C_5 L_5}} (2 R_4 Z_L g_m + R_4 + 2 Z_L)}{L_5 R_4 g_m \sqrt{\frac{1}{C_5 L_5}} + 2 L_5 Z_L g_m \sqrt{\frac{1}{C_5 L_5}}} \\ & \text{K-LP:} \ \frac{R_4 Z_L}{R_4 + 2 Z_L} \\ & \text{K-HP:} \ \frac{R_4 Z_L}{R_4 + 2 Z_L} \\ & \text{K-BP:} \ -\frac{R_4 Z_L}{2 R_4 Z_L g_m + R_4 + 2 Z_L} \\ & \text{Qz:} \ -L_5 g_m \sqrt{\frac{1}{C_5 L_5}} \end{aligned}$$

6.2 GE-2
$$Z(s) = \left(\infty, \infty, \infty, R_4, \frac{L_5 s}{C_5 L_5 s^2 + 1}\right)$$

$$H(s) = \frac{-C_5L_5R_4Z_Ls^2 + L_5R_4Z_Lg_ms - R_4Z_L}{2R_4Z_Lg_m + R_4 + 2Z_L + s^2\left(2C_5L_5R_4Z_Lg_m + C_5L_5R_4 + 2C_5L_5Z_L\right) + s\left(L_5R_4g_m + 2L_5Z_Lg_m\right)}$$

$$\begin{aligned} & \text{Q:} \ \frac{2C_5R_4Z_Lg_m\sqrt{\frac{1}{C_5L_5}} + C_5R_4\sqrt{\frac{1}{C_5L_5}} + 2C_5Z_L\sqrt{\frac{1}{C_5L_5}}}{R_4g_m + 2Z_Lg_m} \\ & \text{wo:} \ \sqrt{\frac{1}{C_5L_5}} \\ & \text{bandwidth:} \ \frac{\sqrt{\frac{1}{C_5L_5}}(R_4g_m + 2Z_Lg_m)}{2C_5R_4Z_Lg_m\sqrt{\frac{1}{C_5L_5}} + C_5R_4\sqrt{\frac{1}{C_5L_5}} + 2C_5Z_L\sqrt{\frac{1}{C_5L_5}}} \\ & \text{K-LP:} \ -\frac{R_4Z_L}{2R_4Z_Lg_m + R_4 + 2Z_L}}{R_4Z_Lg_m + R_4 + 2Z_L} \\ & \text{K-HP:} \ -\frac{R_4Z_L}{2R_4Z_Lg_m + R_4 + 2Z_L} \\ & \text{K-BP:} \ \frac{R_4Z_L}{R_4 + 2Z_L} \\ & \text{Qz:} \ -\frac{C_5\sqrt{\frac{1}{C_5L_5}}}{g_m} \\ & \text{Wz:} \ \sqrt{\frac{1}{C_5L_5}} \end{aligned}$$

6.3 GE-3 $Z(s) = \left(\infty, \infty, \infty, R_4, L_5 s + R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_5 L_5 R_4 Z_L g_m s^2 + R_4 Z_L g_m + s \left(C_5 R_4 R_5 Z_L g_m - C_5 R_4 Z_L\right)}{R_4 g_m + 2 Z_L g_m + s^2 \left(C_5 L_5 R_4 g_m + 2 C_5 L_5 Z_L g_m\right) + s \left(C_5 R_4 R_5 g_m + 2 C_5 R_4 Z_L g_m + C_5 R_4 + 2 C_5 R_5 Z_L g_m + 2 C_5 Z_L\right)}$$

Parameters:

$$\begin{array}{l} \text{Q: } \frac{L_5R_4g_m\sqrt{\frac{1}{C_5L_5}}+2L_5Z_Lg_m\sqrt{\frac{1}{C_5L_5}}}{R_4R_5g_m+2R_4Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L}\\ \text{wo: } \sqrt{\frac{1}{C_5L_5}}\\ \text{bandwidth: } \frac{\sqrt{\frac{1}{C_5L_5}}(R_4R_5g_m+2R_4Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L)}{L_5R_4g_m\sqrt{\frac{1}{C_5L_5}}}+2L_5Z_Lg_m\sqrt{\frac{1}{C_5L_5}}\\ \text{K-LP: } \frac{R_4Z_L}{R_4+2Z_L}\\ \text{K-HP: } \frac{R_4Z_L}{R_4+2Z_L}\\ \text{K-BP: } \frac{R_4R_5Z_Lg_m-R_4Z_L}{R_4R_5g_m+2R_4Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L}\\ \text{Qz: } \frac{L_5g_m\sqrt{\frac{1}{C_5L_5}}}{R_5g_m-1}\\ \text{Wz: } \sqrt{\frac{1}{C_5L_5}} \end{array}$$

6.4 GE-4 $Z(s) = \left(\infty, \infty, \infty, R_4, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}\right)$

$$H(s) = \frac{-C_5L_5R_4R_5Z_Ls^2 - R_4R_5Z_L + s\left(L_5R_4R_5Z_Lg_m - L_5R_4Z_L\right)}{2R_4R_5Z_Lg_m + R_4R_5 + 2R_5Z_L + s^2\left(2C_5L_5R_4R_5Z_Lg_m + C_5L_5R_4R_5 + 2C_5L_5R_5Z_L\right) + s\left(L_5R_4R_5g_m + 2L_5R_4Z_Lg_m + L_5R_4 + 2L_5R_5Z_Lg_m + 2L_5Z_L\right)}$$

$$\begin{aligned} & \text{Q:} \ \frac{2C_5R_4R_5Z_Lg_m\sqrt{\frac{1}{C_5L_5}} + C_5R_4R_5\sqrt{\frac{1}{C_5L_5}} + 2C_5R_5Z_L\sqrt{\frac{1}{C_5L_5}}}{R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L} \\ & \text{wo:} \ \sqrt{\frac{1}{C_5L_5}} \\ & \text{bandwidth:} \ \frac{\sqrt{\frac{1}{C_5L_5}}(R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L)}{2C_5R_4R_5Z_Lg_m\sqrt{\frac{1}{C_5L_5}} + C_5R_4R_5\sqrt{\frac{1}{C_5L_5}} + 2C_5R_5Z_L\sqrt{\frac{1}{C_5L_5}}} \\ & \text{K-LP:} \ -\frac{R_4Z_L}{2R_4Z_Lg_m + R_4 + 2Z_L} \\ & \text{K-HP:} \ -\frac{R_4Z_L}{2R_4Z_Lg_m + R_4 + 2Z_L} \\ & \text{K-BP:} \ \frac{R_4R_5Z_Lg_m + R_4 + 2Z_L}{R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L} \\ & \text{Qz:} \ -\frac{C_5R_5\sqrt{\frac{1}{C_5L_5}}}{R_5g_m - 1} \\ & \text{Wz:} \ \sqrt{\frac{1}{C_5L_5}} \end{aligned}$$

6.5 GE-5
$$Z(s) = \left(\infty, \infty, \infty, R_4, \frac{C_5L_5R_5s^2 + L_5s + R_5}{C_5L_5s^2 + 1}\right)$$

$$H(s) = \frac{L_5 R_4 Z_L g_m s + R_4 R_5 Z_L g_m - R_4 Z_L + s^2 \left(C_5 L_5 R_4 R_5 Z_L g_m - C_5 L_5 R_4 Z_L\right)}{R_4 R_5 g_m + 2 R_4 Z_L g_m + R_4 + 2 R_5 Z_L g_m + 2 Z_L + s^2 \left(C_5 L_5 R_4 R_5 g_m + 2 C_5 L_5 R_4 Z_L g_m + C_5 L_5 R_4 + 2 C_5 L_5 R_5 Z_L g_m + 2 C_5 L_5 Z_L\right) + s \left(L_5 R_4 g_m + 2 L_5 Z_L g_m\right)}$$

$$Q\colon \frac{C_5R_4R_5g_m\sqrt{\frac{1}{C_5L_5}} + 2C_5R_4Z_Lg_m\sqrt{\frac{1}{C_5L_5}} + C_5R_4\sqrt{\frac{1}{C_5L_5}} + 2C_5R_5Z_Lg_m\sqrt{\frac{1}{C_5L_5}} + 2C_5Z_L\sqrt{\frac{1}{C_5L_5}}}{R_4g_m + 2Z_Lg_m}$$
 wo:
$$\sqrt{\frac{1}{C_5L_5}}$$
 bandwidth:
$$\frac{\sqrt{\frac{1}{C_5L_5}}(R_4g_m + 2Z_Lg_m)}{C_5R_4R_5g_m\sqrt{\frac{1}{C_5L_5}} + 2C_5R_4Z_Lg_m\sqrt{\frac{1}{C_5L_5}} + C_5R_4\sqrt{\frac{1}{C_5L_5}} + 2C_5R_5Z_Lg_m\sqrt{\frac{1}{C_5L_5}} + 2C_5Z_L\sqrt{\frac{1}{C_5L_5}}}$$
 K-LP:
$$\frac{R_4R_5Z_Lg_m - R_4Z_L}{R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L}}{R_4R_5Z_Lg_m - R_4Z_L}$$
 K-HP:
$$\frac{R_4R_5Z_Lg_m - R_4Z_L}{R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L}}$$
 K-BP:
$$\frac{R_4Z_L}{R_4+2Z_L}$$
 Qz:
$$\frac{C_5R_5g_m\sqrt{\frac{1}{C_5L_5}} - C_5\sqrt{\frac{1}{C_5L_5}}}{g_m}$$
 Wz:
$$\sqrt{\frac{1}{C_5L_5}}$$

6.6 GE-6
$$Z(s) = \left(\infty, \infty, \infty, R_4, \frac{R_5(C_5L_5s^2+1)}{C_5L_5s^2+C_5R_5s+1}\right)$$

$$H(s) = \frac{-C_5R_4R_5Z_Ls + R_4R_5Z_Lg_m - R_4Z_L + s^2\left(C_5L_5R_4R_5Z_Lg_m - C_5L_5R_4Z_L\right)}{R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L + s^2\left(C_5L_5R_4R_5g_m + 2C_5L_5R_4Z_Lg_m + C_5L_5R_4 + 2C_5L_5R_5Z_Lg_m + 2C_5L_5Z_L\right) + s\left(2C_5R_4R_5Z_Lg_m + C_5R_4R_5 + 2C_5R_5Z_L\right)}$$

Parameters:

$$Q \colon \frac{L_{5}R_{4}R_{5}g_{m}\sqrt{\frac{1}{C_{5}L_{5}}} + 2L_{5}R_{4}Z_{L}g_{m}\sqrt{\frac{1}{C_{5}L_{5}}} + L_{5}R_{4}\sqrt{\frac{1}{C_{5}L_{5}}} + 2L_{5}R_{5}Z_{L}g_{m}\sqrt{\frac{1}{C_{5}L_{5}}} + 2L_{5}Z_{L}\sqrt{\frac{1}{C_{5}L_{5}}} } }{2R_{4}R_{5}Z_{L}g_{m} + R_{4}R_{5} + 2R_{5}Z_{L}}$$
 wo:
$$\sqrt{\frac{1}{C_{5}L_{5}}}$$
 bandwidth:
$$\frac{\sqrt{\frac{1}{C_{5}L_{5}}} (2R_{4}R_{5}Z_{L}g_{m} + R_{4}R_{5} + 2R_{5}Z_{L})}{L_{5}R_{4}R_{5}g_{m}\sqrt{\frac{1}{C_{5}L_{5}}} + 2L_{5}R_{4}Z_{L}g_{m}\sqrt{\frac{1}{C_{5}L_{5}}} + 2L_{5}R_{5}Z_{L}g_{m}\sqrt{\frac{1}{C_{5}L_{5}}} + 2L_{5}Z_{L}\sqrt{\frac{1}{C_{5}L_{5}}} }$$
 K-LP:
$$\frac{R_{4}R_{5}Z_{L}g_{m} - R_{4}Z_{L}}{R_{4}R_{5}g_{m} + 2R_{4}Z_{L}g_{m} + R_{4} + 2R_{5}Z_{L}g_{m} + 2Z_{L}}}{R_{4}R_{5}g_{m} + 2R_{4}Z_{L}g_{m} + R_{4} + 2R_{5}Z_{L}g_{m} + 2Z_{L}}}$$
 K-BP:
$$-\frac{R_{4}Z_{L}}{2R_{4}Z_{L}g_{m} + R_{4} + 2Z_{L}}}{R_{5}Z_{L}g_{m} + R_{4} + 2Z_{L}}$$
 Qz:
$$\frac{-L_{5}R_{5}g_{m}\sqrt{\frac{1}{C_{5}L_{5}}} + L_{5}\sqrt{\frac{1}{C_{5}L_{5}}}}}{R_{5}}$$
 Wz:
$$\sqrt{\frac{1}{C_{5}L_{5}}}$$

6.7 GE-7
$$Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, R_5\right)$$

$$H(s) = \frac{R_5 Z_L g_m - Z_L + s^2 \left(C_4 L_4 R_5 Z_L g_m - C_4 L_4 Z_L \right) + s \left(C_4 R_4 R_5 Z_L g_m - C_4 R_4 Z_L \right)}{R_5 g_m + 2 Z_L g_m + s^2 \left(C_4 L_4 R_5 g_m + 2 C_4 L_4 Z_L g_m + C_4 L_4 \right) + s \left(C_4 R_4 R_5 g_m + 2 C_4 R_4 Z_L g_m + C_4 R_4 + 2 C_4 R_5 Z_L g_m + 2 C_4 Z_L \right) + 1}$$

$$Q \colon \frac{L_4 R_5 g_m \sqrt{\frac{1}{C_4 L_4}} + 2L_4 Z_L g_m \sqrt{\frac{1}{C_4 L_4}} + L_4 \sqrt{\frac{1}{C_4 L_4}}}{R_4 R_5 g_m + 2R_4 Z_L g_m + R_4 + 2R_5 Z_L g_m + 2Z_L}$$

$$Wo \colon \sqrt{\frac{1}{C_4 L_4}}$$
bandwidth:
$$\frac{\sqrt{\frac{1}{C_4 L_4}} (R_4 R_5 g_m + 2R_4 Z_L g_m + R_4 + 2R_5 Z_L g_m + 2Z_L)}{L_4 R_5 g_m \sqrt{\frac{1}{C_4 L_4}} + 2L_4 Z_L g_m \sqrt{\frac{1}{C_4 L_4}} + L_4 \sqrt{\frac{1}{C_4 L_4}}}$$

$$K \cdot LP \colon \frac{R_5 Z_L g_m - Z_L}{R_5 g_m + 2Z_L g_m + 1}$$

$$K \cdot HP \colon \frac{R_5 Z_L g_m - Z_L}{R_5 g_m + 2Z_L g_m + 1}$$

$$K \cdot BP \colon \frac{R_4 R_5 Z_L g_m - R_4 Z_L}{R_4 R_5 g_m + 2R_4 Z_L g_m + R_4 + 2R_5 Z_L g_m + 2Z_L}$$

$$Qz \colon \frac{L_4 \sqrt{\frac{1}{C_4 L_4}}}{R_4}$$

$$Wz \colon \sqrt{\frac{1}{C_4 L_4}}$$

6.8 GE-8
$$Z(s) = \left(\infty, \infty, \infty, \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_4 L_4 s^2 + 1}, R_5\right)$$

$$H(s) = \frac{R_4 R_5 Z_L g_m - R_4 Z_L + s^2 \left(C_4 L_4 R_4 R_5 Z_L g_m - C_4 L_4 R_4 Z_L\right) + s \left(L_4 R_5 Z_L g_m - L_4 Z_L\right)}{R_4 R_5 g_m + 2 R_4 Z_L g_m + R_4 + 2 R_5 Z_L g_m + 2 Z_L + s^2 \left(C_4 L_4 R_4 R_5 g_m + 2 C_4 L_4 R_4 Z_L g_m + C_4 L_4 R_4 + 2 C_4 L_4 R_5 Z_L g_m + 2 C_4 L_4 Z_L\right) + s \left(L_4 R_5 g_m + 2 L_4 Z_L g_m + L_4\right)}$$

$$Q\colon \frac{C_4R_4R_5g_m\sqrt{\frac{1}{C_4L_4}}+2C_4R_4Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+C_4R_4\sqrt{\frac{1}{C_4L_4}}+2C_4R_5Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+2C_4Z_L\sqrt{\frac{1}{C_4L_4}}}{R_5g_m+2Z_Lg_m+1} \\ \text{wo: } \sqrt{\frac{1}{C_4L_4}} \\ \text{bandwidth: } \frac{\sqrt{\frac{1}{C_4L_4}}(R_5g_m+2Z_Lg_m+1)}{C_4R_4S_2g_m\sqrt{\frac{1}{C_4L_4}}+2C_4R_4Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+C_4R_4\sqrt{\frac{1}{C_4L_4}}+2C_4R_5Z_Lg_m\sqrt{\frac{1}{C_4L_4}}+2C_4Z_L\sqrt{\frac{1}{C_4L_4}}} \\ \text{K-LP: } \frac{R_4R_5Z_Lg_m-R_4Z_L}{R_4R_5g_m+2R_4Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L} \\ \text{K-HP: } \frac{R_4R_5Z_Lg_m-R_4Z_L}{R_4R_5g_m+2R_4Z_Lg_m+R_4+2R_5Z_Lg_m+2Z_L} \\ \text{K-BP: } \frac{R_5Z_Lg_m-Z_L}{R_5g_m+2Z_Lg_m+1} \\ \text{Qz: } C_4R_4\sqrt{\frac{1}{C_4L_4}} \\ \text{Wz: } \sqrt{\frac{1}{C_4L_4}} \\ \\ \text{Wz: } \sqrt{\frac{1}{C_4L_4}} \\ \end{aligned}$$

7 AP

8 INVALID-NUMER

8.1 INVALID-NUMER-1 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, \frac{1}{C_5 s}\right)$

$$H(s) = \frac{-C_5 Z_L s + Z_L g_m}{2C_4 C_5 Z_L s^2 + g_m + s \left(2C_4 Z_L g_m + 2C_5 Z_L g_m + C_5\right)}$$

Parameters:

$$\begin{array}{l} \text{Q: } \frac{\sqrt{2}C_4C_5Z_L\sqrt{\frac{g_m}{C_4C_5Z_L}}}{2C_4Z_Lg_m+2C_5Z_Lg_m+C_5} \\ \text{wo: } \frac{\sqrt{2}\sqrt{\frac{g_m}{C_4C_5Z_L}}}{2} \\ \text{bandwidth: } \frac{2C_4Z_Lg_m+2C_5Z_Lg_m+C_5}{2C_4C_5Z_L} \\ \text{K-LP: } Z_L \\ \text{K-HP: 0} \\ \text{K-BP: } -\frac{C_5Z_L}{2C_4Z_Lg_m+2C_5Z_Lg_m+C_5} \\ \text{Qz: None} \\ \text{Wz: None} \end{array}$$

8.2 INVALID-NUMER-2 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, \frac{R_5}{C_5 R_5 s + 1}\right)$

$$H(s) = \frac{-C_5 R_5 Z_L s + R_5 Z_L g_m - Z_L}{2C_4 C_5 R_5 Z_L s^2 + R_5 g_m + 2Z_L g_m + s \left(2C_4 R_5 Z_L g_m + 2C_4 Z_L + 2C_5 R_5 Z_L g_m + C_5 R_5\right) + 1}$$

$$\begin{array}{l} \text{Q:} \ \frac{\sqrt{2}C_4C_5R_5Z_L\sqrt{\frac{g_m}{C_4C_5Z_L}} + \frac{2g_m}{C_4C_5R_5} + \frac{1}{C_4C_5R_5Z_L}}{2C_4R_5Z_Lg_m + 2C_4Z_L + 2C_5R_5Z_Lg_m + C_5R_5} \\ \text{wo:} \ \frac{\sqrt{2}\sqrt{\frac{R_5g_m + 2Z_Lg_m + 1}{C_4C_5R_5Z_L}}}{2} \\ \text{bandwidth:} \ \frac{\sqrt{\frac{R_5g_m + 2Z_Lg_m + 1}{C_4C_5R_5Z_L}}(2C_4R_5Z_Lg_m + 2C_4Z_L + 2C_5R_5Z_Lg_m + C_5R_5)}{2C_4C_5R_5Z_L\sqrt{\frac{g_m}{C_4C_5Z_L}} + \frac{2g_m}{C_4C_5R_5} + \frac{1}{C_4C_5R_5Z_L}} \\ \text{K-LP:} \ \frac{R_5Z_Lg_m - Z_L}{R_5g_m + 2Z_Lg_m + 1} \\ \text{K-HP:} \ 0 \\ \text{K-BP:} \ -\frac{C_5R_5Z_L}{2C_4R_5Z_Lg_m + 2C_4Z_L + 2C_5R_5Z_Lg_m + C_5R_5} \\ \text{Qz:} \ \text{None} \\ \text{Wz:} \ \text{None} \end{array}$$

8.3 INVALID-NUMER-3 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{Z_L g_m + s \left(C_5 R_5 Z_L g_m - C_5 Z_L \right)}{g_m + s^2 \left(2 C_4 C_5 R_5 Z_L g_m + 2 C_4 C_5 Z_L \right) + s \left(2 C_4 Z_L g_m + C_5 R_5 g_m + 2 C_5 Z_L g_m + C_5 \right)}$$

Parameters:

$$\begin{array}{l} \text{Q:} & \frac{\sqrt{2}C_{4}C_{5}R_{5}Z_{L}g_{m}\sqrt{\frac{g_{m}}{C_{4}C_{5}R_{5}Z_{L}g_{m}+C_{4}C_{5}Z_{L}}} + \sqrt{2}C_{4}C_{5}Z_{L}\sqrt{\frac{g_{m}}{C_{4}C_{5}R_{5}Z_{L}g_{m}+C_{4}C_{5}Z_{L}}}}{2C_{4}Z_{L}g_{m}+C_{5}R_{5}g_{m}+2C_{5}Z_{L}g_{m}+C_{5}} \\ \text{Wo:} & \sqrt{\frac{g_{m}}{2C_{4}C_{5}R_{5}Z_{L}g_{m}+2C_{4}C_{5}Z_{L}}} \\ \text{bandwidth:} & \frac{\sqrt{\frac{g_{m}}{2C_{4}C_{5}R_{5}Z_{L}g_{m}+2C_{4}C_{5}Z_{L}}}(2C_{4}Z_{L}g_{m}+C_{5}R_{5}g_{m}+2C_{5}Z_{L}g_{m}+C_{5})}{\sqrt{2}C_{4}C_{5}R_{5}Z_{L}g_{m}\sqrt{\frac{g_{m}}{C_{4}C_{5}R_{5}Z_{L}g_{m}+C_{4}C_{5}Z_{L}}} + \sqrt{2}C_{4}C_{5}Z_{L}\sqrt{\frac{g_{m}}{C_{4}C_{5}R_{5}Z_{L}g_{m}+C_{4}C_{5}Z_{L}}}} \\ \text{K-LP:} & Z_{L} \\ \text{K-HP:} & 0 \\ \text{K-BP:} & \frac{C_{5}R_{5}Z_{L}g_{m}-C_{5}Z_{L}}{2C_{4}Z_{L}g_{m}+C_{5}R_{5}g_{m}+2C_{5}Z_{L}g_{m}+C_{5}}} \\ \text{Qz:} & \text{None} \\ \text{Wz:} & \text{None} \end{array}$$

8.4 INVALID-NUMER-4 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \frac{1}{C_5 s}\right)$

$$H(s) = \frac{-C_5R_4Z_Ls + R_4Z_Lg_m}{2C_4C_5R_4Z_Ls^2 + R_4g_m + 2Z_Lg_m + s\left(2C_4R_4Z_Lg_m + 2C_5R_4Z_Lg_m + C_5R_4 + 2C_5Z_L\right)}$$

Parameters:

$$\begin{array}{l} \text{Q: } \frac{\sqrt{2}C_4C_5R_4Z_L\sqrt{\frac{g_m}{C_4C_5Z_L}+\frac{2g_m}{C_4C_5R_4}}}{2C_4R_4Z_Lg_m+2C_5R_4Z_Lg_m+C_5R_4+2C_5Z_L}\\ \text{wo: } \frac{\sqrt{2}\sqrt{\frac{R_4g_m+2Z_Lg_m}{C_4C_5R_4Z_L}}}{2}\\ \text{bandwidth: } \frac{\sqrt{\frac{R_4g_m+2Z_Lg_m}{C_4C_5R_4Z_L}}}{2C_4C_5R_4Z_L\sqrt{\frac{g_m}{C_4C_5Z_L}+\frac{2g_m}{C_4C_5R_4}}}\\ \text{K-LP: } \frac{R_4Z_L}{R_4+2Z_L}\\ \text{K-HP: 0}\\ \text{K-BP: } -\frac{C_5R_4Z_L}{2C_4R_4Z_Lg_m+2C_5R_4Z_Lg_m+C_5R_4+2C_5Z_L}\\ \text{Qz: None}\\ \text{Wz: None} \end{array}$$

8.5 INVALID-NUMER-5 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4R_4s+1}, \frac{R_5}{C_5R_5s+1}\right)$

$$H(s) = \frac{-C_5R_4R_5Z_Ls + R_4R_5Z_Lg_m - R_4Z_L}{2C_4C_5R_4R_5Z_Ls^2 + R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L + s\left(2C_4R_4R_5Z_Lg_m + 2C_4R_4Z_L + 2C_5R_4R_5Z_Lg_m + C_5R_4R_5Z_Lg_m + C_5R_5R_5Z_Lg_m + C_5R_5R_5Z_Lg_$$

$$\begin{array}{l} \text{Q:} \ \frac{\sqrt{2}C_{4}C_{5}R_{4}R_{5}Z_{L}\sqrt{\frac{g_{m}}{C_{4}C_{5}Z_{L}}} + \frac{2g_{m}}{C_{4}C_{5}R_{5}} + \frac{1}{C_{4}C_{5}R_{4}} + \frac{2}{C_{4}C_{5}R_{4}}}{2C_{4}R_{4}S_{L}g_{m} + 2C_{4}R_{4}Z_{L} + 2C_{5}R_{4}R_{5}Z_{L}g_{m} + C_{5}R_{4}R_{5} + 2C_{5}R_{5}Z_{L}}}\\ \text{wo:} \ \frac{\sqrt{2}\sqrt{\frac{R_{4}R_{5}g_{m} + 2R_{4}Z_{L}g_{m} + R_{4} + 2R_{5}Z_{L}g_{m} + 2Z_{L}}{C_{4}C_{5}R_{4}R_{5}Z_{L}}}}{2}\\ \text{bandwidth:} \ \frac{\sqrt{\frac{R_{4}R_{5}g_{m} + 2R_{4}Z_{L}g_{m} + R_{4} + 2R_{5}Z_{L}g_{m} + 2Z_{L}}{C_{4}C_{5}R_{4}R_{5}Z_{L}}}}{2C_{4}C_{5}R_{4}R_{5}Z_{L}\sqrt{\frac{g_{m}}{C_{4}C_{5}R_{4}} + \frac{2g_{m}}{C_{4}C_{5}R_{4}} + \frac{1}{C_{4}C_{5}R_{4}}}}\\ \text{K-LP:} \ \frac{R_{4}R_{5}Z_{L}g_{m} - R_{4}Z_{L}}{R_{4}R_{5}Z_{L}g_{m} + 2Z_{L}}}\\ \text{K-HP:} \ 0\\ \text{K-BP:} \ -\frac{C_{5}R_{4}R_{5}Z_{L}}{2C_{4}R_{4}R_{5}Z_{L}g_{m} + 2C_{4}R_{4}Z_{L} + 2C_{5}R_{4}R_{5}Z_{L}g_{m} + C_{5}R_{4}R_{5}Z_{L}}}{2C_{4}R_{4}R_{5}Z_{L}g_{m} + 2C_{4}R_{4}Z_{L} + 2C_{5}R_{4}R_{5}Z_{L}}}\\ \text{Qz:} \ \text{None}\\ \text{Wz:} \ \text{None} \end{array}$$

8.6 INVALID-NUMER-6 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{R_4 Z_L g_m + s \left(C_5 R_4 R_5 Z_L g_m - C_5 R_4 Z_L\right)}{R_4 g_m + 2 Z_L g_m + s^2 \left(2 C_4 C_5 R_4 R_5 Z_L g_m + 2 C_4 C_5 R_4 Z_L\right) + s \left(2 C_4 R_4 Z_L g_m + C_5 R_4 R_5 g_m + 2 C_5 R_4 Z_L g_m + C_5$$

Parameters:

 $Q: \frac{\sqrt{2C_4C_5R_4R_5Z_Lgm} \sqrt{\frac{2C_4G_5R_4R_5Z_Lgm}{C_4C_5R_4Z_L} + \frac{2C_4G_5R_3R_5Z_Lgm}{C_4G_5R_4R_5Z_Lgm} + \frac{2C_4G_5R_4R_5Z_Lgm}{C_4G_5R_4R_5Z_Lgm} + \frac{2Z_Lgm}{C_4G_5R_4R_5Z_Lgm} +$

9 INVALID-WZ

9.1 INVALID-WZ-1 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \frac{1}{C_5 s}\right)$

$$H(s) = \frac{-C_4C_5R_4Z_Ls^2 + Z_Lg_m + s\left(C_4R_4Z_Lg_m - C_5Z_L\right)}{g_m + s^2\left(2C_4C_5R_4Z_Lg_m + C_4C_5R_4 + 2C_4C_5Z_L\right) + s\left(C_4R_4g_m + 2C_4Z_Lg_m + 2C_5Z_Lg_m + C_5\right)}$$

Parameters:

Wz: None

$$Q: \frac{2C_4C_5R_4Z_Lg_m\sqrt{\frac{g_m}{2C_4C_5R_4Z_Lg_m+C_4C_5Z_L}} + C_4C_5R_4\sqrt{\frac{g_m}{2C_4C_5R_4Z_Lg_m+C_4C_5Z_L}} + 2C_4C_5Z_L\sqrt{\frac{g_m}{2C_4C_5R_4Z_Lg_m+C_4C_5Z_L}} + 2C_4C_5Z_L\sqrt{\frac{g_m}{2C_4C_5R_4Z_Lg_m+C_4C_5Z_L}} \\ \text{wo: } \sqrt{\frac{g_m}{2C_4C_5R_4Z_Lg_m+C_4C_5R_4+2C_4C_5Z_L}} \\ \text{bandwidth: } \frac{g_m}{\frac{g_m}{2C_4C_5R_4Z_Lg_m+C_4C_5R_4+2C_4C_5Z_L}} + C_4C_5R_4\sqrt{\frac{g_m}{2C_4C_5R_4Z_Lg_m+C_4C_5Z_L}} + C_4C_5R_4\sqrt{\frac{g_m}{2C_4C_5R_4Z_Lg_m+C_4C_5Z_L}} + 2C_4C_5Z_L\sqrt{\frac{g_m}{2C_4C_5R_4Z_Lg_m+C_4C_5Z_L}} + 2C_4C$$

9.2 INVALID-WZ-2 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \frac{R_5}{C_5 R_5 s + 1}\right)$

$$H(s) = \frac{-C_4C_5R_4R_5Z_Ls^2 + R_5Z_Lg_m - Z_L + s\left(C_4R_4R_5Z_Lg_m - C_4R_4Z_L - C_5R_5Z_L\right)}{R_5g_m + 2Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + C_4C_5R_4R_5 + 2C_4C_5R_5Z_L\right) + s\left(C_4R_4R_5g_m + 2C_4R_4Z_Lg_m + C_4R_4 + 2C_4R_5Z_Lg_m + 2C_4Z_L + 2C_5R_5Z_Lg_m + C_5R_5\right) + 1}$$

Parameters:

Wz: $\sqrt{\frac{-R_5 g_m + 1}{C_4 C_5 R_4 R_5}}$

 $Q: \frac{2C_4C_5R_4R_5Z_Lgm\sqrt{\frac{2C_4C_5R_4R_5Z_Lgm+\frac{2Z_Lgm}{\sqrt{2C_4C_5R_4R_5Z_Lgm+C_4C_5R_4R_5+2C_4C_5R_5Z_L} + 2C_4C_5R_4R_5Z_Lgm+C_4C_5R_4R_5+2C_4C_5R_5Z_L} + 2C_4C_5R_4R_5Z_Lgm+C_4C_5R_4R_5Z_Lg$

9.3 INVALID-WZ-3 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{Z_L g_m + s^2 \left(C_4 C_5 R_4 R_5 Z_L g_m - C_4 C_5 R_4 Z_L \right) + s \left(C_4 R_4 Z_L g_m + C_5 R_5 Z_L g_m - C_5 Z_L \right)}{g_m + s^2 \left(C_4 C_5 R_4 R_5 g_m + 2 C_4 C_5 R_4 Z_L g_m + C_4 C_5 R_4 + 2 C_4 C_5 R_5 Z_L g_m + 2 C_4 C_5 Z_L \right) + s \left(C_4 R_4 g_m + 2 C_4 Z_L g_m + C_5 R_5 g_m + 2 C_5 Z_L g_m + C$$

Parameters:

$$Q: \frac{\frac{C_4C_5R_4R_5g_m\sqrt{\frac{g_m}{C_4C_5R_4R_5g_m+2C_4C_5R_4Z_Lg_m+\frac{g_m}{C_4C_5R_4Z_Lg_m+\frac{g_m}{C_4C_5R_4Z_Lg_m+2C_4C_5Z_L}}}{C_4R_4g_m+2C_4Z_Lg_m+C_5R_5Z_Lg_m+2C_4C_5R_4Z_Lg_m+\frac{g_m}{C_4C_5R_4Z_Lg_m+C_4C_5R_4Z_Lg_m+2C_4C_5R_4Z$$

 $\frac{g_{m}}{C_{4}C_{5}R_{4}R_{5}g_{m}+2C_{4}C_{5}R_{4}Z_{L}g_{m}+C_{4}C_{5}R_{4}Z_{L}g_{m}+C_{4}C_{5}R_{5}Z_{L}g_{m}+2C_{4}C_{5}Z_{L}g_{m}+C_{5}}}{C_{4}C_{5}R_{4}R_{5}g_{m}\sqrt{C_{4}C_{5}R_{4}Z_{L}g_{m}+C$

 $\begin{array}{l} \text{K-H-:} \ \frac{R_4 R_5 Z_L g_m - R_4 Z_L}{R_4 R_5 g_m + 2 R_4 Z_L g_m + R_4 + 2 R_5 Z_L g_m + 2 Z_L} \\ \text{K-BP:} \ \frac{C_4 R_4 Z_L g_m + C_5 R_5 Z_L g_m - C_5 Z_L}{C_4 R_4 g_m + 2 C_4 Z_L g_m + C_5 R_5 g_m + 2 C_5 Z_L g_m + C_5} \\ \text{Qz:} \ \text{None} \end{array}$

Wz: $\sqrt{\frac{g_m}{C_4C_5R_4R_5g_m-C_4C_5R_4}}$

INVALID-ORDER

10.1 INVALID-ORDER-1 $Z(s) = (\infty, \infty, \infty, R_4, R_5)$

$$H(s) = \frac{R_4 R_5 Z_L g_m - R_4 Z_L}{R_4 R_5 g_m + 2R_4 Z_L g_m + R_4 + 2R_5 Z_L g_m + 2Z_L}$$

10.2 INVALID-ORDER-2 $Z(s) = \left(\infty, \infty, \infty, R_4, \frac{1}{C_5 s}\right)$

$$H(s) = \frac{-C_5 R_4 Z_L s + R_4 Z_L g_m}{R_4 g_m + 2 Z_L g_m + s \left(2 C_5 R_4 Z_L g_m + C_5 R_4 + 2 C_5 Z_L\right)}$$

10.3 INVALID-ORDER-3 $Z(s) = \left(\infty, \infty, \infty, R_4, \frac{R_5}{C_5 R_5 s + 1}\right)$

$$H(s) = \frac{-C_5R_4R_5Z_Ls + R_4R_5Z_Lg_m - R_4Z_L}{R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L + s\left(2C_5R_4R_5Z_Lg_m + C_5R_4R_5 + 2C_5R_5Z_L\right)}$$

10.4 INVALID-ORDER-4 $Z(s) = \left(\infty, \infty, \infty, R_4, R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{R_4 Z_L g_m + s \left(C_5 R_4 R_5 Z_L g_m - C_5 R_4 Z_L \right)}{R_4 g_m + 2 Z_L g_m + s \left(C_5 R_4 R_5 g_m + 2 C_5 R_4 Z_L g_m + C_5 R_4 + 2 C_5 R_5 Z_L g_m + 2 C_5 Z_L \right)}$$

10.5 INVALID-ORDER-5 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, R_5\right)$

$$H(s) = \frac{R_5 Z_L g_m - Z_L}{R_5 g_m + 2 Z_L g_m + s \left(2 C_4 R_5 Z_L g_m + 2 C_4 Z_L\right) + 1}$$

10.6 INVALID-ORDER-6 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, L_5 s + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_5 L_5 Z_L g_m s^2 - C_5 Z_L s + Z_L g_m}{2 C_4 C_5 L_5 Z_L g_m s^3 + g_m + s^2 \left(2 C_4 C_5 Z_L + C_5 L_5 g_m\right) + s \left(2 C_4 Z_L g_m + 2 C_5 Z_L g_m + C_5\right)}$$

10.7 INVALID-ORDER-7 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, \frac{L_5 s}{C_5 L_5 s^2 + 1}\right)$

$$H(s) = \frac{-C_5L_5Z_Ls^2 + L_5Z_Lg_ms - Z_L}{2C_4C_5L_5Z_Ls^3 + 2Z_Lg_m + s^2\left(2C_4L_5Z_Lg_m + 2C_5L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4Z_L + L_5g_m\right) + 1}$$

10.8 INVALID-ORDER-8 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, L_5 s + R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_5 L_5 Z_L g_m s^2 + Z_L g_m + s \left(C_5 R_5 Z_L g_m - C_5 Z_L\right)}{2 C_4 C_5 L_5 Z_L g_m s^3 + g_m + s^2 \left(2 C_4 C_5 R_5 Z_L g_m + 2 C_4 C_5 Z_L + C_5 L_5 g_m\right) + s \left(2 C_4 Z_L g_m + C_5 R_5 g_m + 2 C_5 Z_L g_m + C_5\right)}$$

10.9 INVALID-ORDER-9 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}\right)$

$$H(s) = \frac{-C_5L_5R_5Z_Ls^2 - R_5Z_L + s\left(L_5R_5Z_Lg_m - L_5Z_L\right)}{2C_4C_5L_5R_5Z_Ls^3 + 2R_5Z_Lg_m + R_5 + s^2\left(2C_4L_5R_5Z_Lg_m + 2C_4L_5Z_L + 2C_5L_5R_5Z_Lg_m + C_5L_5R_5\right) + s\left(2C_4R_5Z_L + L_5R_5g_m + 2L_5Z_Lg_m + L_5\right)}$$

10.10 INVALID-ORDER-10 $Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{1}{C_4 s}, \ \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}\right)$

$$H(s) = \frac{L_5 Z_L g_m s + R_5 Z_L g_m - Z_L + s^2 \left(C_5 L_5 R_5 Z_L g_m - C_5 L_5 Z_L\right)}{R_5 g_m + 2 Z_L g_m + s^3 \left(2 C_4 C_5 L_5 R_5 Z_L g_m + 2 C_4 C_5 L_5 Z_L\right) + s^2 \left(2 C_4 L_5 Z_L g_m + C_5 L_5 R_5 g_m + 2 C_5 L_5 Z_L g_m + C_5 L_5\right) + s \left(2 C_4 R_5 Z_L g_m + 2 C_4 Z_L + L_5 g_m\right) + 1}$$

10.11 INVALID-ORDER-11 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, \frac{R_5 \left(C_5 L_5 s^2 + 1\right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}\right)$

$$H(s) = \frac{-C_5R_5Z_Ls + R_5Z_Lg_m - Z_L + s^2\left(C_5L_5R_5Z_Lg_m - C_5L_5Z_L\right)}{R_5g_m + 2Z_Lg_m + s^3\left(2C_4C_5L_5R_5Z_Lg_m + 2C_4C_5L_5Z_L\right) + s^2\left(2C_4C_5R_5Z_L + C_5L_5R_5g_m + 2C_5L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4R_5Z_Lg_m + 2C_4Z_L + 2C_5R_5Z_Lg_m + C_5R_5\right) + 1}$$

10.12 INVALID-ORDER-12 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4R_4s+1}, R_5\right)$

$$H(s) = \frac{R_4 R_5 Z_L g_m - R_4 Z_L}{R_4 R_5 g_m + 2R_4 Z_L g_m + R_4 + 2R_5 Z_L g_m + 2Z_L + s \left(2C_4 R_4 R_5 Z_L g_m + 2C_4 R_4 Z_L\right)}$$

10.13 INVALID-ORDER-13 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, L_5 s + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_5L_5R_4Z_Lg_ms^2 - C_5R_4Z_Ls + R_4Z_Lg_m}{2C_4C_5L_5R_4Z_Lg_ms^3 + R_4g_m + 2Z_Lg_m + s^2\left(2C_4C_5R_4Z_L + C_5L_5R_4g_m + 2C_5L_5Z_Lg_m\right) + s\left(2C_4R_4Z_Lg_m + 2C_5R_4Z_Lg_m + C_5R_4 + 2C_5Z_L\right)}$$

10.14 INVALID-ORDER-14 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \frac{L_5 s}{C_5 L_5 s^2 + 1}\right)$

$$H(s) = \frac{-C_5L_5R_4Z_Ls^2 + L_5R_4Z_Lg_ms - R_4Z_L}{2C_4C_5L_5R_4Z_Ls^3 + 2R_4Z_Lg_m + R_4 + 2Z_L + s^2\left(2C_4L_5R_4Z_Lg_m + 2C_5L_5R_4Z_Lg_m + C_5L_5R_4 + 2C_5L_5Z_L\right) + s\left(2C_4R_4Z_L + L_5R_4g_m + 2L_5Z_Lg_m\right)}$$

10.15 INVALID-ORDER-15 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, L_5 s + R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_5L_5R_4Z_Lg_ms^2 + R_4Z_Lg_m + s\left(C_5R_4R_5Z_Lg_m - C_5R_4Z_L\right)}{2C_4C_5L_5R_4Z_Lg_ms^3 + R_4g_m + 2Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + 2C_4C_5R_4Z_L + C_5L_5R_4g_m + 2C_5L_5Z_Lg_m\right) + s\left(2C_4R_4Z_Lg_m + C_5R_4Z_Lg_m + 2C_5R_4Z_Lg_m + 2C_5R_4Z_Lg_m + 2C_5R_4Z_Lg_m\right)}$$

10.16 INVALID-ORDER-16 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}\right)$

$$H(s) = \frac{-C_5L_5R_4R_5Z_Ls^2 - R_4R_5Z_Ls + s\left(L_5R_4R_5Z_Lg_m - L_5R_4Z_L\right)}{2C_4C_5L_5R_4R_5Z_Ls^3 + 2R_4R_5Z_Lg_m + R_4R_5 + 2R_5Z_L + s^2\left(2C_4L_5R_4R_5Z_Lg_m + 2C_4L_5R_4Z_L + 2C_5L_5R_4R_5Z_Lg_m + C_5L_5R_4R_5Z_L\right) + s\left(2C_4R_4R_5Z_L + L_5R_4R_5g_m + 2L_5R_4Z_Lg_m + L_5R_4 + 2L_5R_5Z_Lg_m + 2L_5Z_L\right)}$$

10.17 INVALID-ORDER-17 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4R_4s+1}, \frac{C_5L_5R_5s^2+L_5s+R_5}{C_5L_5s^2+1}\right)$

 $H(s) = \frac{L_5 R_4 Z_L g_m s + R_4 R_5 Z_L g_m - R_4 Z_L + s^2 \left(C_5 L_5 R_4 R_5 Z_L g_m - C_5 L_5 R_4 Z_L\right)}{R_4 R_5 g_m + 2 R_4 Z_L g_m + R_4 + 2 R_5 Z_L g_m + 2 Z_L + s^3 \left(2 C_4 C_5 L_5 R_4 R_5 Z_L g_m + 2 C_4 C_5 L_5 R_4 Z_L g_m + C_5 L_5 Z_L g_m +$

10.18 INVALID-ORDER-18 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \frac{R_5 \left(C_5 L_5 s^2 + 1\right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}\right)$

 $H(s) = \frac{-C_5R_4R_5Z_Ls + R_4R_5Z_Lg_m - R_4Z_L + s^2\left(C_5L_5R_4R_5Z_Lg_m - C_5L_5R_4Z_L\right)}{R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L + s^3\left(2C_4C_5L_5R_4R_5Z_Lg_m + 2C_4C_5L_5R_4Z_L\right) + s^2\left(2C_4C_5R_4R_5Z_L + C_5L_5R_4R_5Z_Lg_m + 2C_5L_5R_4Z_Lg_m +$

10.19 INVALID-ORDER-19 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, R_5\right)$

$$H(s) = \frac{R_5 Z_L g_m - Z_L + s \left(C_4 R_4 R_5 Z_L g_m - C_4 R_4 Z_L \right)}{R_5 g_m + 2 Z_L g_m + s \left(C_4 R_4 R_5 g_m + 2 C_4 R_4 Z_L g_m + C_4 R_4 + 2 C_4 R_5 Z_L g_m + 2 C_4 Z_L \right) + 1}$$

10.20 INVALID-ORDER-20 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, L_5 s + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_4C_5L_5R_4Z_Lg_ms^3 + Z_Lg_m + s^2\left(-C_4C_5R_4Z_L + C_5L_5Z_Lg_m\right) + s\left(C_4R_4Z_Lg_m - C_5Z_L\right)}{g_m + s^3\left(C_4C_5L_5R_4g_m + 2C_4C_5L_5Z_Lg_m\right) + s^2\left(2C_4C_5R_4Z_Lg_m + C_4C_5R_4 + 2C_4C_5Z_L + C_5L_5g_m\right) + s\left(C_4R_4g_m + 2C_4Z_Lg_m + 2C_5Z_Lg_m + C_5\right)}$$

10.21 INVALID-ORDER-21 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \frac{L_5 s}{C_5 L_5 s^2 + 1}\right)$

$$H(s) = \frac{-C_4C_5L_5R_4Z_Ls^3 - Z_L + s^2\left(C_4L_5R_4Z_Lg_m - C_5L_5Z_L\right) + s\left(-C_4R_4Z_L + L_5Z_Lg_m\right)}{2Z_Lg_m + s^3\left(2C_4C_5L_5R_4Z_Lg_m + C_4C_5L_5Z_L\right) + s^2\left(C_4L_5R_4g_m + 2C_4L_5Z_Lg_m + 2C_5L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4R_4Z_Lg_m + C_4R_4 + 2C_4Z_L + L_5g_m\right) + 1}$$

10.22 INVALID-ORDER-22 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, L_5 s + R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_4C_5L_5R_4Z_Lg_ms^3 + Z_Lg_m + s^2\left(C_4C_5R_4R_5Z_Lg_m - C_4C_5R_4Z_L + C_5L_5Z_Lg_m\right) + s\left(C_4R_4Z_Lg_m + C_5R_5Z_Lg_m - C_5Z_L\right)}{g_m + s^3\left(C_4C_5L_5R_4g_m + 2C_4C_5L_5Z_Lg_m\right) + s^2\left(C_4C_5R_4R_5g_m + 2C_4C_5R_4Z_Lg_m + C_4C_5R_4Z_Lg_m + 2C_4C_5Z_L + C_5L_5g_m\right) + s\left(C_4R_4g_m + 2C_4Z_Lg_m + C_5R_5g_m + 2C_5Z_Lg_m + C_5Z_Lg_m\right)}$$

10.23 INVALID-ORDER-23 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}\right)$

$$H(s) = \frac{-C_4C_5L_5R_4R_5Z_Ls^3 - R_5Z_L + s^2\left(C_4L_5R_4R_5Z_Lg_m - C_4L_5R_4Z_L - C_5L_5R_5Z_L\right) + s\left(-C_4R_4R_5Z_L + L_5R_5Z_Lg_m - L_5Z_L\right)}{2R_5Z_Lg_m + R_5 + s^3\left(2C_4C_5L_5R_4R_5Z_Lg_m + C_4C_5L_5R_4R_5 + 2C_4C_5L_5R_5Z_L\right) + s^2\left(C_4L_5R_4R_5g_m + 2C_4L_5R_4Z_Lg_m + C_4L_5R_4Z_L + 2C_5L_5R_5Z_Lg_m + C_5L_5R_5\right) + s\left(2C_4R_4R_5Z_Lg_m + C_4R_4R_5 + 2C_4R_5Z_L + L_5R_5g_m + 2L_5Z_Lg_m + C_5L_5R_5Z_Lg_m + C_5L_5R_5Z_$$

10.24 INVALID-ORDER-24 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}\right)$

$$H(s) = \frac{R_5 Z_L g_m - Z_L + s^3 \left(C_4 C_5 L_5 R_4 R_5 Z_L g_m - C_4 C_5 L_5 R_4 Z_L \right) + s^2 \left(C_4 L_5 R_4 Z_L g_m + C_5 L_5 R_5 Z_L g_m - C_5 L_5 Z_L \right) + s \left(C_4 R_4 R_5 Z_L g_m - C_4 R_4 Z_L + L_5 Z_L g_m \right)}{R_5 g_m + 2 Z_L g_m + s^3 \left(C_4 C_5 L_5 R_4 Z_L g_m + C_4 C_5 L_5 R_4 Z_L g_m + 2 C_4 C_5 L_5 R_5 Z_L g_m + 2 C_4 C_5 L$$

10.25 INVALID-ORDER-25 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \frac{R_5 \left(C_5 L_5 s^2 + 1\right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}\right)$

$$H(s) = \frac{R_5 Z_L g_m - Z_L + s^3 \left(C_4 C_5 L_5 R_4 R_5 Z_L g_m - C_4 C_5 L_5 R_4 Z_L\right) + s^2 \left(-C_4 C_5 R_4 R_5 Z_L g_m - C_5 L_5 Z_L\right) + s \left(C_4 R_4 R_5 Z_L g_m - C_4 R_4 Z_L - C_5 R_5 Z_L\right)}{R_5 g_m + 2 Z_L g_m + s^3 \left(C_4 C_5 L_5 R_4 Z_L g_m + C_4 C_5 L_5 R_4 Z_L g_m + 2 C_4 C_5 L_5 R_4 Z_L g_m + 2 C_4 C_5 L_5 Z_L\right) + s^2 \left(2 C_4 C_5 R_4 R_5 Z_L g_m + C_4 C_5 R_4 R_5 Z_L g_m + 2 C_5 L_5 Z_L g_m + 2 C_5 L_5 Z_L g_m + 2 C_4 R_4 Z_L g_m + 2 C_4 R_4 Z_L g_m + 2 C_4 R_5 Z_L g_m + 2$$

10.26 INVALID-ORDER-26 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \frac{1}{C_5 s}\right)$

$$H(s) = \frac{-C_4C_5L_4Z_Ls^3 + C_4L_4Z_Lg_ms^2 - C_5Z_Ls + Z_Lg_m}{g_m + s^3\left(2C_4C_5L_4Z_Lg_m + C_4C_5L_4\right) + s^2\left(2C_4C_5Z_L + C_4L_4g_m\right) + s\left(2C_4Z_Lg_m + 2C_5Z_Lg_m + C_5\right)}$$

10.27 INVALID-ORDER-27 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \frac{R_5}{C_5 R_5 s + 1}\right)$

$$H(s) = \frac{-C_4C_5L_4R_5Z_Ls^3 - C_5R_5Z_Ls + R_5Z_Lg_m - Z_L + s^2\left(C_4L_4R_5Z_Lg_m - C_4L_4Z_L\right)}{R_5g_m + 2Z_Lg_m + s^3\left(2C_4C_5L_4R_5Z_Lg_m + C_4C_5L_4R_5\right) + s^2\left(2C_4C_5R_5Z_L + C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4\right) + s\left(2C_4R_5Z_Lg_m + 2C_4Z_L + 2C_5R_5Z_Lg_m + C_5R_5\right) + 1}$$

10.28 INVALID-ORDER-28 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_4L_4Z_Lg_ms^2 + Z_Lg_m + s^3\left(C_4C_5L_4R_5Z_Lg_m - C_4C_5L_4Z_L\right) + s\left(C_5R_5Z_Lg_m - C_5Z_L\right)}{g_m + s^3\left(C_4C_5L_4R_5g_m + 2C_4C_5L_4Z_Lg_m + C_4C_5L_4\right) + s^2\left(2C_4C_5R_5Z_Lg_m + 2C_4C_5Z_L + C_4L_4g_m\right) + s\left(2C_4Z_Lg_m + C_5R_5g_m + 2C_5Z_Lg_m + C_5\right)}$$

10.29 INVALID-ORDER-29 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, L_5 s + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_4C_5L_4L_5Z_Lg_ms^4 - C_4C_5L_4Z_Ls^3 - C_5Z_Ls + Z_Lg_m + s^2\left(C_4L_4Z_Lg_m + C_5L_5Z_Lg_m\right)}{C_4C_5L_4L_5g_ms^4 + g_m + s^3\left(2C_4C_5L_4Z_Lg_m + C_4C_5L_4 + 2C_4C_5L_5Z_Lg_m\right) + s^2\left(2C_4C_5Z_L + C_4L_4g_m + C_5L_5g_m\right) + s\left(2C_4Z_Lg_m + 2C_5Z_Lg_m + C_5\right)}$$

10.30 INVALID-ORDER-30 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \frac{L_5 s}{C_5 L_5 s^2 + 1}\right)$

$$H(s) = \frac{-C_4C_5L_4L_5Z_Ls^4 + C_4L_4L_5Z_Lg_ms^3 + L_5Z_Lg_ms - Z_L + s^2\left(-C_4L_4Z_L - C_5L_5Z_L\right)}{2Z_Lg_m + s^4\left(2C_4C_5L_4L_5Z_Lg_m + C_4C_5L_4L_5\right) + s^3\left(2C_4C_5L_5Z_L + C_4L_4L_5g_m\right) + s^2\left(2C_4L_4Z_Lg_m + C_4L_4 + 2C_4L_5Z_Lg_m + 2C_5L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4Z_L + L_5g_m\right) + 1}$$

10.31 INVALID-ORDER-31 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, L_5 s + R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_4C_5L_4L_5Z_Lg_ms^4 + Z_Lg_m + s^3\left(C_4C_5L_4R_5Z_Lg_m - C_4C_5L_4Z_L\right) + s^2\left(C_4L_4Z_Lg_m + C_5L_5Z_Lg_m\right) + s\left(C_5R_5Z_Lg_m - C_5Z_L\right)}{C_4C_5L_4L_5g_ms^4 + g_m + s^3\left(C_4C_5L_4Z_Lg_m + C_4C_5L_4 + 2C_4C_5L_5Z_Lg_m\right) + s^2\left(2C_4C_5R_5Z_Lg_m + 2C_4C_5Z_L + C_4L_4g_m + C_5L_5g_m\right) + s\left(2C_4Z_Lg_m + C_5R_5g_m + 2C_5Z_Lg_m + C_5Z_Lg_m\right)}$$

10.32 INVALID-ORDER-32 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}\right)$

$$H(s) = \frac{-C_4C_5L_4L_5R_5Z_Ls^4 - R_5Z_L + s^3\left(C_4L_4L_5R_5Z_Lg_m - C_4L_4L_5Z_L\right) + s^2\left(-C_4L_4R_5Z_L - C_5L_5R_5Z_L\right) + s\left(L_5R_5Z_Lg_m - L_5Z_L\right)}{2R_5Z_Lg_m + R_5 + s^4\left(2C_4C_5L_4L_5R_5Z_Lg_m + C_4C_5L_4L_5R_5\right) + s^3\left(2C_4C_5L_5R_5Z_L + C_4L_4L_5R_5g_m + 2C_4L_4L_5\right) + s^2\left(2C_4L_4R_5Z_Lg_m + C_4L_4R_5 + 2C_4L_5R_5Z_Lg_m + 2C_4L_5R_5Z_Lg_m + C_5L_5R_5\right) + s\left(2C_4R_5Z_L + L_5R_5g_m + 2L_5Z_Lg_m + 2C_4L_4R_5Z_Lg_m + 2C_4L_5R_5Z_Lg_m + 2C_$$

10.33 INVALID-ORDER-33 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}\right)$

$$H(s) = \frac{C_4L_4L_5Z_Lg_ms^3 + L_5Z_Lg_ms + R_5Z_Lg_m - Z_L + s^4\left(C_4C_5L_4L_5R_5Z_Lg_m - C_4C_5L_4L_5Z_L\right) + s^2\left(C_4L_4R_5Z_Lg_m - C_4L_4Z_L + C_5L_5R_5Z_Lg_m - C_5L_5Z_L\right)}{R_5g_m + 2Z_Lg_m + s^4\left(C_4C_5L_4L_5Z_Lg_m + C_4C_5L_4L_5\right) + s^3\left(2C_4C_5L_5R_5Z_Lg_m + 2C_4C_5L_5Z_L + C_4L_4Z_g_m + C_4L_4 + 2C_4L_5Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4R_5Z_Lg_m + 2C_4Z_L + L_5g_m\right) + s^2\left(C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4 + 2C_4L_5Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4R_5Z_Lg_m + 2C_4Z_L + L_5g_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4Z_Lg_m + C_4L_4Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4Z_Lg_m + C_4L_4Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4Z_Lg_m + C_5L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4Z_Lg_m + C_5L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + 2C_4L_4Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m\right) + s^2\left(2C_4L_4R_5g_m + 2C_4L_4Z_Lg_m\right) + s^2\left(2C_4$$

10.34 INVALID-ORDER-34 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \frac{R_5 \left(C_5 L_5 s^2 + 1\right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}\right)$

$$H(s) = \frac{-C_4C_5L_4R_5Z_Ls^3 - C_5R_5Z_Ls + R_5Z_Lg_m - Z_L + s^4\left(C_4C_5L_4L_5R_5Z_Lg_m - C_4C_5L_4L_5Z_L\right) + s^2\left(C_4L_4R_5Z_Lg_m - C_4L_4Z_L + C_5L_5R_5Z_Lg_m - C_5L_5Z_L\right)}{R_5g_m + 2Z_Lg_m + s^4\left(C_4C_5L_4L_5Z_Lg_m + C_4C_5L_4L_5\right) + s^3\left(2C_4C_5L_4R_5Z_Lg_m + C_4C_5L_4R_5Z_Lg_m + 2C_4C_5L_5Z_L\right) + s^2\left(2C_4C_5R_5Z_L + C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5Z$$

10.35 INVALID-ORDER-35
$$Z(s) = \left(\infty, \infty, \infty, \frac{L_{4s}}{C_4L_4s^2+1}, \frac{1}{C_{5s}}\right)$$

$$H(s) = \frac{-C_5L_4Z_Ls^2 + L_4Z_Lg_ms}{2C_4C_5L_4Z_Ls^3 + 2Z_Lg_m + s^2\left(2C_4L_4Z_Lg_m + 2C_5L_4Z_Lg_m + C_5L_4\right) + s\left(2C_5Z_L + L_4g_m\right)}{2C_4C_5L_4Z_Ls^3 + 2Z_Lg_m + s^2\left(2C_4L_4Z_Lg_m + 2C_5L_4Z_Lg_m + C_5L_4\right) + s\left(2C_5Z_L + L_4g_m\right)}$$

10.36 INVALID-ORDER-36
$$Z(s) = \left(\infty, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1}, \frac{R_5}{C_5R_5s+1}\right)$$

$$H(s) = \frac{-C_5L_4R_5Z_Ls^2 + s\left(L_4R_5Z_Lg_m - L_4Z_L\right)}{2C_4C_5L_4R_5Z_Ls^3 + 2R_5Z_Lg_m + 2Z_L + s^2\left(2C_4L_4R_5Z_Lg_m + 2C_4L_4Z_L + 2C_5L_4R_5Z_Lg_m + C_5L_4R_5\right) + s\left(2C_5R_5Z_L + L_4R_5g_m + 2L_4Z_Lg_m + L_4\right)}$$

10.37 INVALID-ORDER-37
$$Z(s) = \left(\infty, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, R_5 + \frac{1}{C_5 s}\right)$$

$$H(s) = \frac{L_4 Z_L g_m s + s^2 \left(C_5 L_4 R_5 Z_L g_m - C_5 L_4 Z_L \right)}{2 Z_L g_m + s^3 \left(2 C_4 C_5 L_4 R_5 Z_L g_m + 2 C_4 C_5 L_4 Z_L \right) + s^2 \left(2 C_4 L_4 Z_L g_m + C_5 L_4 R_5 g_m + 2 C_5 L_4 Z_L g_m + C_5 L_4 \right) + s \left(2 C_5 R_5 Z_L g_m + 2 C_5 Z_L + L_4 g_m \right)}$$

10.38 INVALID-ORDER-38
$$Z(s) = \left(\infty, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, L_5 s + \frac{1}{C_5 s}\right)$$

$$H(s) = \frac{C_5L_4L_5Z_Lg_ms^3 - C_5L_4Z_Ls^2 + L_4Z_Lg_ms}{2C_4C_5L_4L_5Z_Lg_ms^4 + 2Z_Lg_m + s^3\left(2C_4C_5L_4Z_L + C_5L_4L_5g_m\right) + s^2\left(2C_4L_4Z_Lg_m + 2C_5L_4Z_Lg_m + C_5L_4 + 2C_5L_5Z_Lg_m\right) + s\left(2C_5Z_L + L_4g_m\right)}$$

10.39 INVALID-ORDER-39
$$Z(s) = \left(\infty, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1}, \frac{L_5s}{C_5L_5s^2+1}\right)$$

$$H(s) = \frac{-C_5L_4L_5Z_Ls^3 + L_4L_5Z_Lg_ms^2 - L_4Z_Ls}{2C_4C_5L_4L_5Z_Ls^4 + 2Z_L + s^3\left(2C_4L_4L_5Z_Lg_m + 2C_5L_4L_5Z_Lg_m + C_5L_4L_5\right) + s^2\left(2C_4L_4Z_L + 2C_5L_5Z_L + L_4L_5g_m\right) + s\left(2L_4Z_Lg_m + L_4 + 2L_5Z_Lg_m\right)}{2C_4C_5L_4L_5Z_Ls^4 + 2Z_L + s^3\left(2C_4L_4L_5Z_Lg_m + 2C_5L_4L_5Z_Lg_m + C_5L_4L_5\right) + s^2\left(2C_4L_4Z_L + 2C_5L_5Z_L + L_4L_5g_m\right) + s\left(2L_4Z_Lg_m + L_4 + 2L_5Z_Lg_m\right)}$$

10.40 INVALID-ORDER-40
$$Z(s) = \left(\infty, \infty, \infty, \frac{L_{4s}}{C_4L_4s^2+1}, L_5s + R_5 + \frac{1}{C_5s}\right)$$

$$H(s) = \frac{C_5L_4L_5Z_Lg_ms^3 + L_4Z_Lg_ms + s^2\left(C_5L_4R_5Z_Lg_m - C_5L_4Z_L\right)}{2C_4C_5L_4L_5Z_Lg_ms^4 + 2Z_Lg_m + s^3\left(2C_4C_5L_4R_5Z_Lg_m + 2C_4C_5L_4L_5g_m\right) + s^2\left(2C_4L_4Z_Lg_m + C_5L_4R_5g_m + 2C_5L_4Z_Lg_m + C_5L_4Z_Lg_m\right) + s\left(2C_5R_5Z_Lg_m + 2C_5Z_L + L_4g_m\right)}$$

10.41 INVALID-ORDER-41 $Z(s) = \left(\infty, \infty, \infty, \frac{L_{4s}}{C_4L_4s^2+1}, \frac{L_5R_5s}{C_5L_5R_5s^2+L_5s+R_5}\right)$

$$H(s) = \frac{-C_5L_4L_5R_5Z_Ls^3 - L_4R_5Z_Ls + s^2\left(L_4L_5R_5Z_Lg_m - L_4L_5Z_L\right)}{2C_4C_5L_4L_5R_5Z_Ls^4 + 2R_5Z_L + s^3\left(2C_4L_4L_5R_5Z_Lg_m + 2C_4L_4L_5Z_L + 2C_5L_4L_5R_5Z_Lg_m + C_5L_4L_5R_5\right) + s^2\left(2C_4L_4R_5Z_L + 2C_5L_5R_5Z_L + L_4L_5R_5Z_Lg_m + L_4L_5\right) + s\left(2L_4R_5Z_Lg_m + L_4R_5 + 2L_5R_5Z_Lg_m + L_4L_5Z_L\right)}$$

10.42 INVALID-ORDER-42 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1}, \frac{C_5L_5R_5s^2+L_5s+R_5}{C_5L_5s^2+1}\right)$

$$H(s) = \frac{L_4 L_5 Z_L g_m s^2 + s^3 \left(C_5 L_4 L_5 R_5 Z_L g_m - C_5 L_4 L_5 Z_L\right) + s \left(L_4 R_5 Z_L g_m - L_4 Z_L\right)}{2 R_5 Z_L g_m + 2 Z_L + s^4 \left(2 C_4 C_5 L_4 L_5 R_5 Z_L g_m + 2 C_4 C_5 L_4 L_5 Z_L g_m + C_5 L_5 Z_L g_m + C_5$$

10.43 INVALID-ORDER-43
$$Z(s) = \left(\infty, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1}, \frac{R_5\left(C_5L_5s^2+1\right)}{C_5L_5s^2+C_5R_5s+1}\right)$$

$$H(s) = \frac{-C_5L_4R_5Z_Ls^2 + s^3\left(C_5L_4L_5R_5Z_Lg_m - C_5L_4L_5Z_L\right) + s\left(L_4R_5Z_Lg_m - L_4Z_L\right)}{2R_5Z_Lg_m + 2Z_L + s^4\left(2C_4C_5L_4L_5R_5Z_Lg_m + 2C_4C_5L_4L_5Z_L\right) + s^3\left(2C_4C_5L_4R_5Z_L + C_5L_4L_5R_5g_m + 2C_5L_4L_5Z_Lg_m + C_5L_4L_5\right) + s^2\left(2C_4L_4R_5Z_Lg_m + C_5L_4R_5Z_Lg_m + C_5L_4R_5Z_$$

10.44 INVALID-ORDER-44 $Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{1}{C_5 s}\right)$

$$H(s) = \frac{-C_4C_5L_4Z_Ls^3 + Z_Lg_m + s^2\left(-C_4C_5R_4Z_L + C_4L_4Z_Lg_m\right) + s\left(C_4R_4Z_Lg_m - C_5Z_L\right)}{g_m + s^3\left(2C_4C_5L_4Z_Lg_m + C_4C_5L_4\right) + s^2\left(2C_4C_5R_4Z_Lg_m + C_4C_5R_4 + 2C_4C_5Z_L + C_4L_4g_m\right) + s\left(C_4R_4g_m + 2C_4Z_Lg_m + 2C_5Z_Lg_m + C_5\right)}$$

10.45 INVALID-ORDER-45 $Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{R_5}{C_5 R_5 s + 1}\right)$

$$H(s) = \frac{-C_4C_5L_4R_5Z_Ls^3 + R_5Z_Lg_m - Z_L + s^2\left(-C_4C_5R_4R_5Z_L + C_4L_4R_5Z_Lg_m - C_4L_4Z_L\right) + s\left(C_4R_4R_5Z_Lg_m - C_4R_4Z_L - C_5R_5Z_L\right)}{R_5g_m + 2Z_Lg_m + s^3\left(2C_4C_5L_4R_5Z_Lg_m + C_4C_5L_4R_5\right) + s^2\left(2C_4C_5R_4R_5Z_Lg_m + C_4C_5R_4R_5 + 2C_4C_5R_5Z_L + C_4L_4R_5g_m + 2C_4L_4Z_Lg_m + C_4L_4\right) + s\left(C_4R_4R_5Z_Lg_m + C_4R_4Z_L - C_5R_5Z_Lg_m + 2C_4Z_L + 2C_5R_5Z_Lg_m + C_5R_5\right) + 1}$$

10.46 INVALID-ORDER-46 $Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, R_5 + \frac{1}{C_5 s}\right)$

10.47 INVALID-ORDER-47 $Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, L_5 s + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_4C_5L_4L_5Z_Lg_ms^4 + Z_Lg_m + s^3\left(-C_4C_5L_4Z_L + C_4C_5L_5R_4Z_Lg_m\right) + s^2\left(-C_4C_5R_4Z_L + C_4L_4Z_Lg_m + C_5L_5Z_Lg_m\right) + s\left(C_4R_4Z_Lg_m - C_5Z_L\right)}{C_4C_5L_4L_5g_ms^4 + g_m + s^3\left(2C_4C_5L_4Z_Lg_m + C_4C_5L_5R_4g_m + 2C_4C_5L_5Z_Lg_m\right) + s^2\left(2C_4C_5R_4Z_Lg_m + C_4C_5R_4 + 2C_4C_5Z_L + C_4L_4g_m + C_5L_5g_m\right) + s\left(C_4R_4Z_Lg_m + 2C_4Z_Lg_m + 2C_5Z_Lg_m + C_5Z_Lg_m\right)}$$

10.48 INVALID-ORDER-48 $Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{L_5 s}{C_5 L_5 s^2 + 1}\right)$

$$H(s) = \frac{-C_4C_5L_4L_5Z_Ls^4 - Z_L + s^3\left(-C_4C_5L_5R_4Z_L + C_4L_4L_5Z_Lg_m\right) + s^2\left(-C_4L_4Z_L + C_4L_5R_4Z_Lg_m - C_5L_5Z_L\right) + s\left(-C_4R_4Z_L + L_5Z_Lg_m\right)}{2Z_Lg_m + s^4\left(2C_4C_5L_4L_5Z_Lg_m + C_4C_5L_5R_4Z_Lg_m + C_4C_5L_5Z_L + C_4L_4L_5g_m\right) + s^2\left(2C_4L_4Z_Lg_m + C_4L_4 + C_4L_5R_4g_m + 2C_4L_5Z_Lg_m + 2C_5L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4R_4Z_Lg_m + C_4R_4Z_L + L_5Z_Lg_m\right) + s^2\left(2C_4L_4Z_Lg_m + C_4L_4L_5Z_Lg_m + C_4L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4R_4Z_Lg_m + C_4R_4Z_L + L_5Z_Lg_m\right) + s^2\left(2C_4L_4Z_Lg_m + C_4L_5Z_Lg_m + C_4L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4R_4Z_Lg_m + C_4R_4Z_L + L_5Z_Lg_m\right) + s^2\left(2C_4L_4Z_Lg_m + C_4L_5Z_Lg_m + C_4L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4R_4Z_Lg_m + C_4R_4Z_L + L_5Z_Lg_m\right) + s^2\left(2C_4L_4Z_Lg_m + C_4L_5Z_Lg_m + C_4L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4R_4Z_Lg_m + C_4R_4Z_L + L_5Z_Lg_m\right) + s^2\left(2C_4L_4Z_Lg_m + C_4L_5Z_Lg_m + C_5L_5Z_Lg_m + C_5L_5\right) + s\left(2C_4R_4Z_Lg_m + C_4R_4Z_L + L_5Z_Lg_m\right) + s^2\left(2C_4L_4Z_Lg_m + C_4L_5Z_Lg_m + C_5L_5Z_Lg_m\right) + s^2\left(2C_4L_4Z_Lg_m + C_4L_5Z_Lg_m\right) + s^2\left(2C_4L_4Z_Lg_m\right) + s^2\left(2C_4L_4Z_Lg_m\right) +$$

10.49 INVALID-ORDER-49 $Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, L_5 s + R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_4C_5L_4L_5Z_Lg_ms^4 + Z_Lg_m + s^3\left(C_4C_5L_4R_5Z_Lg_m - C_4C_5L_4Z_L + C_4C_5L_5R_4Z_Lg_m\right) + s^2\left(C_4C_5R_4R_5Z_Lg_m - C_4C_5R_4Z_L + C_4L_4Z_Lg_m + C_5L_5Z_Lg_m\right) + s\left(C_4R_4Z_Lg_m + C_5R_5Z_Lg_m - C_5Z_L\right)}{C_4C_5L_4L_5g_ms^4 + g_m + s^3\left(C_4C_5L_4R_5g_m + 2C_4C_5L_4Z_Lg_m + C_4C_5L_5Z_Lg_m\right) + s^2\left(C_4C_5R_4R_5g_m + 2C_4C_5R_4Z_Lg_m + C_4C_5Z_Lg_m + C_4C_5Z_Lg_m\right) + s\left(C_4R_4Z_Lg_m + C_5R_5Z_Lg_m - C_5Z_L\right)}$$

10.50 INVALID-ORDER-50 $Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}\right)$

$$H(s) = \frac{-C_4C_5L_4L_5R_5Z_Ls^4 - R_5Z_L + s^3\left(-C_4C_5L_5R_4R_5Z_L + C_4L_4L_5R_5Z_Lg_m - C_4L_4L_5Z_L\right) + s^2\left(-C_4L_4R_5Z_L + C_4L_5R_4Z_L - C_5L_5R_4Z_L - C_5L_5R_5Z_L\right) + s\left(-C_4R_4R_5Z_Lg_m + C_4L_5R_5Z_Lg_m + C_4L_5R_5Z$$

10.51 INVALID-ORDER-51 $Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}\right)$

10.52 INVALID-ORDER-52 $Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \frac{R_5 \left(C_5 L_5 s^2 + 1\right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}\right)$

$$H(s) = \frac{R_5 Z_L g_m - Z_L + s^4 \left(C_4 C_5 L_4 L_5 Z_L g_m - C_4 C_5 L_4 R_5 Z_L g_m - C_4 C_5 L_4 R_5 Z_L g_m - C_4 C_5 L_5 R_4 R_5 Z_L g_m - C_4 C_5 L_5 R_4 Z_L \right) + s^2 \left(-C_4 C_5 R_4 R_5 Z_L + C_4 L_4 R_5 Z_L g_m - C_4 L_4 Z_L g_m - C_4 L_4 Z_L g_m + S^4 \left(C_4 C_5 L_4 L_5 R_5 g_m + 2 C_4 C_5 L_4 L_5 Z_L g_m + C_4 C_5 L_4 R_5 Z_L g_m + C_4 C_5 L_5 R_4 R_5 Z_L g_m + C_4 C_5 L_5 R_4 Z_L g_m + C_4 C_5 L$$

10.53 INVALID-ORDER-53 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \frac{1}{C_5 s}\right)$

$$H(s) = \frac{-C_5L_4R_4Z_Ls^2 + L_4R_4Z_Lg_ms}{2C_4C_5L_4R_4Z_Ls^3 + 2R_4Z_Lg_m + s^2\left(2C_4L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m + C_5L_4R_4 + 2C_5L_4Z_L\right) + s\left(2C_5R_4Z_L + L_4R_4g_m + 2L_4Z_Lg_m\right)}$$

10.54 INVALID-ORDER-54 $Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{L_4R_4s}{C_4L_4R_4s^2 + L_4s + R_4}, \ \frac{R_5}{C_5R_5s + 1}\right)$

$$H(s) = \frac{-C_5L_4R_4R_5Z_Ls^2 + s\left(L_4R_4R_5Z_Lg_m - L_4R_4Z_L\right)}{2C_4C_5L_4R_4R_5Z_Ls^3 + 2R_4R_5Z_Lg_m + 2R_4Z_L + s^2\left(2C_4L_4R_4R_5Z_Lg_m + 2C_4L_4R_4Z_L + 2C_5L_4R_4R_5Z_Lg_m + C_5L_4R_4R_5Z_L\right) + s\left(2C_5R_4R_5Z_L + L_4R_4R_5Z_Lg_m + 2L_4R_4Z_Lg_m + L_4R_4Z_Lg_m + L_4R_4Z_Lg_m + L_4R_4Z_Lg_m\right)}$$

10.55 INVALID-ORDER-55 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, R_5 + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{L_4 R_4 Z_L g_m s + s^2 \left(C_5 L_4 R_4 R_5 Z_L g_m - C_5 L_4 R_4 Z_L\right)}{2 R_4 Z_L g_m + s^3 \left(2 C_4 C_5 L_4 R_4 R_5 Z_L g_m + 2 C_4 C_5 L_4 R_4 Z_L\right) + s^2 \left(2 C_4 L_4 R_4 Z_L g_m + C_5 L_4 R_4 Z_L g_m + 2 C_5 L_4 R_4 Z_L g_m + 2 C_5 L_4 Z_L\right) + s \left(2 C_5 R_4 R_5 Z_L g_m + 2 C_5 R_4 Z_L + L_4 R_4 g_m + 2 L_4 Z_L g_m\right)}$$

10.56 INVALID-ORDER-56 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, L_5 s + \frac{1}{C_5 s}\right)$

$$H(s) = \frac{C_5L_4L_5R_4Z_Lg_ms^3 - C_5L_4R_4Z_Ls^2 + L_4R_4Z_Lg_ms}{2C_4C_5L_4L_5R_4Z_Lg_ms^4 + 2R_4Z_Lg_m + s^3\left(2C_4C_5L_4R_4Z_L + C_5L_4L_5R_4g_m + 2C_5L_4L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m + C_5L_4R_4 + 2C_5L_4Z_L + 2C_5L_5R_4Z_Lg_m\right) + s\left(2C_5R_4Z_L + L_4R_4g_m + 2L_4Z_Lg_m\right)}$$

10.57 INVALID-ORDER-57 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \frac{L_5 s}{C_5 L_5 s^2 + 1}\right)$

$$H(s) = \frac{-C_5L_4L_5R_4Z_Ls^3 + L_4L_5R_4Z_Lg_ms^2 - L_4R_4Z_Ls}{2C_4C_5L_4L_5R_4Z_Ls^4 + 2R_4Z_L + s^3\left(2C_4L_4L_5R_4Z_Lg_m + 2C_5L_4L_5R_4Z_Lg_m + C_5L_4L_5Z_L\right) + s^2\left(2C_4L_4R_4Z_L + 2C_5L_5R_4Z_L + L_4L_5R_4g_m + 2L_4L_5Z_Lg_m\right) + s\left(2L_4R_4Z_Lg_m + L_4R_4 + 2L_4Z_L + 2L_5R_4Z_Lg_m\right)}$$

10.58 INVALID-ORDER-58 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, L_5 s + R_5 + \frac{1}{C_5 s}\right)$

$$C_5L_4L_5R_4Z_Lg_ms^3 + L_4R_4Z_Lg_ms + s^2\left(C_5L_4R_4R_5Z_Lg_m - C_5L_4R_4Z_L\right)$$

$$H(s) = \frac{C_5L_4L_5R_4Z_Lg_ms^3 + L_4R_4Z_Lg_ms + s^2\left(C_5L_4R_4R_5Z_Lg_m - C_5L_4R_4Z_L\right)}{2C_4C_5L_4L_5R_4Z_Lg_ms^4 + 2R_4Z_Lg_m + s^3\left(2C_4C_5L_4R_4R_5Z_Lg_m + 2C_5L_4L_5R_4g_m + 2C_5L_4L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_5L_4R_4Z_Lg_m + C_5L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_5L_4R_4Z_Lg_m + C_5L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + 2C_5L_4R_4Z_Lg_m + 2C_$$

10.59 INVALID-ORDER-59 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}\right)$

$$-C_5L_4L_5R_4R_5Z_Ls^3 - L_4R_4R_5Z_Ls + s^2\left(L_4L_5R_4R_5Z_Lg_m - L_4L_5R_4Z_L\right)$$

$$H(s) = \frac{-C_5L_4L_5R_4R_5Z_Ls^3 - L_4R_4R_5Z_Ls + s^2\left(L_4L_5R_4R_5Z_Lg_m - L_4L_5R_4Z_L\right)}{2C_4C_5L_4L_5R_4R_5Z_Ls^4 + 2R_4R_5Z_Ls^4 + 2R_4R_5Z_Ls^4 + 2R_4R_5Z_Ls^4 + 2C_5L_4L_5R_4R_5Z_Lg_m + 2C_4L_4L_5R_4Z_L + 2C_5L_4L_5R_4R_5Z_Ls^4 + 2C_5L_4L_5R_4Z_L + s^2\left(2C_4L_4R_4R_5Z_Ls + s^2\left(L_4L_5R_4R_5Z_Lg_m - L_4L_5R_4Z_Lg_m + L_4L_5R_4$$

10.60 INVALID-ORDER-60 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \frac{C_5 L_5 R_5 s^2 + L_5 s + R_5}{C_5 L_5 s^2 + 1}\right)$

$$H(s) = \frac{L_4 L_5 R_4 Z_L g_m s^2 + s^3 \left(C_5 L_4 L_5 R_4 R_5 Z_L g_m - C_5 L_4 L_5 R_4 Z_L\right) + s \left(L_4 R_4 R_5 Z_L g_m - L_4 R_4 Z_L\right)}{2 R_4 R_5 Z_L g_m + 2 R_4 Z_L + s^4 \left(2 C_4 C_5 L_4 L_5 R_4 Z_L g_m + 2 C_4 L_5 R_4 Z_L g_m + 2 C_5 L_4 L_5 R_4 Z_L g_m + 2 C_5 L_5 R_4 Z_L g_m$$

10.61 INVALID-ORDER-61
$$Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \frac{R_5 \left(C_5 L_5 s^2 + 1\right)}{C_5 L_5 s^2 + C_5 R_5 s + 1}\right)$$

$$H(s) = \frac{-C_5L_4R_4R_5Z_Ls^2 + s^3\left(C_5L_4L_5R_4R_5Z_Lg_m - C_5L_4L_5R_4Z_L\right) + s\left(L_4R_4R_5Z_Lg_m - L_4R_4Z_L\right)}{2R_4R_5Z_Lg_m + 2R_4Z_L + s^4\left(2C_4C_5L_4L_5R_4Z_Lg_m + 2C_4L_4R_4Z_L\right) + s^2\left(2C_4L_4R_4R_5Z_Lg_m + 2C_4L_4R_4Z_L\right) + s^2\left(2C_4L_4R_4R_4Z_L\right) + s^2\left(2C_4L_4R_4R_4Z_L\right) + s^2\left(2C_4L_4R_4R_4Z_L\right) + s^2\left(2C_4L_4R_4R_4Z_L\right) + s^2\left(2C_4L_4R_4R_4Z_L\right) + s^2\left(2C_4L_4R_4R$$

10.62 INVALID-ORDER-62 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, \frac{1}{C_5s}\right)$

$$H(s) = \frac{-C_4C_5L_4R_4Z_Ls^3 + R_4Z_Lg_m + s^2\left(C_4L_4R_4Z_Lg_m - C_5L_4Z_L\right) + s\left(-C_5R_4Z_L + L_4Z_Lg_m\right)}{R_4g_m + 2Z_Lg_m + s^3\left(2C_4C_5L_4R_4Z_Lg_m + C_4C_5L_4R_4 + 2C_4C_5L_4Z_L\right) + s^2\left(C_4L_4R_4g_m + 2C_4L_4Z_Lg_m + 2C_5L_4Z_Lg_m + C_5L_4\right) + s\left(2C_5R_4Z_Lg_m + C_5R_4Z_Lg_m + C_5R_4Z_Lg_m\right)}$$

10.63 INVALID-ORDER-63 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, \frac{R_5}{C_5R_5s + 1}\right)$

 $H(s) = \frac{-C_4C_5L_4R_4R_5Z_Ls^3 + R_4R_5Z_Lg_m - R_4Z_L + s^2\left(C_4L_4R_4R_5Z_Lg_m - C_4L_4R_4Z_L - C_5L_4R_5Z_L\right) + s\left(-C_5R_4R_5Z_L + L_4R_5Z_Lg_m - L_4Z_L\right)}{R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L + s^3\left(2C_4C_5L_4R_4R_5Z_Lg_m + C_4C_5L_4R_5Z_L\right) + s^2\left(C_4L_4R_4R_5Z_Lg_m + C_4L_4R_4Z_Lg_m + C_4L_4R_4Z_$

10.64 INVALID-ORDER-64 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, R_5 + \frac{1}{C_5s}\right)$

 $H(s) = \frac{R_4 Z_L g_m + s^3 \left(C_4 C_5 L_4 R_4 R_5 Z_L g_m - C_4 C_5 L_4 R_4 Z_L \right) + s^2 \left(C_4 L_4 R_4 Z_L g_m + C_5 L_4 R_5 Z_L g_m - C_5 L_4 Z_L \right) + s \left(C_5 R_4 R_5 Z_L g_m - C_5 R_4 Z_L + L_4 Z_L g_m \right)}{R_4 g_m + 2 Z_L g_m + s^3 \left(C_4 C_5 L_4 R_4 Z_L g_m + C_4 C_5 L_4 R_4 + 2 C_4 C_5 L_4 R_5 Z_L g_m + 2 C_4 L_4 Z_L g_m + C_5 L_4 Z_L g_m + C_5$

10.65 INVALID-ORDER-65 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_4 L_4 s^2 + 1}, L_5 s + \frac{1}{C_5 s}\right)$

 $H(s) = \frac{C_4C_5L_4L_5R_4Z_Lg_m + s^3\left(-C_4C_5L_4R_4Z_L + C_5L_4L_5Z_Lg_m\right) + s^2\left(C_4L_4R_4Z_Lg_m - C_5L_4Z_L + C_5L_5R_4Z_Lg_m\right) + s\left(-C_5R_4Z_L + L_4Z_Lg_m\right)}{R_4g_m + 2Z_Lg_m + s^4\left(C_4C_5L_4L_5R_4g_m + 2C_4C_5L_4L_5Z_Lg_m\right) + s^3\left(2C_4C_5L_4R_4Z_Lg_m + C_4C_5L_4L_5g_m\right) + s^2\left(C_4L_4R_4Z_Lg_m + 2C_4L_4Z_Lg_m + 2C_5L_4Z_Lg_m\right) + s\left(-C_5R_4Z_L + L_4Z_Lg_m\right)} + s\left(-C_5R_4Z_L + L_4Z_Lg_m\right) +$

10.66 INVALID-ORDER-66 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{C_4 L_4 s^2 + 1}, \frac{L_5 s}{C_5 L_5 s^2 + 1}\right)$

 $H(s) = \frac{-C_4C_5L_4L_5R_4Z_Ls^4 - R_4Z_L + s^3\left(C_4L_4L_5R_4Z_Lg_m - C_5L_4L_5Z_L\right) + s^2\left(-C_4L_4R_4Z_L - C_5L_5R_4Z_L + L_4L_5Z_Lg_m\right) + s\left(-L_4Z_L + L_5R_4Z_Lg_m\right)}{2R_4Z_Lg_m + R_4 + 2Z_L + s^4\left(2C_4C_5L_4L_5R_4Z_Lg_m + C_4C_5L_4L_5Z_L\right) + s^3\left(C_4L_4L_5R_4g_m + 2C_4L_4L_5Z_Lg_m + C_5L_4L_5\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4 + 2C_4L_4Z_L + 2C_5L_5R_4Z_Lg_m + C_5L_5R_4Z_Lg_m\right) + s\left(-L_4Z_L + L_5R_4Z_Lg_m\right) + s\left(-L_4Z_L + L_5Z_Lg_m\right) + s\left(-L_$

10.67 INVALID-ORDER-67 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, L_5s + R_5 + \frac{1}{C_5s}\right)$

 $H(s) = \frac{C_4C_5L_4L_5R_4Z_Lg_m s^4 + R_4Z_Lg_m + s^3\left(C_4C_5L_4R_4R_5Z_Lg_m - C_4C_5L_4R_4Z_L + C_5L_4L_5Z_Lg_m\right) + s^2\left(C_4L_4R_4Z_Lg_m + C_5L_4R_5Z_Lg_m - C_5L_4Z_L + C_5L_5R_4Z_Lg_m\right) + s\left(C_5R_4R_5Z_Lg_m - C_5R_4Z_L + C_5L_4R_5Z_Lg_m\right) + s\left(C_5R_4R_5Z_Lg_m + C_5L_4R_5Z_Lg_m + C_5L_4R_5Z_Lg_m\right) + s^2\left(C_4L_4R_4Z_Lg_m + C_5L_4R_5Z_Lg_m + C_5L_4Z_Lg_m\right) + s^2\left(C_4L_4R_4Z_Lg_m + C_5L_4Z_Lg_m + C_5L_4Z_Lg_m\right) + s^2\left(C_4L_4R_4Z_Lg_m + C_5L_4Z_Lg_m + C_5L_4Z_Lg_m\right) + s^2\left(C_4L_4R_4Z_Lg_m + C_4C_5L_4R_4Z_Lg_m + C_4C_5L_4R_4Z_Lg_m\right) + s^2\left(C_4L_4R_4Z_Lg_m + C_4C_5L_4R_4Z_Lg_m + C_5L_4Z_Lg_m\right) + s^2\left(C_4L_4R_4Z_Lg_m + C_5L_4Z_Lg_m + C_5L_4Z_Lg_m\right) + s^2\left(C_4L_4R_4Z_Lg_m + C_5L_4Z_Lg_m$

10.68 INVALID-ORDER-68 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, \frac{L_5R_5s}{C_5L_5R_5s^2 + L_5s + R_5}\right)$

 $H(s) = \frac{-C_4C_5L_4L_5R_4R_5Z_Ls^4 - R_4R_5Z_Ls^4 - R_4R_5Z_Ls^4 - R_4R_5Z_Ls^4 - C_5L_4L_5R_5Z_L) + s^2\left(-C_4L_4R_4R_5Z_L - C_5L_5R_4R_5Z_L + S_4R_5Z_Ls^4 - C_5L_4L_5R_5Z_L\right) + s^2\left(-C_4L_4R_4R_5Z_L - C_5L_5R_4R_5Z_L + S_4R_5Z_Ls^4 - C_5L_4L_5R_5Z_L\right) + s^2\left(-C_4L_4R_4R_5Z_L - C_5L_4L_5R_5Z_L\right) + s^2\left(-C_4L_4R_4R_5Z_L - C_5L_5R_4R_5Z_L\right) + s^2\left(-C_4L_4R_4R_5Z_L - C_5L_5R_4R_5Z_L\right) + s^2\left(-C_4L_4R_4R_5Z_L - C_5L_4L_5R_5Z_L\right) + s^2\left(-C_4L_4R_4R_5Z_L\right) + s^2\left(-C_4L_4R_4R_5Z_L\right) + s^2\left(-C_4L_4R_4R_5Z_L$

10.69 INVALID-ORDER-69 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, \frac{C_5L_5R_5s^2 + L_5s + R_5}{C_5L_5s^2 + 1}\right)$

 $H(s) = \frac{R_4 R_5 Z_L g_m - R_4 Z_L + s^4 \left(C_4 C_5 L_4 L_5 R_4 R_5 Z_L g_m - C_4 C_5 L_4 L_5 R_4 Z_L g_m + C_5 L_4 L_5 R_5 Z_L g_m - C_5 L_4 L_5 Z_L \right) + s^2 \left(C_4 L_4 R_4 R_5 Z_L g_m - C_4 L_5 L_5 R_4 R_5 Z_L g_m - C_4 L_5 R_4 R_5 Z_L g_m + C_5 L_4 L_5 R_$

10.70 INVALID-ORDER-70 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, \frac{R_5\left(C_5L_5s^2 + 1\right)}{C_5L_5s^2 + C_5R_5s + 1}\right)$

 $H(s) = \frac{R_4 R_5 Z_L g_m - R_4 Z_L + s^4 \left(C_4 C_5 L_4 L_5 R_4 R_5 Z_L g_m - C_4 C_5 L_4 L_5 R_4 Z_L\right) + s^3 \left(-C_4 C_5 L_4 R_4 R_5 Z_L + C_5 L_4 L_5 R_5 Z_L g_m - C_5 L_4 L_5 Z_L\right)}{R_4 R_5 g_m + 2 R_4 Z_L g_m + R_4 + 2 R_5 Z_L g_m + 2 C_4 C_5 L_4 L_5 R_4 Z_L g_m + C_4 C_5 L_4 L_5 R_4 Z_L g_m + C_4 C_5 L_4 L_5 R_5 Z_L g_m + 2 C_4 C_5 L_4 L_5 R_5 Z_L g_m + 2 C_4 C_5 L_4 L_5 R_5 Z_L g_m + 2 C_4 C_5 L_4 R_5 Z_L g_m + 2 C_4 C_5 L_4 R_5 Z_L g_m + 2 C_4 C_5 L_4 R_5 Z_L g_m + 2 C_5 L_4 L_5 R_5 Z_L g_m + 2 C_5 L_5 L_5 R_5 Z_L g_m + 2$

$$\textbf{10.71} \quad \textbf{INVALID-ORDER-71} \ \ Z(s) = \left(\infty, \ \infty, \ \infty, \ \frac{R_4 \left(C_4 L_4 s^2 + 1 \right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \ \frac{1}{C_5 s} \right) \\ H(s) = \frac{-C_4 C_5 L_4 R_4 Z_L s^3 + C_4 L_4 R_4 Z_L g_m s^2 - C_5 R_4 Z_L s + R_4 Z_L g_m}{R_4 g_m + 2 Z_L g_m + s^3 \left(2 C_4 C_5 L_4 R_4 Z_L g_m + C_4 C_5 L_4 R_4 + 2 C_4 C_5 L_4 Z_L \right) + s^2 \left(2 C_4 C_5 R_4 Z_L + C_4 L_4 R_4 g_m + 2 C_4 L_4 Z_L g_m \right) + s \left(2 C_4 R_4 Z_L g_m + 2 C_5 R_4 Z_L g_m + C_5 R_4 Z_L g_m + C_5 R_4 Z_L g_m + C_5 R_4 Z_L g_m \right) + s \left(2 C_4 R_4 Z_L g_m + 2 C_5 R_4 Z_L g_m + C_5 R_4 Z_L g_m + C_5 R_4 Z_L g_m \right) + s \left(2 C_4 R_4 Z_L g_m + C_5 R_4 Z_L g_m \right) + s \left(2 C_4 R_4 Z_L g_m + C_5 R_5 Z_L g_m + C_5 R_5 Z_L g_m + C_5 R_5 Z_L g_m + C_5$$

10.72 INVALID-ORDER-72
$$Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \frac{R_5}{C_5R_5s+1}\right)$$

$$H(s) = \frac{-C_4C_5L_4R_4R_5Z_Ls^3 - C_5R_4R_5Z_Ls + R_4R_5Z_Lg_m - R_4Z_L + s^2\left(C_4L_4R_4R_5Z_Lg_m - C_4L_4R_4Z_L\right)}{R_4R_5g_m + 2R_4Z_Lg_m + R_4 + 2R_5Z_Lg_m + 2Z_L + s^3\left(2C_4C_5L_4R_4R_5Z_Lg_m + C_4C_5L_4R_5Z_L\right) + s^2\left(2C_4C_5R_4R_5Z_L + C_4L_4R_4Z_Lg_m + C_4$$

10.73 INVALID-ORDER-73
$$Z(s) = \left(\infty, \infty, \infty, \frac{R_4\left(C_4L_4s^2+1\right)}{C_4L_4s^2+C_4R_4s+1}, R_5 + \frac{1}{C_5s}\right)$$

$$H(s) = \frac{C_4L_4R_4Z_Lg_ms^2 + R_4Z_Lg_m + s^3\left(C_4C_5L_4R_4R_5Z_Lg_m - C_4C_5L_4R_4Z_L\right) + s\left(C_5R_4R_5Z_Lg_m - C_5R_4Z_L\right)}{R_4g_m + 2Z_Lg_m + s^3\left(C_4C_5L_4R_4Z_Lg_m + C_4C_5L_4R_4Z_Lg_m + 2C_4C_5L_4R_5Z_Lg_m + 2C_4C_5R_4Z_L + C_4L_4R_4g_m + 2C_4L_4Z_Lg_m\right) + s\left(2C_4R_4Z_Lg_m + C_5R_4Z_Lg_m + C_5R_4Z_Lg_m + C_5R_4Z_Lg_m + C_5R_4Z_Lg_m + 2C_5Z_Lg_m\right)}$$

10.74 INVALID-ORDER-74
$$Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, L_5s + \frac{1}{C_5s}\right)$$

$$H(s) = \frac{C_4C_5L_4L_5R_4Z_Lg_ms^4 - C_4C_5L_4R_4Z_Ls^3 - C_5R_4Z_Ls + R_4Z_Lg_m + s^2\left(C_4L_4R_4Z_Lg_m + C_5L_5R_4Z_Lg_m\right)}{R_4g_m + 2Z_Lg_m + s^4\left(C_4C_5L_4L_5R_4g_m + 2C_4C_5L_4L_5Z_Lg_m\right) + s^3\left(2C_4C_5L_4R_4Z_Lg_m + C_4C_5L_4R_4Z_Lg_m + C_4C_5L_4R_4Z_Lg_m + C_5L_5R_4Z_Lg_m\right) + s^2\left(2C_4C_5R_4Z_L + C_4L_4R_4g_m + 2C_4L_4Z_Lg_m + C_5L_5Z_Lg_m\right) + s\left(2C_4R_4Z_Lg_m + C_5R_4Z_Lg_m + C_5R_4Z_Lg_m + C_5R_4Z_Lg_m\right) + s^2\left(2C_4C_5R_4Z_Lg_m + C_5L_5R_4Z_Lg_m + C_5L_5R_4Z_Lg_m\right) + s^2\left(2C_4C_5R_4Z_Lg_m + C_5L_5R_4Z_Lg_m + C_5L_5R_4Z_Lg_m\right) + s^2\left(2C_4C_5R_4Z_Lg_m + C_5L_5R_4Z_Lg_m + C_5L_5R_4Z_Lg_m\right) + s^2\left(2C_4C_5R_4Z_Lg_m + C_5R_4Z_Lg_m\right) + s^2\left(2C_4C_5R_4Z_Lg_m + C_5R_4Z_Lg_m\right) + s^2\left(2C_4C_5R_4Z_Lg_m + C_5R_4Z_Lg_m\right) + s^2\left(2C_4C_5R_4Z_Lg_m\right) + s^2\left(2C_4C_5$$

10.75 INVALID-ORDER-75
$$Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \frac{L_5s}{C_5L_5s^2+1}\right)$$

$$H(s) = \frac{-C_4C_5L_4L_5R_4Z_Ls^4 + C_4L_4L_5R_4Z_Lg_ms^3 + L_5R_4Z_Lg_ms - R_4Z_L + s^2\left(-C_4L_4R_4Z_L - C_5L_5R_4Z_L\right)}{2R_4Z_Lg_m + R_4 + 2Z_L + s^4\left(2C_4C_5L_4L_5R_4Z_Lg_m + C_4C_5L_4L_5Z_L\right) + s^3\left(2C_4C_5L_5R_4Z_L + C_4L_4L_5R_4g_m + 2C_4L_4L_5Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4 + 2C_4L_4Z_L + 2C_4L_5R_4Z_Lg_m + C_5L_5R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4 + 2C_4L_4Z_L + 2C_4L_5R_4Z_Lg_m + C_5L_5R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4 + 2C_4L_4R_4Z_Lg_m + C_5L_5R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4Z_Lg_m + C_4L_4R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4Z_Lg_m + C_5L_5R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4Z_Lg_m + C_4L_4R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m + C_4L_4R_4Z_Lg_m\right) + s^2\left(2C_4L_4R_4Z_Lg_m\right) + s^$$

10.76 INVALID-ORDER-76
$$Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, L_5s + R_5 + \frac{1}{C_5s}\right)$$

$$\frac{C_4C_5L_4L_5R_4Z_Lg_ms^4 + R_4Z_Lg_m + s^3\left(C_4C_5L_4R_4R_5Z_Lg_m - C_4C_5L_4R_4Z_Lg_m + C_5L_5R_4Z_Lg_m + s\left(C_5R_4R_5Z_Lg_m - C_5R_4Z_L\right)\right)}{R_4g_m + 2Z_Lg_m + s^4\left(C_4C_5L_4L_5R_4g_m + 2C_4C_5L_4R_4Z_Lg_m + 2C_4C_5L_4R_4Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + 2C_4C_5L_4R_4Z_Lg_m + s^2\left(2C_4C_5R_4Z_Lg_m + s^2\left(2C_4C_5R_4Z_Lg_m + 2C_4C_5L_4R_4Z_Lg_m + C_5L_5R_4Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + 2C_4C_5L_4R_4Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + 2C_4C_5L_4R_4Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + 2C_4C_5L_4R_4Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + 2C_4C_5L_4R_4Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + 2C_4C_5L_4R_4Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + 2C_4C_5L_4R_4Z_Lg_m + s^2\left(2C_4C_5R_4R_5Z_Lg_m + s^2c_4C_5R_4Z_Lg_m + s^2c_4C_5R_4R_5Z_Lg_m + s^2c_4C_5R_4R_5Z_Lg_$$

10.77 INVALID-ORDER-77
$$Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \frac{L_5R_5s}{C_5L_5R_5s^2+L_5s+R_5}\right)$$

$$H(s) = \frac{-C_4C_5L_4L_5R_4R_5Z_Ls^4 - R_4R_5Z_Ls^4 - R_4R_5Z_Ls^4 - R_4R_5Z_Ls^4 - C_4L_4L_5R_4Z_L) + s^2\left(-C_4L_4R_4R_5Z_L - C_5L_5R_4R_5Z_L\right)}{2R_4R_5Z_Lg_m + R_4R_5 + 2R_5Z_L + s^4\left(2C_4C_5L_4L_5R_4R_5Z_Lg_m + C_4L_4L_5R_4R_5Z_L + s^4\left(2C_4C_5L_4L_5R_4R_5Z_Lg_m + C_4L_4L_5R_4R_5Z_Lg_m + C_4L_4L_5R_4Z_Lg_m + C_4L_4L_5R_$$

10.78 INVALID-ORDER-78
$$Z(s) = \left(\infty, \infty, \infty, \frac{R_4\left(C_4L_4s^2+1\right)}{C_4L_4s^2+C_4R_4s+1}, \frac{C_5L_5R_5s^2+L_5s+R_5}{C_5L_5s^2+1}\right)$$

$$H(s) = \frac{C_4L_4L_5R_4Z_Lg_ms^3 + L_5R_4Z_Lg_ms + R_4R_5Z_Lg_m - R_4Z_L + s^4\left(C_4C_5L_4L_5R_4R_5Z_Lg_m - C_4C_5L_4L_5R_4Z_L\right) + s^2\left(C_4L_4R_5Z_Lg_m + C_4C_5L_4L_5R_4Z_Lg_m + C_4C_5L_4L_5R_4Z_Lg_m$$

10.79 INVALID-ORDER-79
$$Z(s) = \left(\infty, \infty, \infty, \frac{R_4\left(C_4L_4s^2+1\right)}{C_4L_4s^2+C_4R_4s+1}, \frac{R_5\left(C_5L_5s^2+1\right)}{C_5L_5s^2+C_5R_5s+1}\right)$$

$$H(s) = \frac{-C_4C_5L_4R_4R_5Z_Ls^3 - C_5R_4R_5Z_Ls + R_4R_5Z_Lg_m - R_4Z_L + s^4\left(C_4C_5L_4L_5R_4R_5Z_Lg_m - C_4C_5L_4R_5Z_Lg_m - C_4C_5L_4R_5Z_Lg_m + C_4C_5$$

11 PolynomialError