Filter Summary Report: TIA,simple,Z2,ZL

Generated by MacAnalog-Symbolix

December 5, 2024

Contents

1	Examined $H(z)$ for TIA simple Z2 ZL: Z_L			
2	HP			
3	BP		6	
	3.1	BP-1 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$	6	
	3.2	$BP-2 Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right) \dots \dots$	6	
	3.3	BP-1 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$ BP-2 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$ BP-3 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$	7	
	3.4	BP-4 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$	7	
	3.5	$BP-4 \ Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right) $ $BP-5 \ Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right) $ $BP-6 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right) $ $BP-7 \ Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right) $	8	
	3.6	BP-6 $Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right)$	8	
	3.7	BP-7 $Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$	9	
	3.8	BP-8 $Z(s) = \left(\infty, \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$	9	
4	\mathbf{LP}		10	

5	\mathbf{BS}		10		
	5.1	BS-1 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$	10		
	5.2	BS-2 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s} \right)}{L_L s + R_L + \frac{1}{C_L s}} \right)$	10		
	5.3	BS-3 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s} \right)}{L_L s + R_L + \frac{1}{C_L s}} \right)$	11		
		BS-4 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$	11		
	5.5	BS-5 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$			
	5.6	BS-6 $Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L \left(L_L s + \frac{1}{C_L s} \right)}{L_L s + R_L + \frac{1}{C_L s}} \right)$	12		
	5.7	BS-7 $Z(s) = \left(\infty, \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s} \right)}{L_L s + R_L + \frac{1}{C_L s}} \right)$	13		
	5.8	BS-8 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, \frac{R_L\left(L_Ls + \frac{1}{C_Ls}\right)}{L_Ls + R_L + \frac{1}{C_Ls}}\right)$	13		
6	GE		14		
7	AP		14		
8	INV	VALID-NUMER	14		
9	9 INVALID-WZ				
10	INV	VALID-ORDER	14		
	10.1	INVALID-ORDER-1 $Z(s) = (\infty, R_2, \infty, \infty, \infty, R_L)$	14		
	10.2	INVALID-ORDER-2 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s}\right)$	15		
	10.3	INVALID-ORDER-3 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$	15		
	10.4	INVALID-ORDER-4 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$	15		
	10.5	INVALID-ORDER-5 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$	15		
	10.6	INVALID-ORDER-6 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$	15		
	10.0	INVALID-ORDER-7 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \infty, \frac{C_L L_L s^2 + 1}{C_L s}\right)$	15		
	10.7	$(\infty, R_2, \infty, \infty, \infty, E_L s + R_L + \frac{1}{C_L s}) \qquad \dots $	10		
		2			

10.8 INVALID-ORDER-8 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$	16
10.9 INVALID-ORDER-9 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L\right)$	16
10.10INVALID-ORDER-10 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$	16
10.11INVALID-ORDER-11 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$	16
10.12INVALID-ORDER-12 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$	16
10.13INVALID-ORDER-13 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$	16
10.14INVALID-ORDER-14 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$	17
10.15INVALID-ORDER-15 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$	17
10.16INVALID-ORDER-16 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$	17
10.17INVALID-ORDER-17 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, R_L\right)$	17
10.18INVALID-ORDER-18 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, \frac{1}{C_L s}\right)$	17
10.19INVALID-ORDER-19 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$	17
10.20INVALID-ORDER-20 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$	18
10.21INVALID-ORDER-21 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$	18
$10.22 \text{INVALID-ORDER-} 22 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} \right) \qquad \dots $	18
$10.23 \text{INVALID-ORDER-23 } Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s} \right) \qquad \dots $	
$10.24 \text{INVALID-ORDER-} 24 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L \right) \dots \dots \dots \dots \dots \dots \dots \dots \dots $	18
$\left(\begin{array}{cccccccccccccccccccccccccccccccccccc$	18
C_{LS}	19
C_2s	19
C_{LS}	19
C_{Ls}	19
$C_{LLLS} + 1$	19
10.31INVALID-ORDER-31 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$	19

10.32 INVALID-ORDER-32 $Z(s) = \Big($	$\left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right) \dots \dots$	20
10.33INVALID-ORDER-33 $Z(s) = \left(\right.$	$\left(\infty,\ L_2s+rac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ R_L ight)$	20
10.34INVALID-ORDER-34 $Z(s) = \left(\right.$	$\left(\infty, L_2s + \frac{1}{C_2s}, \infty, \infty, \infty, \frac{1}{C_Ls}\right)$	20
10.35INVALID-ORDER-35 $Z(s) = \left(\right.$	$\left(\infty,\ L_2s+rac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ rac{R_L}{C_LR_Ls+1} ight)$	20
10.36INVALID-ORDER-36 $Z(s) = \left(\frac{1}{2}\right)^{-1}$	$\left(\infty,\ L_2s+rac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ R_L+rac{1}{C_Ls} ight)$	20
10.37INVALID-ORDER-37 $Z(s) = \left(\frac{1}{2}\right)^{-1}$	$\left(\infty, L_2s + \frac{1}{C_2s}, \infty, \infty, \infty, \infty, L_Ls + \frac{1}{C_Ls}\right)$	20
10.38INVALID-ORDER-38 $Z(s) = \left(\frac{1}{2}\right)^{-1}$	$\left(\infty,\ L_2s+rac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ rac{L_Ls}{C_LL_Ls^2+1} ight)$	21
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\langle \cdot \cdot$	21
10.40INVALID-ORDER-40 $Z(s) = \left(\begin{array}{c} \\ \end{array} \right)$	$\left(\infty, L_2s + \frac{1}{C_2s}, \infty, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2 + 1} + R_L\right)$	21
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\left(\infty, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \infty, R_L\right)$	21
10.42INVALID-ORDER-42 $Z(s) = \left(\begin{array}{c} \\ \end{array} \right)$	$\left(\infty, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \frac{1}{C_Ls}\right)$	21
	$\left(\infty, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \frac{R_L}{C_LR_Ls + 1}\right)$	21
	$\left(\infty, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, R_L + \frac{1}{C_Ls}\right)$	
10.45INVALID-ORDER-45 $Z(s) = \left(\begin{array}{c} \\ \end{array} \right)$	C_2s	22
10.46INVALID-ORDER-46 $Z(s) = \left(\begin{array}{c} \\ \end{array} \right)$	(CLLLS +1)	22
10.47INVALID-ORDER-47 $Z(s) = \left(\begin{array}{c} \\ \end{array} \right)$	C_2s	22
10.48INVALID-ORDER-48 $Z(s) = \left(\begin{array}{c} \\ \end{array} \right)$	$\left(\infty, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2 + 1} + R_L\right) \dots \dots$	22
10.49INVALID-ORDER-49 $Z(s) = \left(\begin{array}{c} \\ \end{array} \right)$	$\left(\infty, \frac{L_2s}{C_2L_2s^2+1}+R_2, \infty, \infty, \infty, R_L\right)$	22
10.50INVALID-ORDER-50 $Z(s) = \left(\begin{array}{c} \\ \end{array} \right)$	$\left(\infty, \frac{L_2s}{C_2L_2s^2+1} + R_2, \infty, \infty, \infty, \frac{1}{C_Ls}\right)$	23
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\left(\begin{array}{cccccccccccccccccccccccccccccccccccc$	23
10.52INVALID-ORDER-52 $Z(s) = \left(\frac{1}{2}\right)$	$\left(\infty, \frac{L_2s}{C_2L_2s^2+1}+R_2, \infty, \infty, \infty, R_L+\frac{1}{C_Ls}\right)$	23
>	C_2L_2s+1	23
	$\begin{pmatrix} C_2L_2s + 1 & - & C_LL_Ls + 1 \end{pmatrix}$	23
10.55INVALID-ORDER-55 $Z(s) = \left(\right.$	$\left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ L_Ls + R_L + \frac{1}{C_Ls}\right) \ \dots $	23

$ \begin{array}{llllllllllllllllllllllllllllllllllll$			
$10.58 \text{INVALID-ORDER-58 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \frac{1}{C_L s} \right) . \qquad 24$ $10.59 \text{INVALID-ORDER-59 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1} \right) . \qquad 24$ $10.60 \text{INVALID-ORDER-60 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_L s} \right) . \qquad 24$ $10.61 \text{INVALID-ORDER-61 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s} \right) . \qquad 25$ $10.62 \text{INVALID-ORDER-62 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} \right) . \qquad 25$ $10.63 \text{INVALID-ORDER-63 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s} \right) . \qquad 25$	10.56 INVALID-ORDER-56 $Z(s) = ($	$\left(\infty, \frac{L_2s}{C_2L_2s^2+1} + R_2, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2+1} + R_L\right) \dots \dots$	24
$10.59 \text{INVALID-ORDER-59 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1} \right) $ $10.60 \text{INVALID-ORDER-60 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_L s} \right) $ $10.61 \text{INVALID-ORDER-61 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, L_L s + \frac{1}{C_L s} \right) $ $10.62 \text{INVALID-ORDER-62 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} \right) $ 25 $10.63 \text{INVALID-ORDER-63 } Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s} \right) $ 25	`	\ <u>'</u>	
10.60INVALID-ORDER-60 $Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_L s} \right)$	10.58INVALID-ORDER-58 $Z(s) = \left(\right.$	$\left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls}\right)$	24
10.61INVALID-ORDER-61 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, L_Ls + \frac{1}{C_Ls}\right)$	10.59INVALID-ORDER-59 $Z(s) = \left(\right.$	$\left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right) \dots $	24
10.62INVALID-ORDER-62 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2 + 1}\right)$	\		
10.63INVALID-ORDER-63 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, L_Ls + R_L + \frac{1}{C_Ls}\right)$	10.61INVALID-ORDER-61 $Z(s) = \left(\right.$	$\left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, L_Ls + \frac{1}{C_Ls}\right)$	25
10.63INVALID-ORDER-63 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, L_Ls + R_L + \frac{1}{C_Ls}\right)$	10.62INVALID-ORDER-62 $Z(s) = \left(\right.$	$\left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2 + 1}\right)$	25
10.64INVALID-ORDER-64 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2 + 1} + R_L\right)$	10.63INVALID-ORDER-63 $Z(s) = \left(\right.$	$\left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, L_Ls + R_L + \frac{1}{C_Ls}\right) \dots \dots$	25
	10.64INVALID-ORDER-64 $Z(s) = \left(\right.$	$(\infty, \frac{R_2(L_2s + \frac{1}{C_2s})}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2 + 1} + R_L)$	25

1 Examined H(z) for TIA simple Z2 ZL: Z_L

$$H(z) = Z_L$$

- 2 HP
- 3 BP

3.1 BP-1
$$Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

Parameters:

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.2 BP-2
$$Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.3 BP-3
$$Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.4 BP-4
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo:
$$\sqrt{\frac{1}{C_L L_L}}$$

bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.5 BP-5
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.6 BP-6
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$

bandwidth:
$$\frac{1}{C_L R_L}$$

K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.7 BP-7
$$Z(s) = \left(\infty, \ \frac{L_{2s}}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.8 BP-8
$$Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \frac{1}{C_Ls + \frac{1}{R_L} + \frac{1}{L_Ls}}\right)$$

$$H(s) = \frac{L_LR_Ls}{C_LL_LR_Ls^2 + L_Ls + R_L}$$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$

K-LP: 0 K-HP: 0 K-BP: R_L Qz: 0 Wz: None

4 LP

5 BS

5.1 BS-1
$$Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

$$H(s) = \frac{R_L\left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}$$

$$\begin{aligned} &\text{Q: } \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \\ &\text{K-HP: } R_L \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

5.2 BS-2
$$Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

$$H(s) = \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}$$

Q:
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
 wo:
$$\sqrt{\frac{1}{C_L L_L}}$$
 bandwidth:
$$\frac{R_L}{L_L}$$
 K-LP: R_L K-HP: R_L K-BP: 0 Qz: None Wz:
$$\sqrt{\frac{1}{C_L L_L}}$$

5.3 BS-3
$$Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

$$H(s) = \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}$$

$$\begin{aligned} & \text{Q:} \ \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ & \text{wo:} \ \sqrt{\frac{1}{C_L L_L}} \\ & \text{bandwidth:} \ \frac{R_L}{L_L} \\ & \text{K-LP:} \ R_L \\ & \text{K-HP:} \ R_L \\ & \text{K-BP:} \ 0 \\ & \text{Qz:} \ \text{None} \\ & \text{Wz:} \ \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

5.4 BS-4
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

$$H(s) = \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}$$

Q:
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
wo:
$$\sqrt{\frac{1}{C_L L_L}}$$
bandwidth:
$$\frac{R_L}{L_L}$$
K-LP: R_L K-HP: R_L K-BP: 0
Qz: None
Wz:
$$\sqrt{\frac{1}{C_L L_L}}$$

5.5 BS-5
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

$$H(s) = \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}$$

$$\begin{aligned} &\text{Q: } \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \\ &\text{K-HP: } R_L \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

5.6 BS-6
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

$$H(s) = \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}$$

Q:
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
wo:
$$\sqrt{\frac{1}{C_L L_L}}$$
bandwidth:
$$\frac{R_L}{L_L}$$
K-LP: R_L K-HP: R_L K-BP: 0
Qz: None
Wz:
$$\sqrt{\frac{1}{C_L L_L}}$$

5.7 BS-7
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_Ls + \frac{1}{C_Ls}\right)}{L_Ls + R_L + \frac{1}{C_Ls}}\right)$$

$$H(s) = \frac{R_L\left(C_LL_Ls^2 + 1\right)}{C_LL_Ls^2 + C_LR_Ls + 1}$$

$$\begin{aligned} &\text{Q: } \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \\ &\text{K-HP: } R_L \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

5.8 BS-8
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_Ls + \frac{1}{C_Ls}\right)}{L_Ls + R_L + \frac{1}{C_Ls}}\right)$$

$$H(s) = \frac{R_L\left(C_LL_Ls^2 + 1\right)}{C_LL_Ls^2 + C_LR_Ls + 1}$$

$$\begin{aligned} &\text{Q: } \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \\ &\text{K-HP: } R_L \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

- 6 GE
- 7 AP
- 8 INVALID-NUMER
- 9 INVALID-WZ
- 10 INVALID-ORDER
- 10.1 INVALID-ORDER-1 $Z(s) = (\infty, R_2, \infty, \infty, \infty, R_L)$

$$H(s) = R_L$$

10.2 INVALID-ORDER-2
$$Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s}\right)$$

$$H(s) = \frac{1}{C_L s}$$

10.3 INVALID-ORDER-3
$$Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.4 INVALID-ORDER-4
$$Z(s) = \left(\infty, R_2, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.5 INVALID-ORDER-5
$$Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.6 INVALID-ORDER-6
$$Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.7 INVALID-ORDER-7
$$Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.8 INVALID-ORDER-8
$$Z(s)=\left(\infty,\ R_2,\ \infty,\ \infty,\ \infty,\ \frac{L_Ls}{C_LL_Ls^2+1}+R_L\right)$$

$$H(s)=\frac{C_LL_LR_Ls^2+L_Ls+R_L}{C_LL_Ls^2+1}$$

10.9 INVALID-ORDER-9
$$Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.10 INVALID-ORDER-10
$$Z(s)=\left(\infty,\ \frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ \frac{1}{C_Ls}\right)$$

$$H(s)=\frac{1}{C_Ls}$$

10.11 INVALID-ORDER-11
$$Z(s)=\left(\infty,\ \frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ \frac{R_L}{C_LR_Ls+1}\right)$$

$$H(s)=\frac{R_L}{C_LR_Ls+1}$$

10.12 INVALID-ORDER-12
$$Z(s)=\left(\infty,\ \frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ R_L+\frac{1}{C_Ls}\right)$$

$$H(s)=\frac{C_LR_Ls+1}{C_Ls}$$

10.13 INVALID-ORDER-13
$$Z(s)=\left(\infty,\ \frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ L_Ls+\frac{1}{C_Ls}\right)$$

$$H(s)=\frac{C_LL_Ls^2+1}{C_Ls}$$

10.14 INVALID-ORDER-14
$$Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.15 INVALID-ORDER-15
$$Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.16 INVALID-ORDER-16
$$Z(s)=\left(\infty,\ \frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ \frac{L_Ls}{C_LL_Ls^2+1}+R_L\right)$$

$$H(s)=\frac{C_LL_LR_Ls^2+L_Ls+R_L}{C_LL_Ls^2+1}$$

10.17 INVALID-ORDER-17
$$Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.18 INVALID-ORDER-18
$$Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{1}{C_Ls}$$

10.19 INVALID-ORDER-19
$$Z(s)=\left(\infty,\ \frac{R_2}{C_2R_2s+1},\ \infty,\ \infty,\ \infty,\ \frac{R_L}{C_LR_Ls+1}\right)$$

$$H(s)=\frac{R_L}{C_LR_Ls+1}$$

10.20 INVALID-ORDER-20
$$Z(s)=\left(\infty,\ \frac{R_2}{C_2R_2s+1},\ \infty,\ \infty,\ \infty,\ R_L+\frac{1}{C_Ls}\right)$$

$$H(s)=\frac{C_LR_Ls+1}{C_Ls}$$

10.21 INVALID-ORDER-21
$$Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.22 INVALID-ORDER-22
$$Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2+1}\right)$$

$$H(s) = \frac{L_Ls}{C_LL_Ls^2+1}$$

10.23 INVALID-ORDER-23
$$Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty, L_Ls + R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_LL_Ls^2 + C_LR_Ls + 1}{C_Ls}$$

10.24 INVALID-ORDER-24
$$Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.25 INVALID-ORDER-25
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.26 INVALID-ORDER-26
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$$

$$H(s) = \frac{1}{C_L s}$$

10.27 INVALID-ORDER-27
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.28 INVALID-ORDER-28
$$Z(s)=\left(\infty,\ R_2+\frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ R_L+\frac{1}{C_Ls}\right)$$

$$H(s)=\frac{C_LR_Ls+1}{C_Ls}$$

10.29 INVALID-ORDER-29
$$Z(s)=\left(\infty,\ R_2+\frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ L_Ls+\frac{1}{C_Ls}\right)$$

$$H(s)=\frac{C_LL_Ls^2+1}{C_Ls}$$

10.30 INVALID-ORDER-30
$$Z(s)=\left(\infty,\ R_2+\frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ \frac{L_Ls}{C_LL_Ls^2+1}\right)$$

$$H(s)=\frac{L_Ls}{C_LL_Ls^2+1}$$

10.31 INVALID-ORDER-31
$$Z(s)=\left(\infty,\ R_2+\frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ L_Ls+R_L+\frac{1}{C_Ls}\right)$$

$$H(s)=\frac{C_LL_Ls^2+C_LR_Ls+1}{C_Ls}$$

10.32 INVALID-ORDER-32
$$Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.33 INVALID-ORDER-33
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.34 INVALID-ORDER-34
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$$

$$H(s) = \frac{1}{C_L s}$$

10.35 INVALID-ORDER-35
$$Z(s)=\left(\infty,\ L_2s+\frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ \frac{R_L}{C_LR_Ls+1}\right)$$

$$H(s)=\frac{R_L}{C_LR_Ls+1}$$

10.36 INVALID-ORDER-36
$$Z(s)=\left(\infty,\ L_2s+\frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ R_L+\frac{1}{C_Ls}\right)$$

$$H(s)=\frac{C_LR_Ls+1}{C_Ls}$$

10.37 INVALID-ORDER-37
$$Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.38 INVALID-ORDER-38
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.39 INVALID-ORDER-39
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.40 INVALID-ORDER-40
$$Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.41 INVALID-ORDER-41
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.42 INVALID-ORDER-42
$$Z(s) = \left(\infty, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{1}{C_Ls}$$

10.43 INVALID-ORDER-43
$$Z(s)=\left(\infty,\ L_2s+R_2+\frac{1}{C_2s},\ \infty,\ \infty,\ \infty,\ \frac{R_L}{C_LR_Ls+1}\right)$$

$$H(s)=\frac{R_L}{C_LR_Ls+1}$$

10.44 INVALID-ORDER-44
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.45 INVALID-ORDER-45
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.46 INVALID-ORDER-46
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.47 INVALID-ORDER-47
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.48 INVALID-ORDER-48
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.49 INVALID-ORDER-49
$$Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L\right)$$
 $H(s) = R_L$

10.50 INVALID-ORDER-50
$$Z(s) = \left(\infty, \frac{L_2s}{C_2L_2s^2+1} + R_2, \infty, \infty, \infty, \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{1}{C_Ls}$$

10.51 INVALID-ORDER-51
$$Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.52 INVALID-ORDER-52
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_LR_Ls + 1}{C_Ls}$$

10.53 INVALID-ORDER-53
$$Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.54 INVALID-ORDER-54
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1}\right)$$

$$H(s) = \frac{L_Ls}{C_LL_Ls^2+1}$$

10.55 INVALID-ORDER-55
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ L_Ls + R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_LL_Ls^2 + C_LR_Ls + 1}{C_Ls}$$

10.56 INVALID-ORDER-56
$$Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.57 INVALID-ORDER-57
$$Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.58 INVALID-ORDER-58
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{1}{C_Ls}$$

10.59 INVALID-ORDER-59
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.60 INVALID-ORDER-60
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.61 INVALID-ORDER-61
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ L_Ls + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.62 INVALID-ORDER-62
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.63 INVALID-ORDER-63
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ L_Ls + R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.64 INVALID-ORDER-64
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_LL_LR_Ls^2 + L_Ls + R_L}{C_LL_Ls^2 + 1}$$