Filter Summary Report: TIA,simple,Z5

Generated by MacAnalog-Symbolix

December 10, 2024

Contents

1 Examined $H(z)$ for TIA simple Z5: $\frac{25g_m-1}{2g_m}$
2 HP
3 BP
$4~{ m LP}$
$5~\mathrm{BS}$
6 GE 6.1 GE-1 $Z(s) = \left(\infty, \ \infty, \ \infty, \ \infty, \ \frac{L_5R_5s}{C_5L_5R_5s^2 + L_5s + R_5}, \ \infty\right)$
7 AP
8 INVALID-NUMER
9 INVALID-WZ
10 INVALID-ORDER $10.1 \text{ INVALID-ORDER-1 } Z(s) = (\infty, \infty, \infty, \infty, R_5, \infty) . \\ 10.2 \text{ INVALID-ORDER-2 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{1}{C_{S^5}}, \infty\right) . \\ 10.3 \text{ INVALID-ORDER-3 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{R_5}{C_S R_5 s+1}, \infty\right) . \\ 10.4 \text{ INVALID-ORDER-4 } Z(s) = \left(\infty, \infty, \infty, \infty, R_5 + \frac{1}{C_5 s}, \infty\right) . \\ 10.5 \text{ INVALID-ORDER-5 } Z(s) = \left(\infty, \infty, \infty, \infty, L_5 s + \frac{1}{C_5 s}, \infty\right) . \\ 10.6 \text{ INVALID-ORDER-6 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1}, \infty\right) . \\ 10.7 \text{ INVALID-ORDER-7 } Z(s) = \left(\infty, \infty, \infty, \infty, L_5 s + R_5 + \frac{1}{C_5 s}, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-8 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ 10.8 \text{ INVALID-ORDER-9 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ \\ 10.8 \text{ INVALID-ORDER-9 } Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right) . \\ \\ 10.8 I$
10.8 INVALID-ORDER-8 $Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right)$

- 1 Examined H(z) for TIA simple Z5: $\frac{Z_5g_m-1}{2g_m}$
- 2 HP
- 3 BP
- 4 LP
- 5 BS
- 6 **GE**
- **6.1** GE-1 $Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 R_5 s}{C_5 L_5 R_5 s^2 + L_5 s + R_5}, \infty\right)$

Parameters:

Q:
$$C_5 R_5 \sqrt{\frac{1}{C_5 L_5}}$$

wo: $\sqrt{\frac{1}{C_5 L_5}}$
bandwidth: $\frac{1}{C_5 R_5}$
K-LP: $-\frac{1}{2g_m}$
K-HP: $-\frac{1}{2g_m}$
K-BP: $\frac{R_5 g_m - 1}{2g_m}$
Qz: $-\frac{C_5 R_5 \sqrt{\frac{1}{C_5 L_5}}}{R_5 g_m - 1}$
Wz: $\sqrt{\frac{1}{C_5 L_5}}$

6.2 GE-2
$$Z(s) = \left(\infty, \infty, \infty, \infty, \frac{R_5(C_5L_5s^2+1)}{C_5L_5s^2+C_5R_5s+1}, \infty\right)$$

Parameters:

$$\begin{aligned} &\text{Q: } \frac{L_5\sqrt{\frac{1}{C_5L_5}}}{R_5} \\ &\text{wo: } \sqrt{\frac{1}{C_5L_5}} \\ &\text{bandwidth: } \frac{R_5}{L_5} \\ &\text{K-LP: } \frac{R_5g_m-1}{2g_m} \\ &\text{K-HP: } \frac{R_5g_m-1}{2g_m} \\ &\text{K-BP: } -\frac{1}{2g_m} \\ &\text{Qz: } \frac{L_5\sqrt{\frac{1}{C_5L_5}}(-R_5g_m+1)}{R_5} \\ &\text{Wz: } \sqrt{\frac{1}{C_5L_5}} \end{aligned}$$

$$H(z) = \frac{Z_5 g_m - 1}{2g_m}$$

$$H(s) = \frac{-C_5 L_5 R_5 s^2 + L_5 R_5 g_m s - L_5 s - R_5}{2g_m \left(C_5 L_5 R_5 s^2 + L_5 s + R_5\right)}$$

$$H(s) = \frac{C_5 L_5 R_5 g_m s^2 - C_5 L_5 s^2 - C_5 R_5 s + R_5 g_m - 1}{2g_m \left(C_5 L_5 s^2 + C_5 R_5 s + 1\right)}$$

- 7 AP
- 8 INVALID-NUMER
- 9 INVALID-WZ
- 10 INVALID-ORDER
- 10.1 INVALID-ORDER-1 $Z(s) = (\infty, \infty, \infty, \infty, R_5, \infty)$

$$H(s) = \frac{R_5 g_m - 1}{2g_m}$$

10.2 INVALID-ORDER-2 $Z(s) = \left(\infty, \infty, \infty, \infty, \frac{1}{C_5 s}, \infty\right)$

$$H(s) = \frac{-C_5 s + g_m}{2C_5 g_m s}$$

10.3 INVALID-ORDER-3 $Z(s) = \left(\infty, \infty, \infty, \infty, \frac{R_5}{C_5 R_5 s + 1}, \infty\right)$

$$H(s) = \frac{-C_5 R_5 s + R_5 g_m - 1}{2g_m (C_5 R_5 s + 1)}$$

10.4 INVALID-ORDER-4 $Z(s) = \left(\infty, \infty, \infty, \infty, R_5 + \frac{1}{C_5 s}, \infty\right)$

$$H(s) = \frac{C_5 R_5 g_m s - C_5 s + g_m}{2C_5 q_m s}$$

10.5 INVALID-ORDER-5 $Z(s) = \left(\infty, \infty, \infty, \infty, L_5 s + \frac{1}{C_5 s}, \infty\right)$

$$H(s) = \frac{C_5 L_5 g_m s^2 - C_5 s + g_m}{2C_5 g_m s}$$

10.6 INVALID-ORDER-6 $Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1}, \infty\right)$

$$H(s) = \frac{-C_5 L_5 s^2 + L_5 g_m s - 1}{2g_m \left(C_5 L_5 s^2 + 1\right)}$$

10.7 INVALID-ORDER-7 $Z(s) = \left(\infty, \infty, \infty, \infty, L_5 s + R_5 + \frac{1}{C_5 s}, \infty\right)$

$$H(s) = \frac{C_5 L_5 g_m s^2 + C_5 R_5 g_m s - C_5 s + g_m}{2C_5 g_m s}$$

10.8 INVALID-ORDER-8 $Z(s) = \left(\infty, \infty, \infty, \infty, \frac{L_5 s}{C_5 L_5 s^2 + 1} + R_5, \infty\right)$

$$H(s) = \frac{C_5 L_5 R_5 g_m s^2 - C_5 L_5 s^2 + L_5 g_m s + R_5 g_m - 1}{2g_m \left(C_5 L_5 s^2 + 1\right)}$$

11 PolynomialError