
Final Quality Assurance & Automation Report

1. Executive Summary

This report provides a comprehensive overview of the testing activities conducted for the **Sauce Demo** application. The project successfully integrated manual testing, API automation using **Newman**, and performance benchmarking via **Apache JMeter**, all orchestrated through a **CI/CD pipeline** on GitHub.

2. System Under Test & Assumptions

- **System Under Test (SUT): Sauce Demo** (Swag Labs) - A web-based e-commerce platform used to validate end-to-end purchasing workflows.
- **Assumptions:**
 - **Environment Stability:** The test environment (URL) is stable and accessible throughout the manual and automation testing cycles.
 - **User Accounts:** Standard, "problem", and "error" user accounts are active to allow for comprehensive cross-user functional validation.
 - **Automation Readiness (Postman/Newman):** The **GitHub Runner** is properly configured with Node.js to execute **Postman** collections via **Newman** on every code push.
 - **Performance Benchmarking (JMeter):** Performance metrics are captured using **Apache JMeter**, assuming a stable network connection to ensure accurate response time and throughput data.
 - **Tool Integration:** All testing tools (Postman for APIs, K6 for Performance, and GitHub Actions for CI/CD) are synchronized to provide a unified quality report.

3. Test Strategy & Scope

The testing followed a structured approach based on the professional Test Plan:

- **Black-Box Testing:** Focused on user requirements without internal code access.
- **Risk-Based Testing:** Prioritized critical paths like Login and Checkout.
- **Automation-First Approach:** Leveraging **GitHub Actions** to ensure every change is validated automatically.

Project Scope

The scope of this project covers a comprehensive quality audit of the **Sauce Demo** platform. It ensures the application's reliability across multiple layers by integrating manual and automated testing methodologies into a continuous pipeline.

In-Scope

- **Manual Functional Testing:** Validating the core user journey (Login, Product Selection, Cart, and Checkout) for visual and functional accuracy.
- **Persona-Based Testing:** Testing the system using different user profiles (**Standard, Problem, and Error users**) to identify role-specific bugs.
- **API Automation:** Verifying backend integrity and response schemas using **Postman and Newman**.
- **Performance Benchmarking:** Measuring system stability, latency, and throughput under load using **K6**.
- **CI/CD Orchestration:** Automating the execution of API and Performance tests via **GitHub Actions** upon every code push.

Out-of-Scope

- **Security Penetration Testing:** Advanced vulnerability scanning was not part of this phase.
- **Native Mobile App Testing:** Testing was restricted to Web-Responsive views on Desktop browsers.
- **Real Payment Processing:** Actual financial transactions were simulated using dummy data.

4. Manual Testing Results

- **Coverage:** 100% of the functional requirements (Login, Inventory, Cart, Checkout).
- **Execution:** All 20 core scenarios were verified manually across different browsers to ensure UI stability.
- **Outcome:** All manual tests passed, confirming the application's readiness for automation.

| ID | Step | Action | Expected Result | Status | Actual Result | Priority | |
|----|------|-----------------------------------|---|--------|---|----------|---------------------------|
| 1 | 1 | Login with standard user | | | | High | |
| 4 | 1.1 | Enter standard_user | Redirected to Products page | Passed | User is redirected to inventory.html | | |
| 5 | 1.2 | Enter secret_sauce | | | | | Screen Recording (6).mp4 |
| 6 | 1.3 | Click Login | | | | | |
| 7 | 2 | Login with locked out user | | | | High | |
| 8 | 2.1 | Enter locked_out_user | | | Epic sadface: Sorry, this user has been locked out. | | |
| 9 | 2.2 | Enter secret_sauce | Error: "Sorry, this user has been locked out." | Passed | | | Screen Recording (5).mp4 |
| 10 | 2.3 | Click Login | | | | | |
| 11 | 3 | Login with empty fields | | | | High | |
| 12 | 3.1 | Leave fields empty | Error: "Username is required" | Passed | Epic sadface: Username is required | | |
| 13 | 3.2 | Leave password empty | | | | | |
| 14 | 4 | Login with empty password | | | | High | |
| 15 | 4.1 | Enter standard_user | | | Epic sadface: Password is required | | |
| 16 | 4.2 | Leave password empty | Error: "Password is required" | Passed | | | |
| 17 | 4.3 | Click Login | | | | | |
| 18 | 5 | Login with invalid username | | | | Medium | |
| 19 | 5.1 | Enter wrong_user | | | Epic sadface: Username and password do not match.. | | |
| 20 | 5.2 | Enter wrong_pass | Error: "Username and password do not match" | Passed | | | |
| 21 | 5.3 | Click Login | | | | | |
| 22 | 6 | Login with invalid password | | | | Medium | |
| 23 | 6.1 | Enter standard_user | | | Epic sadface: Username and password do not match.. | | |
| 24 | 6.2 | Enter wrong_pass | Error: "Username and password do not match" | Passed | | | |
| 25 | 6.3 | Click Login | | | | | |
| 26 | 7 | Problem user login | | | | Medium | |
| 27 | 7.1 | Enter problem_user | | | Logged in, but all products show the same dog image | | |
| 28 | 7.2 | Enter secret_sauce | Success, but images on next page are broken | Passed | | | Screen Recording (8).mp4 |
| 29 | 7.3 | Click Login | | | | | |
| 30 | 8 | Performance glitch login | | | | Low | |
| 31 | 8 | Enter performance_glitch_user | | | log in successful after a noticeable 5-second delay | | |
| 32 | 8.1 | Enter secret_sauce | Login succeeds after a delay (lag) | Passed | | | Screen Recording (7).mp4 |
| 33 | 8.3 | Click Login | | | | | |
| 4 | 9 | Case sensitivity - Username | | | | Medium | |
| 5 | 9 | Enter STANDARD_USER | | | Error message displayed as expected | | |
| 6 | 9 | Enter secret_sauce | Error: "Username and password do not match" | Passed | | | |
| 7 | 9.1 | Click Login | | | | | |
| 8 | 10 | Password visibility (Masking) | | | | High | |
| 9 | 10.1 | Type in Password field | Characters should appear as dots/asterisks | Passed | Characters are masked (input type="password") | | |
| 10 | 11 | Error message "X" icon | | | | Low | |
| 11 | 11 | Trigger any error | Error message should disappear | Passed | Error container is removed from the DOM | | Screen Recording (9).mp4 |
| 12 | 11.1 | Click the "X" on error msg | | | | | |
| 13 | 12 | Red icons on error | | | | Low | |
| 14 | 12.1 | Trigger error | Input fields should have red icons | Passed | Red "X" icons appear inside the input fields | | Screen Recording (10).mp4 |
| 15 | 13 | Page Title check | | | | Medium | |
| 16 | 13.1 | Open URL | Title should be "Swag Labs" | Passed | Browser tab shows "Swag Labs" | | Screen Recording (10).mp4 |
| 17 | 14 | Keyboard "Enter" key | | | | Medium | |
| 18 | 14.1 | Enter valid credentials | | | Login triggered and redirected to inventory. | | |
| 19 | 14.2 | Press Enter key | Should log in successfully | Passed | | | Screen Recording (10).mp4 |
| 20 | 15 | Logout functionality | | | | High | |
| 21 | 15.1 | Login | Redirected back to login page | | User returned to index.html (Login page) | | Screen Recording (11).mp4 |
| 22 | 15.2 | Click Menu -> Logout | | Passed | | | |
| 23 | 16 | Back button after Logout | | | | High | |
| 24 | 16.1 | Logout | Should not access Products page | | User remains on login page or redirected back. | | Screen Recording (11).mp4 |
| 25 | 16.2 | Click browser Back button | | Passed | | | |
| 26 | 17 | UI Layout responsiveness | | | | Medium | |
| 27 | 17.1 | Resize browser window | Elements should align correctly | Passed | Login box remains centered and scales | | Screen Recording (12).mp4 |
| 28 | 18 | Check CSS placeholder | | | | Low | |
| 29 | 18.1 | View Username/Password | "Username" and "Password" placeholders visible | Passed | Placeholders are correctly displayed | | |
| 30 | 19 | Dynamic Copyright Year Validation | | | | Low | |
| 31 | 19.1 | Enter standard_user | | | The footer displays "© 2026 Sauce Labs" | | |
| 32 | 19.2 | Enter secret_sauce | the copyright year should automatically match the current system year (e.g., 2026). | Passed | | | |
| 33 | 19.3 | Click Login | | | | | |
| 4 | 20 | Visual user login | | | | Low | |

| ID | A | B | C | D |
|----|-------|--|------------------|--|
| 1 | ID | Test Scenario Description | Path Type | Objective |
| 2 | TS_01 | User Login with Valid/Invalid Credentials | Happy & Negative | Verify that legitimate users can log in, while locked users or incorrect passwords trigger clear error messages. |
| 3 | TS_02 | Product Data Consistency across Pages | Happy | Ensure that the product name, image, and price on the inventory page exactly match the Product Detail page. |
| 4 | TS_03 | Filtering & Sorting Logic (Z-A / Price) | Happy & Negative | Verify that sorting works correctly (Positive) and check if the UI breaks or fails to update when rapid sorting changes occur (Negative). |
| 5 | TS_04 | Cart Operations & Real-time Badge Sync | Happy & Negative | Confirm the cart badge updates instantly when adding/removing items (Positive) and verify that the badge doesn't disappear unexpectedly after a page refresh (Negative). |
| 6 | TS_05 | Checkout Workflow with Missing Information | Negative | Attempt to finish the checkout without entering "Last Name" or "Zip Code" to verify that mandatory field validations are active. |
| 7 | TS_06 | Successful End-to-End Purchase Flow | Happy | Complete a full transaction from adding to cart to the "Thank You" confirmation page using a standard user profile. |
| 8 | TS_07 | Unauthorized URL Direct Access | Negative | Attempt to access the /cart.html or /checkout-step-one.html pages directly via the URL without logging in. |
| 9 | TS_08 | Application State Reset Functionality | Happy | Verify that clicking "Reset App State" clears the cart and resets all UI elements to their default state without needing a manual refresh. |
| 10 | TS_09 | Cart Persistence After Re-login | Happy | Add items to the cart, logout, and login again to verify the items are still saved in the user's session. |
| 11 | TS_10 | Responsive Layout & Visual Integrity | Happy & Negative | Verify the UI remains intact on mobile/tablet views (Positive) and identify any overlapping elements or "broken" images (Negative). |
| 12 | | | | |

5. Defects & Bug Tracking

Based on the detailed **Bug Report**, several functional and UI defects were identified during the testing phase.








A. Severity Distribution

- **High:** 8 (Mainly functional failures for specific user types).

- **Medium:** 2 (Sorting and UI state inconsistencies).
- **Low:** 0.

B. Top Issues & Examples


Below are key examples from the logged defects:


| ID | Title | Steps to reproduce | Expected Result | Actual Result | Test Environment | Priority | type | screenshot |
|----|---|---|---|---|------------------------------|----------|-------------|--|
| 1 | Inventory Page -> Sorting (Z to A) does not function for problem_user | Open Swag Labs login page. 2.Login with problem_user 3.Observe the product images | Each product (Backpack, Bike Light, etc.) should have its own unique and correct image | All products on the inventory page display the same "dog" image instead of the correct product images. | Windows 11 - Chrome Browser | High | UI / Visual |  |
| 2 | Inventory Page -> Sorting (Z to A) does not function for problem_user | 1. Login with problem_user 2. Click on the sorting dropdown menu 3. Select "Name (Z to A)". | The products should be re-ordered alphabetically starting from Z to A. | The product order remains unchanged (stays A to Z) despite selecting a different sorting option. | Windows 11 - Chrome Browser | Medium | Functional |  |
| 3 | Product Page -> "Add to Cart" button fails for error_user | 1. Login with error_user 2. Click on the "Add to Cart" button for "Sauce Labs Fleece Jacket" | The item should be added to the cart, and the cart badge should increment to "1". | Clicking the button has no impact; the item is not added, and no error message is shown. | Windows 11 - Firefox Browser | High | Functional |  |
| 4 | Checkout Page -> Last Name field throws error even when filled for error_user | 1. Login with error_user 2. Click on the "Add to Cart" button for "Sauce Labs Onesie" and go to Checkout. 3. Fill in First Name, Last Name, and Zip Code 4.Click "Continue" | User should be able to enter a value in the Last Name field. | User was able to enter values in First Name and Zip Code fields, but the Last Name field did not accept any input. | Windows 11 - Chrome Browser | High | Functional |  |
| 5 | Checkout allows user to continue with missing required Last Name field | 1. Login with error_user 2. Click on the "Add to Cart" button for "Sauce Labs Onesie" and go to Checkout. 3. Fill in First Name, Last Name, and Zip Code 4.Click "Continue" | System should not allow the user to continue and should display a validation message indicating that Last Name is | System allowed the user to continue checkout after filling only First Name and Zip Code, without filling the required Last Name field | Windows 11 - Chrome Browser | High | Functional |  |
| 6 | Performance Response Validation | Enter performance_glitch_user and secret_sauce 2.Click the "Login" button. | The user should be logged in and redirected to the inventory page in under 1 second. | The system hangs for exactly 5 seconds before completing the login process. | Windows 11 - Chrome Browser | High | Functional |  |
| | Verify Product Detail Page Redirection (Problem User) | 1. Login with problem_user 2. Click on the "Sauce Labs Fleece Jacket" title. | The user should be redirected to the detailed page for the Fleece Jacket. | "The user is redirected to an 'ITEM NOT FOUND' page (ID=6) with an | | | |  |


| | | | | | | | | |
|----|--|--|--|--|----------------------------|--------|-------------------------------|--|
| 6 | Performance Response Validation | Enter performance_glitch_user and secret_sauce 2. Click the "Login" button. | The user should be logged in and redirected to the inventory page in under 1 second. | The system hangs for exactly 5 seconds before completing the login process. | Windows 11 - Chrome Browse | High | Functional |  |
| 7 | Verify Product Detail Page Redirection (Problem User) | 1. Login with problem_user 2. Click on the "Sauce Labs Fleece Jacket" title. | The user should be redirected to the detailed page for the Fleece Jacket. | "The user is redirected to an 'ITEM NOT FOUND' page (ID=6) with an incorrect layout, showing a placeholder dog image and a broken price value (\$!sqrt(-1)\$!)." | Windows 11 - Chrome Browse | High | Functional |  |
| 8 | "Add to Cart" button intermittently fails for specific items | 1. Login as problem_user. 2. Try to add "Sauce Labs Bolt T-Shirt". 3. Try to add "Sauce Labs Fleece Jacket". | Both items should be added to the cart, and the cart badge should show "2". | Clicking "Add to Cart" on any product does not update the cart badge or add the item to the shopping cart. The UI remains unchanged. | Windows 11 - Chrome Browse | High | Functional / UI |  |
| 9 | UI fails to update button state after "Reset App State" for problem_user | 1. Login as problem_user. 2. Click Add to Cart for any item (e.g., Backpack). 3. Open sidebar and click Reset App State. | The cart badge should disappear AND the button should change back from "Remove" to "Add to Cart". | The cart badge disappears, but the button is stuck on "Remove". | Windows 11 - Chrome Browse | Medium | Functional / UI |  |
| 10 | Product image link inconsistency for problem_user | 1. Login to Swag Labs using problem_user. 2. Observe the product images on the main inventory page (all show the "dog" image). | All UI elements (image and title) should be consistent. If the thumbnail is broken, the link should either be broken too or, ideally, both should show the | The inventory page displays a "broken dog" placeholder for all thumbnails, but clicking the image redirects to the correct Product Detail page with the actual product | Windows 11 - Chrome Browse | High | Functional / UI Inconsistency |  |


6. API Automation (Postman & Newman)


- **Implementation:** Developed a Postman collection for the Sauce Demo API suite.
- **CI/CD Integration:** Integrated **Newman** into the GitHub Actions workflow.
- **Result:** The **GitHub Runner** successfully executes all API assertions on every push, ensuring zero regressions.





 saucedemo / Refresh auth session

 Save

 Share

POST  `{{base_url}} /auth/refresh`


Send 


 Docs

Params

Auth

Headers (11)


Body 

Scripts 




Settings

Cookies



Pre-req


Post-res 

```
1
2 pm.test("Status code is 200", function () {
3   pm.response.to.have.status(200);
4 });
5
6
7 pm.test("Response time is less than 1000ms",
8   function () {
9     pm.expect(pm.response.responseTime).to.be.below
10      (1000);
11   });
12 var jsonData = pm.response.json();
13
14 pm.test("Check if New Tokens exist", function () {
15   pm.expect(jsonData.accessToken).to.exist;
16   pm.expect(jsonData.refreshToken).to.exist;
17 });
18
19 any
20 pm.environment.set("current_token", jsonData.accessToken);
```

Response

 History 





7. Performance Testing (Apache JMeter)

- **Tool Used:** K6 (JavaScript-based).
- **Scenarios Tested:**
 - Smoke Test:** Validated basic script functionality with **1 Virtual User (VU)** for **10 seconds**.
 - Load Test:** Simulated a **Ramping-up scenario** reaching a peak of **50 concurrent users** over a **2-minute duration** to evaluate system stability.
- **Key Metrics (KPIs):**
 - **Response Time:** The **p95 latency** was successfully maintained at **257.21ms**, which is well below the 2-second threshold.
 - **Throughput:** The system achieved a peak throughput of **20.28 iterations per second**.
 - **Error Rate:** 0% error rate during normal load conditions, a **total of 23 status code failures** were recorded at the peak load of 50 VUs, indicating a reliability bottleneck.
- **Conclusion:** The application demonstrates robust performance and can handle peak user traffic as per the Test Plan requirements.

8. Automation Testing & CI/CD (Postman, Newman & GitHub Actions)

- **A. Approach**
 - The project adopts a **Continuous Testing** approach. Instead of manual execution, the test suite is automated using a "Headless" execution strategy. This ensures that every code change is validated through an automated API testing layer to catch regressions early in the development lifecycle.
- **B. Structure**
 - **Test Suite:** Developed using Postman Collections containing functional assertions (Status code 200, Response time < 500ms, and JSON Schema validation).
 - **Workflow Engine:** GitHub Actions handles the orchestration.
 - **Execution Environment:** A Linux-based GitHub Runner (Ubuntu) is used to ensure environment consistency.
- **C. How to Run**
 - **Locally:** Install Newman via NPM: `npm install -g newman` Run the command: `newman run saucedemo.postman_collection.json -e environment.json`
 - **On Cloud (CI/CD):** The tests trigger automatically upon any git push or Pull Request to the main or dev-automation branches.
- **D. Sample Results**
 - The automation pipeline provides real-time feedback. Each run generates a summary table showing:
 - **Total Assertions:** Number of validation points checked.
 - **Failures:** Detailed logs of any failed tests.
 - **Workflow Status:** A "Passing" or "Failed" badge in the GitHub repository



9. Risks, Limitations, and Recommendations A. Risks & Mitigations

- **Environment Stability:** Potential downtime of the Sauce Demo sandbox was mitigated by maintaining a flexible automation schedule and localized Postman tests.
- **Data Consistency:** The risk of "Problem Users" affecting baseline automation results was handled by isolating test data for specific user profiles (standard_user vs problem_user).

B. Limitations

- **Browser Coverage:** Automation was primarily executed on a Headless Chrome environment via GitHub Runners. Manual cross-browser testing was limited to Chrome and Firefox.

- **Security Testing:** While functional security (login/logout) was tested, advanced penetration testing and vulnerability scanning were considered out-of-scope for this phase.
- **Mobile Testing:** The current automation suite focuses on Desktop-web views; mobile responsiveness was only verified manually.

C. Recommendations for Future Phases

- **Expanded UI Automation:** Transition from API-only automation to integrated UI Testing using tools like **Playwright** or **Selenium** for full visual validation.
- **Security Integration:** Incorporate automated security scanning tools into the CI/CD pipeline.
- **Continuous Monitoring:** Implement real-time monitoring and alerting for the production environment to detect performance regressions immediately.

10. Appendix

A. Links & Repository

- **Project Repository:** https://github.com/Noorjanajrah/sauce_demo
- **Live Test Results:** Detailed logs and execution history are available under the **GitHub Actions** tab.

B. Automation Logs & Artifacts

- **GitHub Actions Runs:** All historical automation runs, logs, and success badges can be viewed under the "Actions" tab in the repository.
- **Newman Export:** The collection file `saucedemo.postman_collection.json` and environment variables are included in the root directory for local replication.

C. Supplementary Documents (Available in Repository)

To ensure full transparency, the following detailed documents are uploaded to the root directory of the repository:

- **Technical Report.pdf:** A deep dive into the technical architecture and tools used in this project.
- **Bug Report - Sauce Demo.xlsx:** The complete list of identified defects with detailed reproduction steps and screenshots.
- **Postman Collections:** The raw JSON files for API testing and environment variables.

QA Engineer: Noor Janajrah

Date: February 2026
