$$\cos^{2} x + \sin^{2} x = 1$$

$$1 - \sin^{2} x = (1 + \sin x)(1 - \sin x)$$

$$= \cos^{2} x$$

$$1 - \cos^{2} x = (1 + \cos x)(1 - \cos x)$$

$$= \sin^{2} x$$

$$\tan x = \frac{\sin x}{\cos x}$$

$$1 + \tan^{2} x = \frac{1}{\cos^{2} x}$$

$$(\because \frac{\cos^{2} x}{\cos^{2} x} + \frac{\sin^{2} x}{\cos^{2} x} = \frac{1}{\cos^{2} x})$$

$$1 + \frac{1}{\tan^{2} x} = \frac{1}{\sin^{2} x}$$

$$\tan^{2} x = \frac{1}{\cos^{2} x} - 1$$

$$\cos^{2} x = \frac{1}{1 + \tan^{2} x}$$

$$\sin x = 2 \sin \frac{x}{2} \cos \frac{x}{2}$$

$$\sin x \cos x = \frac{1}{2} \sin 2x$$

$$\cos^2 x - \sin^2 x = \cos 2x$$

$$= (\cos x - \sin x)(\cos x + \sin x)$$

$$= 1 - 2 \cos^2 x$$

$$= 2 \sin^2 x - 1$$

$$\sin^2 x = \frac{1 - \cos 2x}{2}$$

$$\cos^2 x = \frac{1 + \cos 2x}{2}$$

$$1 + \cos x = 2 \cos^2 \frac{x}{2}$$

$$1 - \cos x = 2 \sin^2 \frac{x}{2}$$

$$\frac{1 - \cos x}{1 + \cos x} = \tan^2 \frac{x}{2}$$

$$\sin 2x = (\sin^2 x)' = (1 - \cos^2 x)' = (-\cos^2 x)' = 2 \sin x \cos x$$

$$(\sin x + \cos x)' = \cos x - \sin x$$

$$\sin^{-1} x = \arcsin x$$

$$\cos^{-1} x = \arcsin x$$

$$\cos^{-1} x = \arcsin x$$

$$\cos^{-1} x = \arctan x$$

$$\sin x = \frac{e^x - e^{-x}}{2}$$

$$\cosh x = \frac{e^x + e^{-x}}{2}$$

$$\tanh x = \frac{e^x - e^{-x}}{e^x + e^{-x}}$$

$$\cosh^2 x - \sinh^2 x = 1$$

$$x = \sinh t$$

$$e^{t} - e^{-t} - 2x = 0$$

$$e^{2t} - 2e^{t}x - 1 = 0$$

$$e^{t} = x + \sqrt{1 + x^{2}} (\because e^{t} > 0)$$

$$t = \log(x + \sqrt{1 + x^{2}})$$

$$x = \cosh t$$

$$e^{t} + e^{-t} - 2x = 0$$

$$e^{2t} + 2e^{t}x - 1 = 0$$

$$e^{t} = -x \pm \sqrt{1 + x^{2}}$$

$$t = \log(-x \pm \sqrt{1 + x^{2}})$$

$$y = a$$

$$y = x^{r}$$

$$y = \sqrt{x}$$

$$y = \frac{1}{x}$$

$$y = \sin x$$

$$y = \cos x$$

$$y = \tan x$$

$$y = e^{x}$$

$$y = \log x$$

$$y = f(g(x))$$

$$y = f(x)g(x)$$

$$y = f(x)g(x)$$

$$y = \frac{f(x)}{g(x)}$$

$$y = x^{x}$$

$$y = \int_{0}^{x} f(t) dt$$

$$x^{2} + y^{2} = 1$$

$$x = f(y)$$

$$\begin{cases} x = f(t) \\ y = g(t) \end{cases}$$

$$\int x^r dx \ (r \neq -1)$$

$$\int \frac{1}{x} dx$$

$$\int e^x dx$$

$$\int \log x dx$$

$$\int \sin x dx$$

$$\int \tan x dx$$

$$\int \frac{dx}{\tan x}$$

$$\int \frac{dx}{\cos^2 x}$$

$$\int \frac{dx}{\sin^2 x}$$

$$\int a^x dx \ (a > 0, a \neq 1)$$

$$\frac{dy}{dx} = 0$$

$$\frac{dy}{dx} = rx^{r-1}$$

$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$

$$\frac{dy}{dx} = -\frac{1}{x^2}$$

$$\frac{dy}{dx} = \cos x$$

$$\frac{dy}{dx} = -\sin x$$

$$\frac{dy}{dx} = \frac{1}{\cos^2 x}$$

$$\frac{dy}{dx} = e^x$$

$$\frac{dy}{dx} = \frac{1}{x}$$

$$\frac{dy}{dx} = f'(g(x)) \cdot g'(x)$$

$$\frac{dy}{dx} = f'(x)g(x) + f(x)g'(x)$$

$$\frac{dy}{dx} = f'(x)g(x) - f(x)g'(x)$$

$$\frac{dy}{dx} = \frac{f'(x)g(x) - f(x)g'(x)}{(g(x))^2}$$

$$\frac{dy}{dx} = x^x (1 + \log x)$$

$$\frac{dy}{dx} = f(x)$$

$$\frac{dy}{dx} = \frac{x}{y}$$

$$\frac{dy}{dx} = \frac{x}{y}$$

$$\frac{dy}{dx} = \frac{1}{f'(y)}$$

$$\frac{dy}{dx} = \frac{f'(t)}{g'(t)}$$

$$\int x^r dx \ (r \neq -1) = \frac{1}{r+1} x^{r+1} + C$$

$$\int \frac{1}{x} dx = \log x + C$$

$$\int e^x dx = e^x + C$$

$$\int \log x dx = x \log x - x + C$$

$$\int \sin x dx = -\cos x + C$$

$$\int \cos x dx = \sin x + C$$

$$\int \tan x dx = -\log|\cos x| + C$$

$$\int \frac{dx}{\tan x} = \log|\sin x| + C$$

$$\int \frac{dx}{\cos^2 x} = \tan x + C$$

$$\int \frac{dx}{\sin^2 x} = -\frac{1}{\tan x} + C$$

$$\int a^x dx \ (a > 0, a \neq 1) = \frac{a^x}{\log a} + C$$

$$V_n = \frac{\pi^{\frac{n}{2}}}{\int_0^\infty t^{\frac{n}{2}} e^{-t} \, dt}$$