

Drawer

<https://playdocs1.orangeriver-ad055946.westus2.azurecontainerapps.io/play-docs/docs/ui-components/Overlay/Drawer>

Drawer

The component is a powerful sliding panel that provides a flexible overlay interface for navigation, forms, content display, and interactive elements. It supports multiple positions, sizes, animations, and advanced features like resizing and persistence, making it ideal for creating modern, accessible user interfaces.

```
<ava-drawer>
```

How to use

```
import { AavaDrawerComponent } from "@aava/play-core";
```

```
import { AavaDrawerComponent } from "@aava/play-core";
```

Basic Usage

A simple drawer with default right position and medium size.

```
<aava-drawer [isOpen]="isDrawerOpen" title="Basic Drawer" subtitle="This is a simple drawer example"
(opened)="onDrawerOpened()" (closed)="onDrawerClosed()" (closed)="closeDrawer()"> <div class="drawer-content">
<h4>Welcome to the Drawer!</h4> <p>This is a basic drawer component with default settings:</p> <ul>
<li>Position: Right (default)</li> <li>Size: Medium (default)</li> <li>Overlay: Enabled</li>
<li>Animations: Enabled</li> </ul> <p>You can close this drawer by:</p> <ul> <li>Clicking the X
button</li> <li>Clicking the overlay</li> <li>Pressing the Escape key</li> </ul> </div> <div
slot="footer"> <aava-button label="Close" variant="secondary" (click)="closeDrawer()"> </aava-button>
<aava-button label="Save" variant="primary" (click)="closeDrawer()"> </aava-button> </div></aava-drawer>
```

```
<aava-drawer [isOpen]="isDrawerOpen" title="Basic Drawer" subtitle="This is a simple drawer example"
(opened)="onDrawerOpened()" (closed)="onDrawerClosed()" (closed)="closeDrawer()"> <div class="drawer-content">
<h4>Welcome to the Drawer!</h4> <p>This is a basic drawer component with default settings:</p> <ul>
<li>Position: Right (default)</li> <li>Size: Medium (default)</li> <li>Overlay: Enabled</li>
<li>Animations: Enabled</li> </ul> <p>You can close this drawer by:</p> <ul> <li>Clicking the X
button</li> <li>Clicking the overlay</li> <li>Pressing the Escape key</li> </ul> </div> <div
slot="footer"> <aava-button label="Close" variant="secondary" (click)="closeDrawer()"> </aava-button>
<aava-button label="Save" variant="primary" (click)="closeDrawer()"> </aava-button> </div></aava-drawer>
```

```
isDrawerOpen = false; openDrawer(): void { this.isDrawerOpen = true; } closeDrawer(): void {
this.isDrawerOpen = false; } onDrawerOpened(): void { console.log('Drawer opened'); } onDrawerClosed():
void { console.log('Drawer closed'); }
```

```
isDrawerOpen = false; openDrawer(): void { this.isDrawerOpen = true; } closeDrawer(): void {
this.isDrawerOpen = false; } onDrawerOpened(): void { console.log('Drawer opened'); } onDrawerClosed():
void { console.log('Drawer closed'); }
```

Positions

The drawer component supports four different positions for various use cases.

```
<aava-drawer [isOpen]="rightDrawerOpen" position="right" title="Right Drawer" (closed)="closeDrawer('right')">
<div class="drawer-content"> <h4>Right Position</h4> <p>This drawer slides in from the right side.</p>
<p>This is the default position for drawers.</p> <ul> <li>Perfect for forms and detail panels</li>
<li>Common pattern for editing content</li> <li>Good for mobile-first designs</li> </ul> </div></aava-
drawer><!-- Left Position --><aava-drawer [isOpen]="leftDrawerOpen" position="left" title="Left Drawer"
(closed)="closeDrawer('left')"> <div class="drawer-content"> <h4>Left Position</h4> <p>This drawer slides
in from the left side.</p> <p>Perfect for navigation menus and sidebars.</p> <ul> <li>Traditional
navigation pattern</li> <li>Good for hierarchical menus</li> <li>Familiar to users</li> </ul> </div>
</aava-drawer><!-- Top Position --><aava-drawer [isOpen]="topDrawerOpen" position="top" title="Top Drawer"
(closed)="closeDrawer('top')"> <div class="drawer-content"> <h4>Top Position</h4> <p>This drawer slides in
from the top.</p> <p>Great for notifications or quick actions.</p> <ul> <li>Perfect for
notifications</li> <li>Good for search interfaces</li> <li>Quick access to tools</li> </ul> </div>
</aava-drawer><!-- Bottom Position --><aava-drawer [isOpen]="bottomDrawerOpen" position="bottom" title="Bottom
```

```
Drawer" (closed)="closeDrawer('bottom')"> <div class="drawer-content"> <h4>Bottom Position</h4> <p>This drawer slides in from the bottom.</p> <p>Ideal for mobile-first designs and action sheets.</p> <ul> <li>Mobile-friendly pattern</li> <li>Good for action sheets</li> <li>Thumb-friendly interaction</li> </ul> </div></aava-drawer>
```

```
<aava-drawer [isOpen]="rightDrawerOpen" position="right" title="Right Drawer" (closed)="closeDrawer('right')">
<div class="drawer-content"> <h4>Right Position</h4> <p>This drawer slides in from the right side.</p>
<p>This is the default position for drawers.</p> <ul> <li>Perfect for forms and detail panels</li>
<li>Common pattern for editing content</li> <li>Good for mobile-first designs</li> </ul> </div></aava-drawer><!-- Left Position -->
<aava-drawer [isOpen]="leftDrawerOpen" position="left" title="Left Drawer" (closed)="closeDrawer('left')">
<div class="drawer-content"> <h4>Left Position</h4> <p>This drawer slides in from the left side.</p>
<p>Perfect for navigation menus and sidebars.</p> <ul> <li>Traditional navigation pattern</li>
<li>Good for hierarchical menus</li> <li>Familiar to users</li> </ul> </div>
</aava-drawer><!-- Top Position -->
<aava-drawer [isOpen]="topDrawerOpen" position="top" title="Top Drawer" (closed)="closeDrawer('top')">
<div class="drawer-content"> <h4>Top Position</h4> <p>This drawer slides in from the top.</p>
<p>Great for notifications or quick actions.</p> <ul> <li>Perfect for notifications</li>
<li>Good for search interfaces</li> <li>Quick access to tools</li> </ul> </div>
</aava-drawer><!-- Bottom Position -->
<aava-drawer [isOpen]="bottomDrawerOpen" position="bottom" title="Bottom Drawer" (closed)="closeDrawer('bottom')">
<div class="drawer-content"> <h4>Bottom Position</h4> <p>This drawer slides in from the bottom.</p>
<p>Ideal for mobile-first designs and action sheets.</p> <ul> <li>Mobile-friendly pattern</li>
<li>Good for action sheets</li> <li>Thumb-friendly interaction</li> </ul> </div></aava-drawer>
```

```
// Drawer states for different positions
rightDrawerOpen = false; leftDrawerOpen = false; topDrawerOpen = false; bottomDrawerOpen = false;
openDrawer(position: string): void {
  switch (position) {
    case 'right': this.rightDrawerOpen = true; break;
    case 'left': this.leftDrawerOpen = true; break;
    case 'top': this.topDrawerOpen = true; break;
    case 'bottom': this.bottomDrawerOpen = true; break;
  }
}
closeDrawer(position: string): void {
  switch (position) {
    case 'right': this.rightDrawerOpen = false; break;
    case 'left': this.leftDrawerOpen = false; break;
    case 'top': this.topDrawerOpen = false; break;
    case 'bottom': this.bottomDrawerOpen = false; break;
  }
}
```

```
// Drawer states for different positions
rightDrawerOpen = false; leftDrawerOpen = false; topDrawerOpen = false; bottomDrawerOpen = false;
openDrawer(position: string): void {
  switch (position) {
    case 'right': this.rightDrawerOpen = true; break;
    case 'left': this.leftDrawerOpen = true; break;
    case 'top': this.topDrawerOpen = true; break;
    case 'bottom': this.bottomDrawerOpen = true; break;
  }
}
closeDrawer(position: string): void {
  switch (position) {
    case 'right': this.rightDrawerOpen = false; break;
    case 'left': this.leftDrawerOpen = false; break;
    case 'top': this.topDrawerOpen = false; break;
    case 'bottom': this.bottomDrawerOpen = false; break;
  }
}
```

Sizes

Choose from five predefined sizes or use custom dimensions.

```
<aava-drawer [isOpen]="smallDrawerOpen" size="small" title="Small Drawer" (closed)="closeDrawer('small')">
<div class="drawer-content"> <h4>Small Size (320px)</h4> <p>This is a small drawer perfect for simple forms or quick actions.</p>
<ul> <li>Width: 320px</li> <li>Height: 200px (for top/bottom)</li> <li>Perfect for simple forms</li> <li>Quick actions and notifications</li> </ul> </div></aava-drawer><!-- Medium Size (Default) -->
<aava-drawer [isOpen]="mediumDrawerOpen" size="medium" title="Medium Drawer" (closed)="closeDrawer('medium')">
<div class="drawer-content"> <h4>Medium Size (480px)</h4> <p>This is a medium drawer - the default size, good for most use cases.</p>
<ul> <li>Width: 480px</li> <li>Height: 300px (for top/bottom)</li> <li>Default size</li> <li>Good for most use cases</li> </ul> </div>
</aava-drawer><!-- Large Size -->
<aava-drawer [isOpen]="largeDrawerOpen" size="large" title="Large Drawer" (closed)="closeDrawer('large')">
<div class="drawer-content"> <h4>Large Size (640px)</h4> <p>This is a large drawer great for detailed forms or content.</p>
<ul> <li>Width: 640px</li> <li>Height: 400px (for top/bottom)</li> <li>Great for detailed forms</li> <li>Content-heavy interfaces</li> </ul> </div>
</aava-drawer><!-- Extra Large Size -->
<aava-drawer [isOpen]="extraLargeDrawerOpen" size="extra-large" title="Extra Large Drawer" (closed)="closeDrawer('extra-large')">
<div class="drawer-content"> <h4>Extra Large Size (800px)</h4> <p>This is an extra large drawer for complex interfaces or detailed views.
</p> <ul> <li>Width: 800px</li> <li>Height: 500px (for top/bottom)</li> <li>Complex interfaces</li> <li>Detailed views and dashboards</li> </ul> </div></aava-drawer><!-- Full Size -->
<aava-drawer [isOpen]="fullDrawerOpen" size="full" title="Full Size Drawer" (closed)="closeDrawer('full')">
<div class="drawer-content"> <h4>Full Size (100% viewport)</h4> <p>This drawer takes up the full viewport - essentially a full-screen modal experience.
</p> <ul> <li>Width: 100% viewport</li> <li>Height: 100% viewport</li> <li>Full-screen modal experience</li> <li>Immersive content display</li> </ul> </div></aava-drawer>
```

```
<aava-drawer [isOpen]="smallDrawerOpen" size="small" title="Small Drawer" (closed)="closeDrawer('small')">
<div class="drawer-content"> <h4>Small Size (320px)</h4> <p>This is a small drawer perfect for simple forms or quick actions.</p>
<ul> <li>Width: 320px</li> <li>Height: 200px (for top/bottom)</li> <li>Perfect for simple forms</li> <li>Quick actions and notifications</li> </ul> </div></aava-drawer><!-- Medium Size (Default) -->
<aava-drawer [isOpen]="mediumDrawerOpen" size="medium" title="Medium Drawer" (closed)="closeDrawer('medium')">
<div class="drawer-content"> <h4>Medium Size (480px)</h4> <p>This is a medium drawer - the default size, good for most use cases.</p>
<ul> <li>Width: 480px</li> <li>Height: 300px (for top/bottom)</li> <li>Default size</li> <li>Good for most use cases</li> </ul> </div>
```

```
</aava-drawer><!-- Large Size --><aava-drawer [isOpen]="largeDrawerOpen" size="large" title="Large Drawer"
(closed)="closeDrawer('large')"> <div class="drawer-content"> <h4>Large Size (640px)</h4> <p>This is a
large drawer great for detailed forms or content.</p> <ul> <li>Width: 640px</li> <li>Height: 400px
(for top/bottom)</li> <li>Great for detailed forms</li> <li>Content-heavy interfaces</li> </ul>
</div></aava-drawer><!-- Extra Large Size --><aava-drawer [isOpen]="extraLargeDrawerOpen" size="extra-large"
title="Extra Large Drawer" (closed)="closeDrawer('extra-large')"> <div class="drawer-content"> <h4>Extra
Large Size (800px)</h4> <p> This is an extra large drawer for complex interfaces or detailed views.
</p> <ul> <li>Width: 800px</li> <li>Height: 500px (for top/bottom)</li> <li>Complex
interfaces</li> <li>Detailed views and dashboards</li> </ul> </div></aava-drawer><!-- Full Size --><aava-
drawer [isOpen]="fullDrawerOpen" size="full" title="Full Size Drawer" (closed)="closeDrawer('full')"> <div
class="drawer-content"> <h4>Full Size (100% viewport)</h4> <p> This drawer takes up the full viewport -
essentially a full-screen modal experience. </p> <ul> <li>Width: 100% viewport</li>
<li>Height: 100% viewport</li> <li>Full-screen modal experience</li> <li>Immersive content display</li>
</ul> </div></aava-drawer>
```

```
// Drawer states for different sizes smallDrawerOpen = false; mediumDrawerOpen = false; largeDrawerOpen =
false; extraLargeDrawerOpen = false; fullDrawerOpen = false; openDrawer(size: string): void { switch (size)
{ case 'small': this.smallDrawerOpen = true; break; case 'medium':
this.mediumDrawerOpen = true; break; case 'large': this.largeDrawerOpen = true; break;
case 'extra-large': this.extraLargeDrawerOpen = true; break; case 'full':
this.fullDrawerOpen = true; break; } } closeDrawer(size: string): void { switch (size) { case
'small': this.smallDrawerOpen = false; break; case 'medium': this.mediumDrawerOpen =
false; break; case 'large': this.largeDrawerOpen = false; break; case 'extra-
large': this.extraLargeDrawerOpen = false; break; case 'full': this.fullDrawerOpen =
false; break; } }
```

```
// Drawer states for different sizes smallDrawerOpen = false; mediumDrawerOpen = false; largeDrawerOpen =
false; extraLargeDrawerOpen = false; fullDrawerOpen = false; openDrawer(size: string): void { switch (size)
{ case 'small': this.smallDrawerOpen = true; break; case 'medium':
this.mediumDrawerOpen = true; break; case 'large': this.largeDrawerOpen = true; break;
case 'extra-large': this.extraLargeDrawerOpen = true; break; case 'full':
this.fullDrawerOpen = true; break; } } closeDrawer(size: string): void { switch (size) { case
'small': this.smallDrawerOpen = false; break; case 'medium': this.mediumDrawerOpen =
false; break; case 'large': this.largeDrawerOpen = false; break; case 'extra-
large': this.extraLargeDrawerOpen = false; break; case 'full': this.fullDrawerOpen =
false; break; } }
```

Content Structure

Organize drawer content with header, body, and footer sections.

```
<aava-drawer [isOpen]="basicContentDrawerOpen" title="Basic Content" subtitle="Simple content structure"
(closed)="closeDrawer('basic')"> <div class="content-section"> <h4>Simple Content</h4> <p>This is a basic
drawer with simple content in the body section.</p> <p>The drawer automatically handles scrolling for long
content.</p> <div class="lorem-content"> <p> Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. </p> <p> Ut enim
ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.
</p> <p> Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat
nulla pariatur. </p> </div> </div></aava-drawer><!-- Header & Footer --><aava-drawer
[isOpen]="headerFooterDrawerOpen" title="Header & Footer" subtitle="Complete content structure"
[showFooter]="true" (closed)="closeDrawer('header-footer')"> <div class="content-section"> <h4>Content with
Header and Footer</h4> <p> This drawer demonstrates the complete content structure with header, body,
and footer sections. </p> <div class="content-block"> <h5>Main Content Area</h5> <p> The
body section contains the main content and automatically scrolls when needed. </p> <p>You can
include any HTML content here: forms, lists, images, etc.</p> </div> <div class="content-block">
<h5>Another Section</h5> <p>Multiple content blocks can be organized within the body section.</p> <ul>
<li>Lists work well</li> <li>Tables are supported</li> <li>Forms integrate seamlessly</li>
</ul> </div> </div> <div slot="footer"> <aava-button label="Cancel" variant="secondary"
(click)="closeDrawer('header-footer')"> </aava-button> <aava-button label="Save Changes"
variant="primary" (click)="closeDrawer('header-footer')"> </aava-button> </div></aava-drawer><!--
Custom Header --><aava-drawer [isOpen]="customHeaderDrawerOpen" [showCloseButton]="false"
(closed)="closeDrawer('custom-header')"> <div slot="header"> <div class="custom-header">
<div class="header-left"> <h3>Custom Header</h3> <p>Completely custom header content</p> </div>
<div class="header-right"> <aava-button label="Action" variant="primary" size="sm"> </aava-button>
</div> </div> </div> <div class="content-section"> <h4>Custom Header Example</h4> <p> This drawer
uses a custom header slot instead of the default title/subtitle. </p> <p> You can include any
content in the header: buttons, icons, custom layouts, etc. </p> <div class="custom-content"> <div
class="info-card"> <h5>Custom Layout</h5> <p> With custom headers, you have complete
control over the header design and functionality. </p> </div> </div> </div></aava-drawer>
<!-- Form Content --><aava-drawer [isOpen]="formDrawerOpen" title="Form Drawer" subtitle="Data entry with
validation" [showFooter]="true" (closed)="closeDrawer('form')"> <div class="form-content"> <h4>User
Information Form</h4> <p>Complete the form below to update user information.</p> <div class="form-section">
<aava-textbox label="Full Name" placeholder="Enter full name" [required]="true" >
</aava-textbox> <aava-textbox label="Email" type="email" placeholder="user@example.com"
[required]="true" > </aava-textbox> <aava-textbox label="Phone" type="tel" placeholder="+1 (555)
123-4567"> </aava-textbox> </div> <div class="form-section"> <h5>Preferences</h5> <aava-
checkbox label="Email notifications" [isChecked]="true"> </aava-checkbox> <aava-checkbox label="SMS
notifications" [isChecked]="false"> </aava-checkbox> <aava-checkbox label="Marketing communications"
[isChecked]="false"> </aava-checkbox> </div> </div> <div slot="footer"> <aava-button
```

```
label="Reset" variant="secondary" (click)="closeDrawer('form')" > </aava-button> <aava-button
label="Save User" variant="primary" (click)="closeDrawer('form')" > </aava-button> </div></aava-
drawer><!-- Complex Content --><aava-drawer [isOpen]="complexContentDrawerOpen" title="Complex Content"
subtitle="Advanced content organization" size="large" [showFooter]="true" (closed)="closeDrawer('complex')">
<div class="complex-content"> <div class="content-tabs"> <div class="tab-header"> <button
class="tab-button active">Overview</button> <button class="tab-button">Details</button> <button
class="tab-button">Settings</button> </div> <div class="tab-content"> <div class="tab-panel
active"> <h4>Project Overview</h4> <div class="stats-grid"> <div class="stat-item">
<span class="stat-number">42</span> <span class="stat-label">Tasks</span> </div> </div>
<div class="stat-item"> <span class="stat-number">18</span> <span class="stat-
label">Completed</span> </div> <div class="stat-item"> <span class="stat-
number">75%</span> <span class="stat-label">Progress</span> </div> </div> </div>
<div class="progress-section"> <h5>Project Progress</h5> <div class="progress-bar">
<div class="progress-fill" style="width: 75%"></div> </div> <p>3 weeks remaining until
deadline</p> </div> </div> </div> </div> <div class="content-section"> <h4>Recent
Activity</h4> <div class="activity-list"> <div class="activity-item"> <div class="activity-
icon"> </div> <div class="activity-content"> <h6>Task Updated</h6> <p>User
authentication module completed</p> <span class="activity-time">2 hours ago</span> </div>
</div> <div class="activity-item"> <div class="activity-icon"> </div> <div
class="activity-content"> <h6>Task Completed</h6> <p>Database schema design finalized</p>
<span class="activity-time">1 day ago</span> </div> </div> <div class="activity-item">
<div class="activity-icon"> </div> <div class="activity-content"> <h6>Team Member Added</h6>
<p>Sarah Johnson joined the project</p> <span class="activity-time">3 days ago</span> </div>
</div> </div> </div> <div slot="footer"> <aava-button label="Export"
variant="secondary" (click)="closeDrawer('complex')" > </aava-button> <aava-button
label="Share" variant="secondary" (click)="closeDrawer('complex')" > </aava-button> <aava-
button label="Close" variant="primary" (click)="closeDrawer('complex')" > </aava-button>
</div></aava-drawer>
```

```
<aava-drawer [isOpen]="basicContentDrawerOpen" title="Basic Content" subtitle="Simple content structure"
(closed)="closeDrawer('basic')"> <div class="content-section"> <h4>Simple Content</h4> <p>This is a basic
drawer with simple content in the body section.</p> <p>The drawer automatically handles scrolling for long
content.</p> <div class="lorem-content"> <p> Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. </p> <p> Ut enim
ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.
</p> <p> Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat
nulla pariatur. </p> </div> </div></aava-drawer><!-- Header & Footer --><aava-drawer
[isOpen]="headerFooterDrawerOpen" title="Header & Footer" subtitle="Complete content structure"
[showFooter]="true" (closed)="closeDrawer('header-footer')"> <div class="content-section"> <h4>Content with
Header and Footer</h4> <p> This drawer demonstrates the complete content structure with header, body,
and footer sections. </p> <div class="content-block"> <h5>Main Content Area</h5> <p> The
body section contains the main content and automatically scrolls when needed. </p> <p>You can
include any HTML content here: forms, lists, images, etc.</p> </div> <div class="content-block">
<h5>Another Section</h5> <p>Multiple content blocks can be organized within the body section.</p> <ul>
<li>Lists work well</li> <li>Tables are supported</li> <li>Forms integrate seamlessly</li>
</ul> </div> <div slot="footer"> <aava-button label="Cancel" variant="secondary"
(click)="closeDrawer('header-footer')" > </aava-button> <aava-button label="Save Changes"
variant="primary" (click)="closeDrawer('header-footer')" > </aava-button> </div></aava-drawer><!--
Custom Header --><aava-drawer [isOpen]="customHeaderDrawerOpen" [showCloseButton]="false"
(closed)="closeDrawer('custom-header')"> <div slot="header"> <div class="custom-header"> <div
class="header-left"> <h3>Custom Header</h3> <p>Completely custom header content</p> </div>
<div class="header-right"> <aava-button label="Action" variant="primary" size="sm"> </aava-button>
</div> </div> <div class="content-section"> <h4>Custom Header Example</h4> <p> This drawer
uses a custom header slot instead of the default title/subtitle. </p> <p> You can include any
content in the header: buttons, icons, custom layouts, etc. </p> <div class="custom-content"> <div
class="info-card"> <h5>Custom Layout</h5> <p> With custom headers, you have complete
control over the header design and functionality. </p> </div> </div></aava-drawer>
<!-- Form Content --><aava-drawer [isOpen]="formDrawerOpen" title="Form Drawer" subtitle="Data entry with
validation" [showFooter]="true" (closed)="closeDrawer('form')"> <div class="form-content"> <h4>User
Information Form</h4> <p>Complete the form below to update user information.</p> <div class="form-section">
<aava-textbox label="Full Name" placeholder="Enter full name" [required]="true" > </aava-textbox>
<aava-textbox label="Email" type="email" placeholder="user@example.com" [required]="true" > </aava-textbox>
<aava-textbox label="Phone" type="tel" placeholder="+1 (555) 123-4567"> </aava-textbox> </div>
<div class="form-section"> <h5>Preferences</h5> <aava-
checkbox label="Email notifications" [isChecked]="true"> </aava-checkbox> <aava-checkbox label="SMS
notifications" [isChecked]="false"> </aava-checkbox> <aava-checkbox label="Marketing communications"
[isChecked]="false"> </aava-checkbox> </div> <div slot="footer"> <aava-button
label="Reset" variant="secondary" (click)="closeDrawer('form')" > </aava-button> <aava-button
label="Save User" variant="primary" (click)="closeDrawer('form')" > </aava-button> </div></aava-
drawer><!-- Complex Content --><aava-drawer [isOpen]="complexContentDrawerOpen" title="Complex Content"
subtitle="Advanced content organization" size="large" [showFooter]="true" (closed)="closeDrawer('complex')">
<div class="complex-content"> <div class="content-tabs"> <div class="tab-header"> <button
class="tab-button active">Overview</button> <button class="tab-button">Details</button> <button
class="tab-button">Settings</button> </div> <div class="tab-content"> <div class="tab-panel
active"> <h4>Project Overview</h4> <div class="stats-grid"> <div class="stat-item">
<span class="stat-number">42</span> <span class="stat-label">Tasks</span> </div> </div>
<div class="stat-item"> <span class="stat-number">18</span> <span class="stat-
label">Completed</span> </div> <div class="stat-item"> <span class="stat-
number">75%</span> <span class="stat-label">Progress</span> </div> </div> </div>
<div class="progress-section"> <h5>Project Progress</h5> <div class="progress-bar">
<div class="progress-fill" style="width: 75%"></div> </div> <p>3 weeks remaining until
deadline</p> </div> </div> </div> </div> <div class="content-section"> <h4>Recent
```



```
Activity</h4>      <div class="activity-list">      <div class="activity-item">      <div class="activity-
icon"> </div>      <div class="activity-content">      <h6>Task Updated</h6>      <p>User
authentication module completed</p>      <span class="activity-time">2 hours ago</span>      </div>
</div>      <div class="activity-item">      <div class="activity-icon"> </div>      <div
class="activity-content">      <h6>Task Completed</h6>      <p>Database schema design finalized</p>
<span class="activity-time">1 day ago</span>      </div>      </div>      <div class="activity-item">
<div class="activity-icon"> </div>      <div class="activity-content">      <h6>Team Member Added</h6>
<p>Sarah Johnson joined the project</p>      <span class="activity-time">3 days ago</span>      </div>
</div>      </div>      </div>      <div slot="footer">      <aava-button      label="Export"
variant="secondary"      (click)="closeDrawer('complex')"> </aava-button>      <aava-button
label="Share"      variant="secondary"      (click)="closeDrawer('complex')"> </aava-button>      <aava-
button      label="Close"      variant="primary"      (click)="closeDrawer('complex')"> </aava-button>
</div></aava-drawer>
```

```
basicContentDrawerOpen = false; headerFooterDrawerOpen = false; customHeaderDrawerOpen = false; formDrawerOpen
= false; complexContentDrawerOpen = false; openDrawer(type: string): void { switch (type) { case
'basic':      this.basicContentDrawerOpen = true;      break;      case 'header-footer':
this.headerFooterDrawerOpen = true;      break;      case 'custom-header':      this.customHeaderDrawerOpen =
true;      break;      case 'form':      this.formDrawerOpen = true;      break;      case 'complex':
this.complexContentDrawerOpen = true;      break;      } } closeDrawer(type: string): void { switch (type) {
case 'basic':      this.basicContentDrawerOpen = false;      break;      case 'header-footer':
this.headerFooterDrawerOpen = false;      break;      case 'custom-header':      this.customHeaderDrawerOpen =
false;      break;      case 'form':      this.formDrawerOpen = false;      break;      case 'complex':
this.complexContentDrawerOpen = false;      break;      } }
```

```
basicContentDrawerOpen = false; headerFooterDrawerOpen = false; customHeaderDrawerOpen = false; formDrawerOpen
= false; complexContentDrawerOpen = false; openDrawer(type: string): void { switch (type) { case
'basic':      this.basicContentDrawerOpen = true;      break;      case 'header-footer':
this.headerFooterDrawerOpen = true;      break;      case 'custom-header':      this.customHeaderDrawerOpen =
true;      break;      case 'form':      this.formDrawerOpen = true;      break;      case 'complex':
this.complexContentDrawerOpen = true;      break;      } } closeDrawer(type: string): void { switch (type) {
case 'basic':      this.basicContentDrawerOpen = false;      break;      case 'header-footer':
this.headerFooterDrawerOpen = false;      break;      case 'custom-header':      this.customHeaderDrawerOpen =
false;      break;      case 'form':      this.formDrawerOpen = false;      break;      case 'complex':
this.complexContentDrawerOpen = false;      break;      } }
```

Features

Multiple Positions

- Right: Default position, slides in from the right edge
- Left: Slides in from the left edge, perfect for navigation
- Top: Slides down from the top, ideal for notifications
- Bottom: Slides up from the bottom, great for forms

Size Variants

- Small: 320px width (200px height for top/bottom)
- Medium: 480px width (300px height for top/bottom) - Default
- Large: 640px width (400px height for top/bottom)
- Extra Large: 800px width (500px height for top/bottom)
- Full: 100% viewport width/height
- Custom: Specify exact dimensions with width/height properties

Advanced Features

- Resizable: Enable drag-to-resize functionality
- Persistent: Prevent accidental closing
- Custom Animations: Spring-based animations with reduced motion support
- Overlay Control: Configurable overlay behavior
- Keyboard Navigation: Full keyboard accessibility
- Focus Management: Proper focus trapping and restoration

Accessibility

- ARIA Support: Complete ARIA attributes and roles
- Screen Reader: Full screen reader compatibility
- Keyboard Navigation: Escape key, tab trapping
- Reduced Motion: Respects user motion preferences
- High Contrast: High contrast mode support

API Reference

Inputs

Property	Type	Default	Description
isOpen	boolean	false	Controls the visibility of the drawer
position	DrawerPosition	'right'	Position of the drawer on screen
size	DrawerSize	'medium'	Predefined size of the drawer
showOverlay	boolean	true	Whether to show the backdrop overlay
closeOnOverlayClick	boolean	true	Close drawer when overlay is clicked
closeOnEscape	boolean	true	Close drawer when Escape key is pressed
showCloseButton	boolean	true	Show the close button in header
persistent	boolean	false	Prevent drawer from being closed
resizable	boolean	false	Enable resize functionality
animate	boolean	true	Enable animations
title	string	''	Title displayed in the header
subtitle	string	''	Subtitle displayed in the header
showHeader	boolean	true	Show the header section
showFooter	boolean	false	Show the footer section
width	string	''	Custom width (overrides size)
height	string	''	Custom height (overrides size)
maxWidth	string	''	Maximum width constraint
maxHeight	string	''	Maximum height constraint
zIndex	number	1050	Z-index for drawer positioning
closeIcon	string	'X'	Icon name for close button
closeIconSize	number	20	Size of the close icon
isOpen			
boolean			
false			
position			
DrawerPosition			
'right'			
size			
DrawerSize			
'medium'			
showOverlay			
boolean			
true			
closeOnOverlayClick			

boolean

true

closeOnEscape

boolean

true

showCloseButton

boolean

true

persistent

boolean

false

resizable

boolean

false

animate

boolean

true

title

string

''

subtitle

string

''

showHeader

boolean

true

showFooter
boolean
false
width
string
''
height
string
''
maxWidth
string
''
maxHeight
string
''
zIndex
number
1050
closeIcon
string
'X'
closeIconSize
number
20

Outputs

Event	Type	Description
opened	EventEmitter	Emitted when drawer opens
closed	EventEmitter	Emitted when drawer closes

overlayClick EventEmitter Emitted when overlay is clicked
escapePressed EventEmitter Emitted when Escape key is pressed
opened
EventEmitter<void>
closed
EventEmitter<void>
overlayClick
EventEmitter<void>
escapePressed
EventEmitter<void>

Methods

Method	Parameters	Return Type	Description
open()	None	void	Opens the drawer
close()	None	void	Closes the drawer
toggle()	None	void	Toggles drawer open/closed state
onOverlayClick()	None	void	Handles overlay click event
onCloseClick()	None	void	Handles close button click
onDrawerClick()	Event	void	Prevents event bubbling
getDrawerClasses()	None	string	Returns CSS classes for drawer
getOverlayClasses()	None	string	Returns CSS classes for overlay
getDrawerStyles()	None	object	Returns inline styles for drawer
open()			
void			
close()			
void			
toggle()			
void			
onOverlayClick()			
void			
onCloseClick()			
void			
onDrawerClick()			
Event			

void
getDrawerClasses()
string
getOverlayClasses()
string
getDrawerStyles()
object

Types

type DrawerPosition = "left" "right" "top" "bottom";
type DrawerPosition = "left" "right" "top" "bottom";
type DrawerSize = "small" "medium" "large" "extra-large" "full";
type DrawerSize = "small" "medium" "large" "extra-large" "full";

Content Projection

The drawer component supports content projection with specific slots:

Slot Name Description
[slot=header] Custom content for the header section
[slot=footer] Custom content for the footer section
Default Main content displayed in the body section
[slot=header]
[slot=footer]

CSS Classes

The component provides several CSS classes for styling:

Class Name Description
.ava-drawer Main drawer container
.ava-drawer--open Applied when drawer is open
.ava-drawer--left Left position styling
.ava-drawer--right Right position styling
.ava-drawer--top Top position styling
.ava-drawer--bottom Bottom position styling
.ava-drawer--small Small size styling
.ava-drawer--medium Medium size styling
.ava-drawer--large Large size styling
.ava-drawer--extra-large Extra large size styling
.ava-drawer--full Full size styling
.ava-drawer--resizable Resizable functionality styling
.ava-drawer-overlay Overlay container
.ava-drawer-overlay--open Applied when overlay is visible
.ava-drawer__animation-wrapper Animation wrapper
.ava-drawer__content Content container
.ava-drawer__header Header section
.ava-drawer__header-content Header content area
.ava-drawer__title-section Title and subtitle container
.ava-drawer__title Title element

.ava-drawer__subtitle | Subtitle element
.ava-drawer__header-slot | Header slot container
.ava-drawer__close-section | Close button container
.ava-drawer__body | Main content area
.ava-drawer__footer | Footer section
.ava-drawer__resize-handle | Resize handle

.ava-drawer

.ava-drawer--open

.ava-drawer--left

.ava-drawer--right

.ava-drawer--top

.ava-drawer--bottom

.ava-drawer--small

.ava-drawer--medium

.ava-drawer--large

.ava-drawer--extra-large

.ava-drawer--full

.ava-drawer--resizable

.ava-drawer-overlay

.ava-drawer-overlay--open

.ava-drawer__animation-wrapper

.ava-drawer__content

.ava-drawer__header

.ava-drawer__header-content

.ava-drawer__title-section

.ava-drawer__title

.ava-drawer__subtitle

.ava-drawer__header-slot

.ava-drawer__close-section

.ava-drawer__body

```
.ava-drawer__footer
```

```
.ava-drawer__resize-handle
```

CSS Custom Properties

The component uses CSS custom properties for theming:

Property	Description
--drawer-background	Background color of the drawer
--drawer-border	Border styling for the drawer
--drawer-shadow	Box shadow for the drawer
--drawer-z-index	Z-index for drawer positioning
--drawer-spring-duration	Animation duration (300ms)
--drawer-spring-easing	Animation easing function
--drawer-header-padding	Header padding
--drawer-header-border	Header bottom border
--drawer-header-background	Header background color
--drawer-header-gap	Gap between header elements
--drawer-title-font	Title font styling
--drawer-title-color	Title text color
--drawer-title-weight	Title font weight
--drawer-title-line-height	Title line height
--drawer-subtitle-font	Subtitle font styling
--drawer-subtitle-color	Subtitle text color
--drawer-subtitle-weight	Subtitle font weight
--drawer-subtitle-line-height	Subtitle line height
--drawer-subtitle-margin	Subtitle margin
--drawer-body-padding	Body padding
--drawer-body-background	Body background color
--drawer-body-text-color	Body text color
--drawer-footer-padding	Footer padding
--drawer-footer-border	Footer top border
--drawer-footer-background	Footer background color
--popup-overlay-background	Overlay background color
--global-motion-duration-standard	Standard motion duration
--global-motion-easing-standard	Standard motion easing
--global-spacing-2	Small spacing token
--global-spacing-3	Medium spacing token

```
--drawer-background
```

```
--drawer-border
```

```
--drawer-shadow
```

```
--drawer-z-index
```

```
--drawer-spring-duration
```

```
--drawer-spring-easing
```

```
--drawer-header-padding
```

```
--drawer-header-border
```

```
--drawer-header-background
```

```
--drawer-header-gap
```

```
--drawer-title-font
```

```
--drawer-title-color
```

--drawer-title-weight
--drawer-title-line-height
--drawer-subtitle-font
--drawer-subtitle-color
--drawer-subtitle-weight
--drawer-subtitle-line-height
--drawer-subtitle-margin
--drawer-body-padding
--drawer-body-background
--drawer-body-text-color
--drawer-footer-padding
--drawer-footer-border
--drawer-footer-background
--popup-overlay-background
--global-motion-duration-standard
--global-motion-easing-standard
--global-spacing-2
--global-spacing-3

Best Practices

User Experience

- **Appropriate Size:** Choose drawer size based on content complexity
- **Clear Purpose:** Use descriptive titles and content structure
- **Smooth Interactions:** Enable animations for better UX
- **Consistent Behavior:** Maintain consistent drawer patterns across the app
- **Responsive Design:** Ensure drawers work well on all screen sizes

Performance

- **Conditional Rendering:** Only render drawer content when needed
- **Animation Optimization:** Use hardware-accelerated animations
- **Memory Management:** Clean up event listeners and timeouts

- Change Detection: Leverage OnPush strategy for better performance
- Content Loading: Load heavy content after drawer opens

Accessibility

- Keyboard Navigation: Ensure all interactions work with keyboard
- Screen Reader Support: Provide proper ARIA labels and descriptions
- Focus Management: Trap focus within drawer when open
- Motion Preferences: Respect user's reduced motion preferences
- High Contrast: Ensure visibility in high contrast mode

Content Organization

- Header Structure: Use clear titles and optional subtitles
- Content Hierarchy: Organize content logically within body
- Footer Actions: Place primary actions in footer when appropriate
- Scrolling: Ensure long content scrolls properly within body
- Responsive Content: Adapt content layout for different drawer sizes

Accessibility Guidelines

Screen Reader Support

- ARIA Attributes: Properrole="dialog",aria-modal="true"
- Labels:aria-labelledbyandaria-describedbyfor content identification
- State Announcements: Clear announcements for drawer state changes
- Content Structure: Semantic HTML structure for better navigation

role="dialog"
aria-modal="true"
aria-labelledby
aria-describedby

Keyboard Navigation

- Tab Order: Logical tab order within the drawer
- Escape Key: Close drawer with Escape key (configurable)
- Focus Trapping: Focus remains within drawer when open
- Focus Restoration: Return focus to trigger element when closed

Visual Design

- High Contrast: Ensure sufficient contrast ratios
- Focus Indicators: Clear focus indicators for all interactive elements
- Color Independence: Don't rely solely on color for information
- Text Scaling: Support for text scaling and zoom

Motion and Animation

- Reduced Motion: Respect `prefers-reduced-motion` media query
- Animation Duration: Keep animations smooth but not distracting
- Motion Alternatives: Provide alternatives for users who can't see animations
- Performance: Ensure animations don't cause performance issues

```
prefers-reduced-motion
```

Responsive Behavior

Mobile Adaptations

The drawer component automatically adapts to mobile screens:

- Full Width/Height: Drawers become full viewport on mobile
- Touch Optimization: Optimized for touch interactions
- Viewport Adaptation: Adapts to different mobile viewport sizes
- Performance: Optimized performance for mobile devices

Breakpoint Behavior

- Desktop ($>768\text{px}$): Full drawer with all features
- Mobile ($\leq 768\text{px}$): Optimized drawer for mobile screens
- Content Scaling: Drawer content scales appropriately
- Animation Performance: Optimized animations for different devices

Content Considerations

- Flexible Sizing: Drawer adapts to different content sizes
- Layout Preservation: Maintains layout consistency across devices
- Loading States: Consistent loading experience across platforms
- Performance: Efficient rendering on all device types