

Rating

<https://playdocs1.orangeriver-ad055946.westus2.azurecontainerapps.io/play-docs/docs/ui-components/Inputs/Rating>

Rating

The component provides an intuitive and accessible star rating interface with support for half-star ratings, multiple size variants, and comprehensive keyboard navigation. Perfect for user feedback, product reviews, and any scenario requiring rating input or display.

```
<aava-rating>
```

How to use

```
import { AavaRatingComponent } from "@aava/play-core";
```

```
import { AavaRatingComponent } from "@aava/play-core";
```

Basic Usage

Simple rating implementation with default 5-star scale and interactive functionality.

```
<aava-rating [value]="ratingValue" (rated)="onRatingChange($event)"></aava-rating>
```

```
<aava-rating [value]="ratingValue" (rated)="onRatingChange($event)"></aava-rating>
```

```
onRatingChange(value: number) {    console.log('Rating changed to:', value); }
```

```
onRatingChange(value: number) {    console.log('Rating changed to:', value); }
```

Sizes

Four size variants to accommodate different interface densities and visual hierarchy requirements.

```
<!-- Different size variants --><aava-rating [value]="ratingValue" size="xs" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="ratingValue" size="sm" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="ratingValue" size="md" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="ratingValue" size="lg" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="ratingValue" [size]="40" (rated)="onRatingChange($event)"></aava-rating>
```

```
<!-- Different size variants --><aava-rating [value]="ratingValue" size="xs" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="ratingValue" size="sm" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="ratingValue" size="md" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="ratingValue" size="lg" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="ratingValue" [size]="40" (rated)="onRatingChange($event)"></aava-rating>
```

```
ratingValue = 3.5; ononRatingChange(value: number) {    this.ratingValue = value;    console.log('Rating changed to:', value); }
```

```
ratingValue = 3.5; ononRatingChange(value: number) {    this.ratingValue = value;    console.log('Rating changed to:', value); }
```

Available Sizes

- xs (Extra Small)- 16px stars for very compact interfaces
- sm (Small)- 20px stars for dense interfaces
- md (Medium)- 24px stars for standard layouts (default)

- lg (Large)- 32px stars for prominent placements and better accessibility
- Custom- Numeric values for precise sizing requirements

Half-Star Ratings

Support for precise half-star ratings (e.g., 4.5 stars) with intuitive click positioning.

```
<!-- Half-star ratings --><aava-rating [value]="3.5" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="4.5" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="2.5" (rated)="onRatingChange($event)"></aava-rating><!-- Interactive half-star selection --><aava-rating [value]="currentRating" (rated)="ratingChange($event)"></aava-rating>
```

```
<!-- Half-star ratings --><aava-rating [value]="3.5" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="4.5" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="2.5" (rated)="onRatingChange($event)"></aava-rating><!-- Interactive half-star selection --><aava-rating [value]="currentRating" (rated)="ratingChange($event)"></aava-rating>
```

```
currentRating = 0;onRatingChange(rating: number) { this.currentRating = rating; console.log('Rating changed to:', rating);}
```

```
currentRating = 0;onRatingChange(rating: number) { this.currentRating = rating; console.log('Rating changed to:', rating);}
```

Half-Star Features

- Click Positioning- Left half of star = half rating, right half = full rating
- Hover Preview- Visual feedback shows potential rating before clicking
- Precise Control- Support for ratings like 3.5, 4.5, etc.
- Intuitive UX- Natural interaction pattern users expect

Readonly Mode

Display-only mode for showing existing ratings without user interaction.

```
<aava-rating [value]="4.5" [readonly]="true"></aava-rating>
```

```
<aava-rating [value]="4.5" [readonly]="true"></aava-rating>
```

Readonly Features

- Non-interactive- No click or hover effects
- Display Only- Perfect for showing existing ratings
- Accessibility- Maintains proper ARIA attributes
- Consistent Styling- Same visual appearance as interactive mode

Show Value

Display the numeric rating value alongside the visual stars.

```
<!-- Ratings with numeric values displayed --><aava-rating [value]="4.5" [showValue]="true"></aava-rating>
```

```
<!-- Ratings with numeric values displayed --><aava-rating [value]="4.5" [showValue]="true"></aava-rating>
```

Value Display Features

- Numeric Rating- Shows exact rating (e.g., "4.5")
- Size Variants- Value text scales with star size

- Positioning- Value appears to the right of stars
- Formatting- Always shows one decimal place for precision

Custom Maximum

Flexible rating scales beyond the default 5-star system.

```
<!-- Different rating scales --><aava-rating [value]="3" [max]="3" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="4" [max]="4" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="5" [max]="5" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="7" [max]="10" (rated)="onRatingChange($event)"></aava-rating><!-- Custom scale with half-star --><aava-rating [value]="8.5" [max]="10" (rated)="onRatingChange($event)"></aava-rating>
```

```
<!-- Different rating scales --><aava-rating [value]="3" [max]="3" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="4" [max]="4" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="5" [max]="5" (rated)="onRatingChange($event)"></aava-rating><aava-rating [value]="7" [max]="10" (rated)="onRatingChange($event)"></aava-rating><!-- Custom scale with half-star --><aava-rating [value]="8.5" [max]="10" (rated)="onRatingChange($event)"></aava-rating>
```

```
onRatingChange(rating: number) { console.log('Rating changed to:', rating);}
```

```
onRatingChange(rating: number) { console.log('Rating changed to:', rating);}
```

Custom Scale Features

- Flexible Range- Support for 3, 4, 5, 10, or any number of stars
- Consistent Behavior- Same interaction patterns regardless of scale
- Half-Star Support- Works with any maximum value
- Accessibility- Proper ARIA attributes for custom scales

Accessibility

Accessibility Features

- Keyboard Navigation- Full keyboard support with arrow keys
- ARIA Compliance- Properrole="radiogroup"andaria-checkedattributes
- Screen Reader Support- Clear announcements of current rating
- Focus Management- Visible focus indicators for keyboard users
- High Contrast- Enhanced visibility in high contrast modes
- Motion Preferences- Respects user's reduced motion settings

```
role="radiogroup"
```

```
aria-checked
```

Keyboard Shortcuts

- Arrow Right/Up- Increase rating by 1 star
- Arrow Left/Down- Decrease rating by 1 star
- Enter/Space- Select the currently focused star
- Tab/Shift+Tab- Navigate between stars

API Reference

Inputs

Property	Type	Default	Description
value	number	0	Current rating value (supports halves like 4.5)
max	number	5	Maximum number of stars in the rating scale
readonly	boolean	false	Whether the rating is read-only (non-interactive)
size	number	'xs' 'sm' 'md' 'lg' 'md'	Size of the stars (predefined or custom pixel values)
showValue	boolean	false	Whether to display the numeric rating value

value

number

0

max

number

5

readonly

boolean

false

size

number | 'xs' | 'sm' | 'md' | 'lg'

'md'

showValue

boolean

false

Outputs

Event	Type	Description
rated	EventEmitter	Emitted when user changes the rating value

rated

EventEmitter<number>

CSS Custom Properties

Property	Description
--rating-label-font-family	Font family for rating label text
--rating-label-font-weight	Font weight for rating label text
--rating-label-font-size	Font size (used as line-height) for rating label text
--rating-label-color	Text color for rating label
--rating-label-letter-spacing-sm	Letter spacing for small label text
--rating-label-letter-spacing-medium	Letter spacing for medium label text
--rating-label-letter-spacing-lg	Letter spacing for large label text
--rating-value-font-size-sm	Font size for small value variants (xs & sm)
--rating-value-font-size-md	Font size for medium value variant

--rating-value-font-size-lg Font size for large value variant
--rating-label-font-family
--rating-label-font-weight
--rating-label-font-size
--rating-label-color
--rating-label-letter-spacing-sm
--rating-label-letter-spacing-medium
--rating-label-letter-spacing-lg
--rating-value-font-size-sm
xs
sm
--rating-value-font-size-md
--rating-value-font-size-lg

Best Practices

Design Guidelines

- Choose appropriate sizes- Use larger sizes for primary rating displays, smaller for secondary
- Consider half-star support- Enable for precise rating needs, disable for simpler interfaces
- Show value when needed- Display numeric ratings for clarity in review systems
- Use consistent scales- Stick to common scales (5-star, 10-star) for user familiarity
- Position strategically- Place ratings near relevant content for context

Accessibility

- Always provide labels- Use descriptive labels for screen reader context
- Test keyboard navigation- Ensure full keyboard accessibility
- Consider motion preferences- Respect user's reduced motion settings
- Maintain contrast- Ensure sufficient contrast for all star states
- Provide alternatives- Consider text-based rating alternatives for complex cases

Performance

- Optimize re-renders- Use OnPush change detection strategy when possible
- Efficient event handling- Optimize mouse and keyboard event handlers
- Image optimization- Use optimized SVG assets for stars
- Memory management- Clean up event listeners properly

Form Integration

- Angular Forms- Integrate with reactive and template-driven forms
- Validation- Implement appropriate validation for rating inputs
- Default values- Provide sensible defaults for new ratings
- Error handling- Handle edge cases and invalid inputs gracefully

Use Cases

- Product Reviews- E-commerce product rating systems
- Service Feedback- Customer satisfaction ratings
- Content Rating- Movie, book, or content ratings
- Skill Assessment- Employee or skill evaluation systems
- Quality Metrics- Internal quality or performance ratings

Technical Notes

Star Asset Requirements

The component expects three SVG assets:

- star-filled.svg- For fully rated stars
- star-half.svg- For half-rated stars
- star-outline.svg- For empty stars

```
star-filled.svg
```

```
star-half.svg
```

```
star-outline.svg
```

Half-Star Logic

Half-star ratings are determined by click position:

- Left half of star =index + 0.5
- Right half of star =index + 1.0

```
index + 0.5
```

```
index + 1.0
```

Size Mapping

Predefined sizes map to pixel values:

- extra small: 16px
- small: 20px
- medium: 24px (default)
- large: 32px

```
extra small
```

```
small
```

```
medium
```

large

Custom numeric values are used directly for precise sizing requirements.

Event Handling

The component handles multiple interaction types:

- Mouse: Click for selection, hover for preview
- Keyboard: Arrow navigation, Enter/Space for selection
- Touch: Click events work on touch devices
- Programmatic: Direct value changes via input binding