

## Informasjon til veiledere


### Læringsmål

Oppgaven «7-Segment Display» introduserer flere konsepter:

- En teknikk for å utforske ukjente komponenter
- 7-Segment Display
- Funksjoner og funksjonsskall
- Switch statements

### Merk


Denne oppgaven krever at elevene holder styr på en god del ledninger, og sluttresultatet vil se noe kaotisk ut.



## Løsningsforslag

Display som teller opp og ned med to knapper.

Kobling:



Kode:

```

void blank() {
  for (int led = 6; led <= 13; led++) {
    digitalWrite(led, LOW);
  }
}

void tegn_0() {
  blank();
  digitalWrite(7, HIGH);
  digitalWrite(8, HIGH);
  digitalWrite(9, HIGH);
  digitalWrite(12, HIGH);
  digitalWrite(11, HIGH);
  digitalWrite(10, HIGH);
}

void tegn_1() {
  blank();
  digitalWrite(9, HIGH);
  digitalWrite(12, HIGH);
}

void tegn_2() {
  blank();
  digitalWrite(8, HIGH);
  digitalWrite(9, HIGH);
  digitalWrite(6, HIGH);
  digitalWrite(10, HIGH);
  digitalWrite(11, HIGH);
}

void tegn_3() {
  blank();
  digitalWrite(8, HIGH);
  digitalWrite(9, HIGH);
  digitalWrite(6, HIGH);
  digitalWrite(12, HIGH);
  digitalWrite(11, HIGH);
}

void tegn_4() {
  blank();
  digitalWrite(7, HIGH);
  digitalWrite(6, HIGH);
  digitalWrite(9, HIGH);
  digitalWrite(12, HIGH);
}

```

```

void tegn_5() {
    blank();
    digitalWrite(8, HIGH);
    digitalWrite(7, HIGH);
    digitalWrite(6, HIGH);
    digitalWrite(12, HIGH);
    digitalWrite(11, HIGH);
}

void tegn_6() {
    blank();
    digitalWrite(8, HIGH);
    digitalWrite(7, HIGH);
    digitalWrite(10, HIGH);
    digitalWrite(11, HIGH);
    digitalWrite(12, HIGH);
    digitalWrite(6, HIGH);
}

void tegn_7() {
    blank();
    digitalWrite(8, HIGH);
    digitalWrite(9, HIGH);
    digitalWrite(12, HIGH);
}

void tegn_8() {
    blank();
    digitalWrite(8, HIGH);
    digitalWrite(7, HIGH);
    digitalWrite(6, HIGH);
    digitalWrite(12, HIGH);
    digitalWrite(10, HIGH);
    digitalWrite(11, HIGH);
    digitalWrite(9, HIGH);
}

void tegn_9() {
    blank();
    digitalWrite(8, HIGH);
    digitalWrite(7, HIGH);
    digitalWrite(6, HIGH);
    digitalWrite(9, HIGH);
    digitalWrite(12, HIGH);
}

int minus = 5;
int pluss = 4;
int tall = 0;

void setup() {
    for (int led = 6; led <= 13; led++) {
        pinMode(led, OUTPUT);
    }
    pinMode(pluss, INPUT_PULLUP);
    pinMode(minus, INPUT_PULLUP);
    tegn_0();
}

void oppdater() {
    switch (tall) {
        case 1:
            tegn_1();
            break;
        case 2:
            tegn_2();
            break;
        case 3:
            tegn_3();

```

```

    break;
case 4:
    tegn_4();
    break;
case 5:
    tegn_5();
    break;
case 6:
    tegn_6();
    break;
case 7:
    tegn_7();
    break;
case 8:
    tegn_8();
    break;
case 9:
    tegn_9();
    break;
case 10:
    tall = 9;
    break;
default:
    tegn_0();
    tall = 0;
    break;
}
digitalWrite(13, HIGH);
delay(150);
digitalWrite(13, LOW);
delay(150);
}

void loop() {
    if (digitalRead(pluss) == LOW) {
        tall += 1;
        oppdater();
    }
    if (digitalRead(minus) == LOW) {
        tall -= 1;
        oppdater();
    }
}
}

```