

## Chapter 7

# Reflection of Light

Class 9 - Concise Physics Selina Solutions

## Exercise 7(A) — Multiple Choice Type

### Question 1

The angle which the ..... ray makes with the ..... at the point of incidence is called angle of incidence.

1. reflected, mirror
2. incidence, mirror
3. incidence, normal
4. reflected, normal

### Answer

incidence, normal

**Reason** — The angle which the *incidence* ray makes with the *normal* at the point of incidence is called angle of incidence.

### Question 2

Regular reflection occurs when a beam of light falls on a .....

1. smooth surface
2. polished surface



3. rough surface

4. Both (a) and (b)

### **Answer**

Both (a) and (b)

**Reason —** Regular reflection occurs when a beam of light falls on a ***smooth and polished surface***, such as a plane mirror. The reflected beam is also parallel and it is in a fixed direction. It can be seen only from a particular direction.

### **Question 3**

According to the law of reflection:

$$1. \frac{i}{r} = \text{Constant}$$

$$2. \frac{\sin i}{\sin r} = \text{Constant}$$

$$3. i + r = \text{Constant}$$

$$4. i = r$$

### **Answer**

$$i = r$$

**Reason —** According to the law of reflection the **angle of incidence is equal to the angle of reflection**.

### **Question 4**

o

The image formed due to the actual intersection of the reflected rays is :

1. virtual
2. diminished
3. real
4. enlarged

### **Answer**

real

**Reason** — The image which can be obtained on a screen is called a real image. It is inverted. It is formed when light rays after reflection actually intersect.

### **Question 5**

The image formed by a plane mirror is:

1. erect and diminished
2. erect and enlarged
3. inverted and of same size
4. erect and of same size

### **Answer**

erect and of same size

**Reason** — The characteristics of an image formed by a plane mirror are — **upright (or erect), virtual and of the same size as the object.**

## Question 6

The image formed by a plane mirror is:

1. real
2. virtual
3. virtual with lateral inversion
4. real with lateral inversion

## Answer

virtual with lateral inversion

**Reason** — The characteristics of an image formed by a plane mirror are — **upright (or erect), virtual.**

## Question 7

A concave mirror forms ..... image  
whereas a convex mirror forms .....

1. real, real
2. virtual, real
3. virtual, virtual
4. real, virtual

## Answer

real, virtual

**Reason** — For a distant object, the image formed by a concave mirror is real. The image of an object formed by a plane mirror or a convex mirror is virtual.

e o

## Question 8

Which of the following combination of letters does not show lateral inversion ?

1. A, C, I
2. M, T, V
3. D, L, A
4. X, Y, Z

## Answer

M, T, V

**Reason —** Lateral inversion is the interchange of left and right sides in a plane mirror image. The letters M, T, and V do not exhibit noticeable lateral inversion in their mirror image due to their inherent symmetry about a vertical line passing through their midpoint.

## Question 9

If the object is shifted by a distance  $d$  towards a plane mirror, the image will shift by distance ..... towards the mirror.

1.  $d$
2.  $2d$
3.  $3d$
4. None of the above

## Answer



d

**Reason —** If the object is shifted by a distance d towards a plane mirror, the image will also shift by a distance d towards the mirror.

## **Exercise 7(A) — Very Short Answer Type**

---

### **Question 1**

Select the luminous object(s) from the following :

Sun, Moon, Earth, Shooting star, Fire

### **Answer**

Sun, Shooting star, Fire as they emit light by themselves.

### **Question 2**

What do you mean by reflection of light ?

### **Answer**

The return of light into the same medium after striking a surface is called reflection of light.

### **Question 3**

State which surface of the plane mirror reflects most of the light incident on it — the front smooth surface or the back silvered surface.

e o

**Answer**

The back silvered surface of the plane mirror reflects most of the light incident on it.

**Question 4**

A light ray is incident normally on a plane mirror.

(a) What is its angle of incidence?


(b) What is the direction of reflected ray?

Show it on a diagram.

**Answer**

(a) When the ray of light is incident normally on a plane mirror the **angle of incidence = 0°**.

(b) The **direction of reflected ray is same as the incident ray** i.e., it retraces the path as shown below.

**Question 5**

e

For a ray reflected on a plane mirror, find the ratio of  $\sin i / \sin r$

**Answer**

The ratio of  $\frac{\sin i}{\sin r} = 1$

According to the laws of reflection angle of incidence = angle of reflection, hence  $\sin i = \sin r$  and we get the ratio as 1.

### Question 6

Light from a torch is reflected by a white sheet of paper and a black polished mica sheet. Which of the two will produce a stronger reflected beam ?

### Answer

Black polished mica sheet will produce a stronger reflected beam as highly polished and silvered surfaces reflect almost the entire light falling on them.

### Question 7

A light ray strikes a mirror and retraces its path. What is the angle of incidence and angle of reflection ?

### Answer

For a ray incident normally on a plane mirror, the angle of incidence is  $i = 0^\circ$ , therefore the

o

angle of reflection  $r = 0^\circ$ . Thus, a ray of light incident normally on a mirror is reflected along the same path.

## Exercise 7(A) — Short Answer Type

---

### Question 1

Explain the following terms —

- (a) plane mirror
- (b) incident ray
- (c) reflected ray
- (d) angle of incidence
- (e) angle of reflection.


Draw diagram/diagrams to show them.

### Answer

- (a) **Plane mirror** — It is made from few mm thick glass plate. One surface of the glass plate is polished to a high degree of smoothness. This forms the front surface of the mirror and the other surface is silvered (i.e., silver mercury or some suitable material is deposited over it). The silvered surface is further coated with some opaque material so as to protect the silvering on it.

The two surfaces of the plane mirror are

shown below —



(b) **Incident ray** — the ray of light striking a reflecting surface is called the incident ray.

(c) **Reflected ray** — the light ray obtained after reflection from the surface in the same medium in which the incident ray is travelling is called reflected ray.

(d) **Angle of incidence** — The angle which the incident ray makes with the normal at the point of incidence, is called angle of incidence.

It is denoted by the letter  $i$ .


(e) **Angle of reflection** — The angle which the reflected ray makes with the normal at the point of incidence, is called angle of reflection.

It is denoted by the letter  $r$ .

Below diagram illustrates the Incident ray,

Reflected ray, Angle of incidence and Angle of

## reflection:



### Question 2

Differentiate between reflection of light from a plane mirror and that from a plane wall.

### Answer

Reflection of light from a plane mirror	Reflection of light from a plane wall
When a ray of light is incident on a smooth and polished surface such as a plane mirror then regular reflection occurs.	When a ray of light is incident on a plane wall then irregular reflection occurs.


When a parallel beam of light is incident on a	When rays fall at different points on a plane wall then due to
<b>Reflection of light from a plane mirror</b>	<b>Reflection of light from a plane wall</b>
plane mirror, the reflected beam is also parallel and it is in a fixed direction .	uneven surface at different points, light rays gets reflected in different directions. As a result, The reflected light spreads over a wide area and it does not follow a particular direction.

### Question 3

State the two laws of reflection of light.

### Answer

The two laws of reflection are —



1. The angle of incidence  $i$  is equal to the angle of reflection  $r$  (i.e.,  $\angle i = \angle r$ )  
 $\angle AON = \angle BON$

2. The incident ray, the reflected ray and the normal at the point of incidence, lie in the same plane.

AO, ON and OB are in one plane.


#### Question 4

Draw a diagram to show the reflection of a ray of light by a plane mirror. In the diagram, label the incident ray, the reflected ray, the normal, the angle of incidence and the angle of reflection.

- (a) Write three characteristics of image formed by a plane mirror?
- (b) How is the position of the image related to the position of the object?

#### Answer

Below is the labelled diagram showing the reflection of a ray of light by a plane mirror:



- (a) The characteristics of an image formed by a plane mirror are —

1. Image is upright (or erect).
2. Image is virtual.
3. Image is of the same size as the object.

(b) The position of the image is situated at the same perpendicular distance behind the mirror as the object is in front of it.

### Question 5

Differentiate between a real and a virtual image.

### Answer

The difference between a real and a virtual image are as follows —

Real image	Virtual image
A real image is formed due to actual intersection of the reflected rays.	A virtual image is formed when the reflected rays appear to meet when produced backwards.
A real image can be obtained on a screen.	A virtual image cannot be obtained on a screen.

A real image is inverted with respect to the object.	A virtual image is erect with respect to the object.
<b>Real image</b>	<b>Virtual image</b>
respect to the object	
Example — The image of a distant object formed by a concave mirror.	Example — The image of an object formed by a plane mirror or by a convex mirror.


### Question 6

What is meant by lateral inversion of an image in a plane mirror? Explain it with the help of a ray diagram.

### Answer

The interchange of the left and right sides in the image of an object in a plane mirror is called lateral inversion.

Below diagram illustrates lateral inversion of an image:



### Question 7

The letters on the front of an ambulance are written laterally inverted like AMBULANCE.

Give reason.

### Answer

The letters on the front of an ambulance are written laterally inverted like EAMBULANCE so that the **driver of the vehicle moving ahead of the ambulance reads the word laterally inverted as AMBULANCE, in his rear view mirror, and gives way to the ambulance first.**


## Exercise 7(A) — Long Answer Type

### Question 1

With the help of diagrams, explain the difference between regular and irregular reflection.


### Answer

**Regular reflection** — It occurs when a beam of light falls on a smooth and polished surface, such as a plane mirror. In the figure shown below, a parallel beam of light is incident on a plane mirror. The reflected beam is also parallel and it is in a fixed direction. It can be seen only from a particular direction.



**Irregular reflection** — It occurs when a beam of light falls on a rough or ordinary surface such as the walls of a room or the page of a book which appear smooth but have many small projections over it.

In the figure given below, light rays fall at different points on a rough surface and each ray gets reflected from it obeying the laws of reflection of light. Due to uneven surface at different points, light rays get reflected in different directions and give rise to diffused or irregular reflection.




As a result, reflected light spreads over a wide area and it does not follow a particular direction. Hence, reflected light can be seen from anywhere.

### Question 2

State the laws of reflection and describe an experiment to verify them.

### Answer

The two laws of reflection are —



1. The angle of incidence  $i$  is equal to the angle of reflection  $r$  (i.e.,  $\angle i = \angle r$ )  
 $\angle AON = \angle BON$
2. The incident ray, the reflected ray and the normal at the point of incidence, lie in the same plane.  
 AO, ON and OB are in one plane.

### Experimental verification —

Fix a sheet of white paper on a drawing board and draw a line  $MM_1$  as shown below. On this line, take a point  $O$  nearly at the middle of it and draw a line  $OA$  such that  $\angle MOA$  is less than  $90^\circ$  (say,  $\angle MOA = 60^\circ$ ). Then draw a normal  $ON$  on line  $MM_1$  at point  $O$ , and place a small plane mirror vertically by means of a stand with its silvered surface on the line  $MM_1$ .

Now fix two pins  $P$  and  $Q$  vertically at some distance (say 5 cm) apart on line  $OA$ , on the board. Keeping eye on the other side of the

normal (but on the same side of mirror), see clearly the images P' and Q' of the pins P and Q.

Now fix a pin R such that it is in line with the images P' and Q' as observed in the mirror.

Now fix one more pin S such that the pin S is also in line with the pin R as well as the images P' and Q' of pins P and Q.

Draw small circles on paper around the positions of pins as in figure. Remove the pins and draw a line OB joining the point O to the pin points S and R.

As we can observe, AO is the incident ray, OB is the reflected ray,  $\angle AON = i$  is the angle of incidence and  $\angle BON = r$  is the angle of reflection. The angles AON and BON are measured and recorded in the observation table.

The experiment is repeated for the  $\angle MOA$  equal to  $50^\circ$ ,  $40^\circ$  and  $30^\circ$ .

Observation table —

S. No.	Angle of incidence, $i = \angle AON$ (in degrees)	Angle of reflection $r = \angle BON$ (in degrees)


1	30	30
S. No.	Angle of incidence, $i = \angle AON$ (in degrees)	Angle of reflection $r = \angle BON$ (in degrees)
2	40	40
3	50	50
4	60	60

From the above observation table, we find that in each case, **angle of incidence is equal to the angle of reflection. This verifies the first law of reflection.**

The experiment is being performed on a flat drawing board, with mirror normal to the plane on which white sheet of paper is being fixed. Since the lower tips of all the four pins lie on the same plane (i.e., the plane of paper), therefore, **the incident ray, the reflected ray and the normal at the point of incidence, all lie in one plane. This verifies the second law of reflection.**

### Question 3


The figure given below shows an incident ray AO and the normal ON on a plane mirror. The angle which the incident ray AO makes with the mirror is  $30^\circ$ .



- (a) Find the angle of incidence.
- (b) Draw the reflected ray and then find the angle between the incident and reflected rays.

### **Answer**

- (a) The angle of incidence =  $90^\circ - 30^\circ = 60^\circ$
- (b) Diagram showing the reflected ray is given below:



The angle between the incident ray and the reflected ray = angle of incidence + angle of reflection

e  
reflection

As we know,

Angle of incidence = Angle of reflection =  $60^\circ$

Therefore, we get,

$$60^\circ + 60^\circ = 120^\circ$$

Hence, **the angle between the incident ray and reflected ray =  $120^\circ$**

#### Question 4


The diagram below shows a point object P in front of a plane mirror  $MM_1$ .

- (a) Complete the diagram by taking two rays from the point P to show the formation of its image.
- (b) In the diagram, mark the position of eye to see the image.
- (c) Is the image formed real or virtual?  
Explain why.



### ***Answer***


Diagram showing the image with the position of the eye marked is given below:




(c) The image formed is **virtual because the reflected rays appear to meet only when they are produced backwards.**

### Question 5

The diagram shown below shows an object XY in front of a plane mirror MM<sub>1</sub>. Draw on the diagram, path of two rays from each point X and Y of the object to show the formation of its image.

***Answer***

Complete diagram showing the formation of the image is given below:



## Exercise 7(A) — Numericals

### Question 1

A ray is incident on a plane mirror. Its reflected ray is perpendicular to the incident ray. Find the angle of incidence.

### Answer

According to the law of reflection,

angle of incidence = angle of reflection

Given,

Reflected ray is perpendicular to incident ray

Hence,

$$i + r = 90^\circ$$

Using above law, we get,

$$i + i = 90^\circ$$

$$2i = 90^\circ$$

Hence,

$$i = r = 45^\circ$$

Therefore, **angle of incidence =  $45^\circ$**

## Question 2

A man standing in front of a plane mirror finds his image at a distance 6 metre from himself.

What is the distance of a man from the mirror?

## Answer

Given,

Distance between the man and his image is 6 m

But for a plane mirror,

object distance = image distance

Distance between the man and mirror = the distance between mirror and image

Hence,

the distance of the man and the mirror

$$= \frac{6}{2} = 3m$$

### Question 3

An insect is sitting in front of a plane mirror at a distance 1 m from it.

- (a) Where is the image of the insect formed?
- (b) What is the distance between the insect and its image?

### Answer

(a) For a plane mirror, the image is as far behind the mirror as the object is in front of it i.e., the perpendicular distance of image from the mirror is equal to the perpendicular distance of object from the mirror.

Hence, **the image of the insect is formed 1 m behind the mirror.**

(b) The distance between the insect and its image = the perpendicular distance of image from the mirror + the perpendicular distance of object from the mirror

$$= 1 + 1$$



= 2 m

Hence, the distance between the insect and it's image = 2 m

#### Question 4

An object is kept at 60 cm in front of a plane mirror. If the mirror is now moved 25 cm away from the object, how does the image shift from it's previous position ?

#### Answer

Given,

Initially, the distance of the object A in front of plane mirror M is  $AM = 60\text{ cm}$ , therefore the image B is at a distance  $MB = 60\text{ cm}$  from the mirror M behind it. Distance between the object A and it's image B =  $60 + 60 = 120\text{ cm}$

On shifting the mirror by 25 cm away from the object, the new distance of object A from the mirror M' become  $AM' = 60 + 25 = 85\text{ cm}$ . The new image B' is now at a distance  $M'B' = 85\text{ cm}$  behind the mirror M'.

Hence, the current distance of the image from the object is  $85\text{ cm} + 85\text{ cm} = 170\text{ cm}$

Let the reference point be the position of the object,

**So, the new distance of the image from the object - the distance of the image from the object initially = distance between the two positions of the image**

Hence,

$$170 \text{ cm} - 120 \text{ cm} = 50 \text{ cm}$$

Therefore,

**the image shifts 50 cm from its previous position.**

### **Question 5**

An optician while testing the eyes of a patient keeps a chart of letters 3 m behind the patient and asks him to see the letters on the image of chart formed in a plane mirror kept at distance 2 m in front of him. At what distance is the chart seen by the patient?

### **Answer**

Given,

Distance between the man and the mirror = 2  
m

Distance between the man and the chart = 3  
m

Therefore,

the distance between the chart and the mirror

= distance between the man and the mirror +  
distance between the man and the chart

$$= 3 \text{ m} + 2 \text{ m}$$

$$= 5 \text{ m}$$

As the new image is formed on the mirror  
which is 2 m apart from the man,

$$\text{So } 5 \text{ m} + 2 \text{ m} = 7 \text{ m}$$

Therefore,

**the chart seen by the patient is 7 m away  
from him**

### **Exercise 7(B) — Multiple Choice Type**

---

#### **Question 1**

In a barber's shop, two plane mirrors are placed :

1. perpendicular to each other
2. parallel to each other
3. at an angle of  $60^\circ$  between them
4. at an angle of  $45^\circ$  between them.

#### **Answer**

parallel to each other

**Reason —** In a barber's shop, in order to see  
the hairs at the back of the head two plane

mirrors are placed parallel to each other at the front and at the back of the viewer.

### Question 2

For two mirrors kept parallel to each other, the number of images formed is :

1. 5
2. 7
3. 0
4. infinity

### Answer

infinity

**Reason —** When two mirrors are kept parallel to each other, i.e.,  $\theta = 0$  then  $n = \frac{360^\circ}{0} = \infty$ . Hence, we get infinite number of images.

### Question 3

The number of images formed for two mirrors kept perpendicular to each other is :

1. 1
2. 2
3. 3
4. 5

### Answer

3

**Reason —** When two mirrors are kept perpendicular to each other i.e.,  $\theta = 90^\circ$ ,

$$\text{then } n = \frac{360^\circ}{90^\circ} = 4,$$

$n = 4$ , is even so number of images is  $n - 1$

Therefore,

$$n - 1$$

$$= 4 - 1$$

$$= 3$$

Hence, **for two mirrors kept perpendicular to each other, three images are formed for an object kept in between them.**

#### Question 4

A thick plane mirror, silvered at its back, forms multiple number of images. Out of these, the brightest image is :

1. first image
2. second image
3. third image
4. All are of equal brightness

#### Answer

second image

**Reason** — A thick plane mirror forms a number of images due to multiple reflections within the glass from front surface and back reflecting surface. Out of these, the second image formed due to reflection from the back reflecting surface is the brightest.

### Question 5

How many plane mirrors are used in a periscope and kaleidoscope ?

1. 2 and 3 respectively
2. 3 each
3. 3 and 2 respectively
4. 2 and 4 respectively

### Answer

2 and 3 respectively

**Reason** — In a periscope two parallel plane mirrors each inclined at  $45^\circ$  with the vertical walls are placed facing each other. In a kaleidoscope three plane mirrors inclined with each other at  $60^\circ$  are used.

### Question 6

In a kaleidoscope, three plane mirrors are inclined with each other at an angle of :

1.  $0^\circ$
2.  $30^\circ$

3.  $60^\circ$

4.  $90^\circ$

### Answer

$60^\circ$

**Reason** — In a kaleidoscope three plane mirrors inclined with each other at  $60^\circ$  are used.

### Question 7

In a periscope, two plane mirrors are inclined at an angle of ..... with the vertical walls.

1.  $0^\circ$

2.  $30^\circ$

3.  $45^\circ$

4.  $60^\circ$

### Answer


$45^\circ$

**Reason** — In a periscope two parallel plane mirrors each inclined at  $45^\circ$  with the vertical walls are placed facing each other.

### Question 8

Two mirrors are placed at right angles to each other as shown in the figure given below. A ray of light PQ strikes mirror OM at an angle

of incidence  $30^\circ$ . What would be its angle of reflection from mirror ON ?




1.  $30^\circ$
2.  $60^\circ$
3.  $45^\circ$
4.  $90^\circ$

### **Answer**

$60^\circ$

**Reason —** From below figure,



Reflection from mirror OM :

Angle of incidence =  $30^\circ$ ,

So by law of reflection,

Angle of incidence = Angle of reflection =  $30^\circ$

This means the reflected ray QR (say) makes an angle of  $30^\circ$  with the normal to OM, i.e.,  $60^\circ$  with mirror OM. Now ray QR moves toward mirror ON, since OM and ON are at  $90^\circ$  and QR makes  $60^\circ$  with OM then it must make  $90^\circ - 60^\circ = 30^\circ$  with mirror ON.

So, angle between incident ray and normal to ON =  $60^\circ$

∴ Angle of incidence at ON =  $60^\circ$  = Angle of

## Exercise 7(B) — Very Short Answer Type

---

### Question 1

What is the most common use of a plane mirror ?

#### ***Answer***

Looking glass.

### Question 2

How does an optician increase the effective length of his room by using a mirror ? Where does he place the sign board.

#### ***Answer***

To increase the effective length of the optician's room, a plane mirror is placed on the front wall and the sign board is placed on the opposite wall, just behind the patient. With this arrangement, the sign board is at nearly double the length of the room for the patient.

### Question 3

What relationship do the images formed by two inclined plane mirrors have for their location with respect to the object placed between them ?

#### ***Answer***

The images lie on the circumference of a circle whose centre lies at the point of intersection of the two mirrors and whose radius is equal to the distance of the object from the point of intersection

### **Exercise 7(B) — Short Answer Type**

---

#### **Question 1**

Two plane mirrors are placed making an angle  $\theta$  in between them. Write an expression for the number of images formed if an object is placed in between the mirrors. State the condition, if any.

#### **Answer**

There are two cases possible:

Case 1 — If angle  $\theta^\circ$  between the mirrors is such that  $n = \frac{360^\circ}{\theta^\circ}$  is odd:

1. the number of images is  $n$ , when the object is placed asymmetrically between the mirrors.
2. the number of images is  $n - 1$ , when the object is placed symmetrically (i.e., on the bisector of the angle) between the mirrors.

Case 2 — If  $n = \frac{360^\circ}{\theta^\circ}$  is even, the number of images is always  $n - 1$  for all positions of

object in between the mirrors.

### Question 2

Two plane mirrors are placed making an angle  $\theta^\circ$  in between them. For an object placed in between the mirrors, if angle is gradually increased from  $0^\circ$  to  $180^\circ$ , how will the number of images change — increase, decrease or remain unchanged?

### Answer

When two plane mirrors are placed making an angle  $\theta^\circ$  in between them and an object placed in between the mirrors, and the angle is gradually increased from  $0^\circ$  to  $180^\circ$ , then **the number of images decreases.**

### Question 3

State two uses of a plane mirror.

### Answer

The uses of a plane mirror are —

(a) The most common and wide use is as a **looking glass.**

(b) In the optician's room to increase the effective length of the room. It is done by keeping a plane mirror on the front wall and the sign board on the opposite wall, just behind the patient. For the patient the sign

o board is at nearly double the length of the room.

## Exercise 7(B) — Long Answer Type


### Question 1

How many images are formed for a point object kept in between the two plane mirrors at right angles to each other? Show them by drawing a ray diagram.

### Answer

**Three images** will be formed when a point object is placed between two plane mirrors that are at right angles to each other.

The ray diagram is shown below:



## Question 2


o

Two plane mirrors are arranged parallel and facing each other at some separation. How many images are formed for a point object kept in between them? Show the formation of images with the help of a ray diagram.

### **Answer**

**Infinite** number of images are formed when two plane mirrors are arranged parallel and facing each other at some separation.

Below ray diagram shows the formation of images:



### **Exercise 7(B) — Numericals**

#### **Question 1**

State the number of images of an object placed between the two plane mirrors, formed in each case when the mirrors are inclined to each other at

- (a)  $90^\circ$  and
- (b)  $60^\circ$

### **Answer**

(a) When two mirrors are kept perpendicular to each other i.e.,  $\theta = 90^\circ$ ,

$$\text{then } n = \frac{360^\circ}{90^\circ} = 4,$$

$n = 4$ , is even so number of images is  $n - 1$

Therefore,

$$\begin{aligned} n - 1 \\ = 4 - 1 \\ = 3 \end{aligned}$$

Hence, **for two mirrors kept perpendicular to each other, three images are formed for an object kept in between them.**

(b) When two mirrors are kept at  $60^\circ$  to each other,

$$\text{then } n = \frac{360^\circ}{60^\circ} = 6$$

$n = 6$ , is even so number of images is  $n - 1$ ,

Therefore,



$$n - 1$$

$$= 6 - 1$$

$$= 5$$

Hence, **for two mirrors kept at  $60^\circ$  to each other, five images are formed for an object kept in between them.**

## Question 2

An object is placed (i) asymmetrically (ii) symmetrically, between two plane mirrors inclined at an angle of  $50^\circ$ . Find the number of images formed.

### Answer

(i) When an object is placed asymmetrically between two plane mirrors inclined at an angle of  $50^\circ$  to each other then

$$n = \frac{360^\circ}{50^\circ}$$

$$= 7.2$$

$$= 7$$

(ii) The number of images formed when the object is placed symmetrically is  $n-1$ ,

Hence,

$$7 - 1 = 6.$$

Therefore, 6 images will be formed when the object is placed symmetrically, between two

plane mirrors inclined at an angle of  $50^\circ$ .

## Exercise 7(C) — Multiple Choice Type

---

### Question 1(i)

A ..... mirror is made by silvering the ..... surface of a piece of a hollow sphere.

1. convex, outer
2. plane, outer
3. concave, outer
4. concave, inner

### Answer

concave, outer

**Reason** — A **concave** mirror is made by silvering the **outer (or bulging)** surface of a piece of a hollow sphere such that the reflection takes place from the hollow (or concave) surface.

### Question 1(ii)

A ..... mirror is made by silvering the ..... surface of a piece of a hollow sphere.

1. concave, inner
2. convex, inner
3. convex, outer

4. None of the above

**Answer**

convex, inner

**Reason** — A **convex** mirror is made by silvering the **inner** surface of a piece of a hollow sphere such that the reflection takes place from the outer (or bulging) surface.

**Question 1(iii)**

The correct statement(s) is/are :

- (i) The radius of a sphere of which the spherical mirror is a part is called the radius of curvature.
  - (ii) The geometric centre of the spherical surface of a mirror is called the centre of curvature.
  - (iii) Principal axis is the straight line joining the pole of the mirror to its aperture.
1. (i)
  2. (ii)
  3. (iii)
  4. None of the above

**Answer**

(i)

**Reason —** The radius of a sphere of which the spherical mirror is a part is called the radius of curvature.

The geometric centre of the spherical surface of a mirror is called the **pole of the mirror**.

Principal axis is the straight line joining the pole of the mirror to its **centre of curvature**.

### Question 1(iv)


The focus of a concave mirror is a point on the ..... through which the light rays incident ..... to the principal axis pass after reflection from the mirror.

1. centre of curvature, perpendicular
2. principal axis, parallel
3. principal axis, perpendicular
4. aperture, parallel

### Answer

principal axis, parallel

**Reason —** The focus of a concave mirror is a point on the principal axis through which the light rays incident parallel to the principal axis, pass after reflection from the mirror.



### Question 1(v)

For an incident ray directed towards center of curvature of a spherical mirror, the reflected ray:

1. retraces it's path
2. passes through the focus
3. passes through the pole
4. becomes parallel to the principal axis


### Answer

retraces it's path

**Reason** — A line joining the centre of curvature to any point on the surface of mirror is normal to the mirror at that point, so a ray AD passing through the center of curvature C (or appearing to pass through through the centre of curvature C) is incident normally on

the spherical mirror.

Since its angle of incidence is zero, therefore the angle of reflection will also be zero and the ray AD gets reflected along its own path DA as shown below.



### Question 1(vi)

A ray either incident from the focus (or converging at the focus), after reflection from a spherical mirror :

1. becomes perpendicular to the principal axis
2. becomes parallel to the principal axis
3. becomes normal to the focus
4. passes through the centre of curvature

### Answer

becomes parallel to the principal axis

**Reason** — A ray either incident from the focus (or converging at the focus), after

reflection from a spherical mirror becomes parallel to the principal axis.

### Question 1(vii)


For a concave mirror, when the object is at infinity, the nature of the image formed at focus is

1. virtual, inverted
2. virtual, diminished to a point
3. real, enlarged, inverted
4. real, inverted, diminished to a point

### Answer

real, inverted, diminished to a point

**Reason —** For a concave mirror, when the object is at infinity, the nature of the image formed at focus is real, inverted, diminished to a point.



### Question 1(viii)

For a concave mirror, when the object is at the centre of curvature, the place and nature of the image formed is :

1. at focus, real, inverted
2. at focus, virtual, inverted
3. at centre of curvature, real, inverted, diminished
4. at centre of curvature, real, same size as that of the object

### Answer

at centre of curvature, real, same size as that of the object

**Reason —** For a concave mirror, when the object is at the centre of curvature, the image is also at the centre of curvature. It is real and same size as that of the object.

### Question 1(ix)

For a concave mirror, when the object is at focus, the size of the image formed is:

1. magnified
2. highly magnified
3. diminished
4. of the same size

highly magnified

**Reason —** For a concave mirror, when the object is at focus, the image is at infinity. It is real, inverted and highly magnified.

### Question 1(x)

The image formed by a convex mirror is:

1. erect and diminished
2. erect and enlarged
3. inverted and diminished
4. inverted and enlarged

### Answer

erect and diminished

**Reason —** In a convex mirror, the image formed is always **virtual, erect and diminished**. It is always situated between its pole and focus irrespective of the distance of object in front of the mirror.

### Question 1(xi)


For a convex mirror, when the object is in front of the mirror, the image formed is :

1. real, upright and magnified
2. real, inverted and diminished
3. virtual, upright and magnified
4. virtual, upright and diminished

## Answer

virtual, upright and diminished

**Reason** — For a convex mirror, when the object is in front of the mirror, the image is between the pole and the focus. It is virtual, upright and diminished.



### Question 1(xii)

The wrong rule of sign convention is :

- (i) All distances are measured from the centre of curvature of the mirror taken as origin.
- (ii) The distances measured along the principal axis in the direction of incident light are positive.
- (iii) The distances above the principal axis are taken positive.

1. (i)

2. (ii)
3. (iii)
4. both (i) and (ii)

### **Answer**

(i)

**Reason —** The rules of sign convention are :

- (i) All distances are measured from the **pole** of the mirror taken as origin.
- (ii) The distances measured along the principal axis in the direction of incident light are positive while those opposite to the incident light are negative.
- (iii) The distances above the principal axis are taken positive and those below the principal axis are taken negative.

### **Question 1(xiii)**

For a convex mirror, the value of  $u$  is always ..... and the value of  $v$  is .....

1. positive, positive
2. positive, negative
3. negative, negative
4. negative, positive

### **Answer**

**Reason —** For a convex mirror, the value of  $u$  is always **negative** and the value of  $v$  is always **positive**.

### Question 1(xiv)

A real and enlarged image can be obtained by using a:

1. convex mirror
2. plane mirror
3. concave mirror
4. either convex or plane mirror

### Answer

concave mirror

**Reason —** The image formed by a concave mirror is **real and enlarged**, when the object is between centre of curvature and focus or at focus.

### Question 1(xv)

The type of mirror used as a reflector in the street lights is :

1. plane mirror
2. convex mirror
3. concave mirror
4. parabolic mirror

### Answer

convex mirror

**Reason** — A convex polished metallic surface is used in street lamps as a reflector so as to diverge light over a larger area.

### Question 1(xvi)

The type of mirror used as a shaving mirror in daily life is :

1. plane mirror
2. convex mirror
3. concave mirror
4. parabolic mirror

### Answer

concave mirror

**Reason** — When a concave mirror is held near the face (such that the face is between pole and focus of the mirror), it gives an upright and magnified image. Hence even **tiny hair can be seen**. For this concave mirror of large focal length and large aperture is used.

### Question 1(xvii)

Which mirror always forms a diminished image for all positions of the object placed in front of it ?

2. convex mirror
3. concave mirror
4. parabolic mirror

### **Answer**

convex mirror

**Reason** — A convex mirror always forms a diminished image for all positions of the object placed in front of it.

### **Question 1(xviii)**

The figure shows the image of a clock as seen in the plane mirror. The correct time is :



1. 4:30
2. 6:30
3. 2:30
4. 3:30

### **Answer**

2:30

**Reason —** As the mirror image of the clock shows that hour hand is pointing slightly past 9 and minute hand at 6 (i.e., 30 minutes) so the mirror image shows 9:30. Since a plane mirror always produces laterally inverted images so in this case the hour hand should actually point slightly past 2 and minute hand will suffer no inversion due to symmetry so the clock will show 2:30.

### Question 1(xix)

We use a concave polished metallic surface as a reflector in a torch to obtain a parallel beam of light. The position of the bulb is :

1. at the centre of curvature of the reflector.
2. at the focus of the reflector
3. between the focus and centre of curvature of the reflector
4. can be any of the above options

### Answer

at the focus of the reflector

**Reason —** In a torch, we want the light rays to come out as a parallel beam as this helps the light travel a long distance in a specific direction and a concave mirror reflects light rays parallel to the principal axis if the source is placed at its focus.

is the case in a torch), the bulb should be placed at the focus of the concave mirror.

## Exercise 7(C) — Assertion Reason Type

---

### Question 2(i)

**Assertion (A) :** For a ray of light incident at an angle of incidence  $i = 0^\circ$ , angle of reflection is  $r = 0^\circ$ .

**Reason (R) :** The angle of incidence  $i$  is equal to angle of reflection  $r$ .

1. both A and R are true and R is the correct explanation of A
2. both A and R are true and R is not the correct explanation of A
3. assertion is false but reason is true
4. assertion is true but reason is false

### Answer

both A and R are true and R is the correct explanation of A

### Explanation

Assertion (A) is true because if a ray of light hits the mirror perpendicularly (i.e., along the normal), the angle of incidence is  $0^\circ$ , and the ray reflects back along the same path. So, angle of reflection is also  $0^\circ$ .

**Reason (R)** is true because it's a law of reflection which states that during reflection, angle of incidence is always equal to angle of reflection so the Reason correctly explains the Assertion.

### **Question 2(ii)**

**Assertion (A) :** The image of an object placed close to a concave mirror is a real image.

**Reason (R) :** A real image is formed due to the actual intersection of the reflected rays.

1. both A and R are true and R is the correct explanation of A
2. both A and R are true and R is not the correct explanation of A
3. assertion is false but reason is true
4. assertion is true but reason is false

### **Answer**

assertion is false but reason is true

### **Explanation**

Assertion (A) is false because when an object is placed close to a concave mirror, i.e., between the pole (P) and the focus (F), the image formed is virtual, erect, and magnified, not real and only when the object is placed

beyond the focus, the image formed is real and inverted.

**Reason (R)** is true because this is the definition of a real image which is formed when reflected rays actually meet.

### Question 2(iii)

**Assertion (A) :** For a real image formed by a spherical mirror, linear magnification ( $m$ ) is positive.

**Reason (R) :** Both  $u$  and  $v$  are negative for a real image.

1. both A and R are true and R is the correct explanation of A
2. both A and R are true and R is not the correct explanation of A
3. assertion is false but reason is true
4. assertion is true but reason is false

### Answer

assertion is false but reason is true

### Explanation

Only a **concave mirror** can form a real image; convex mirrors cannot.

For a real image formed by a concave mirror:

- Both  $u$  and  $v$  are negative.

- Magnification  $m = -\frac{v}{u}$  is **negative**, showing the image is inverted.

So the **assertion is false** ( $m$  is negative), but the **reason is true** (both distances are negative).

### Question 2(iv)

**Assertion (A) :** For an object placed symmetrically when the angle  $\theta$  between the mirrors is  $72^\circ$ , the number of images formed is 4.

**Reason (R) :** If  $n = 360^\circ/\theta$  is odd, the number of images for an object placed symmetrically is equal to  $n$ .

1. both A and R are true and R is the correct explanation of A
2. both A and R are true and R is not the correct explanation of A
3. assertion is false but reason is true
4. assertion is true but reason is false

### Answer

assertion is true but reason is false

### Explanation

Assertion (A) is true because as  $n = \frac{360^\circ}{\theta}$



**Where:**

$\theta$  = angle between the mirrors

n = number of images formed (if object is placed symmetrically)

Substitute,  $\theta = 72^\circ$  :

$$n = \frac{360^\circ}{72^\circ} - 1 = 5 - 1 = 4$$

**Reason (R)** is false because if angle  $\theta^\circ$  between the mirrors is such that  $\frac{360^\circ}{\theta^\circ}$  is odd, then

- (i) the number of images is n, when the object is placed asymmetrically between the mirrors.
- (ii) the number of images is n - 1, when the object is placed symmetrically (i.e., on the bisector of the angle) between the mirrors.

### **Question 2(v)**

**Assertion (A)** : Concave mirror is used as doctor's head mirror.

**Reason (R)** : If a parallel beam of light is incident on a concave mirror, the mirror focuses the beam to a point.

1. both A and R are true and R is the correct explanation of A
2. both A and R are true and R is not the correct explanation of A

3. assertion is false but reason is true

4. assertion is true but reason is false

### **Answer**

both A and R are true and R is the correct explanation of A

### **Explanation**

Assertion (A) is true: A concave mirror is used as a doctor's head mirror because it can direct and concentrate light into the patient's body parts (such as teeth, nose, throat, ear, etc.) for better visibility.

Reason is true: When a parallel beam of light (like light from a lamp) falls on a concave mirror, the mirror reflects and converges the rays to its focal point, producing a bright, concentrated spot of light.

This property of focusing parallel rays to a point is precisely why concave mirrors are used in head mirrors, as it enables the doctor to project an intense beam exactly where it is needed. Therefore, the reason correctly explains the assertion.

### **Question 2(vi)**

**Assertion (A) :** A student is given a spherical mirror of focal length -10 cm. He identifies it as a concave mirror.

**Reason (R) :** Focal length of a concave mirror is always positive.

1. both A and R are true and R is the correct explanation of A
2. both A and R are true and R is not the correct explanation of A
3. assertion is false but reason is true
4. assertion is true but reason is false

### **Answer**

assertion is true but reason is false

### **Explanation**

Assertion (A) is true because according to sign conventions (the mirror formula uses the Cartesian system), the focal length of a concave mirror is negative. So, a mirror with focal length  $-10\text{ cm}$  is indeed a concave mirror.

Reason (R) is false because the focal length of a concave mirror is always negative in mirror formula sign convention.

### **Exercise 7(C) — Very Short Answer Type**

---

#### **Question 1**

What is a spherical mirror?

### **Answer**

r

A reflecting surface which is a part of a sphere is called a spherical mirror.

### Question 2

Define centre of curvature of a spherical mirror.

#### **Answer**

The centre of curvature of a mirror is the centre of the sphere of which the mirror is a part.

### Question 3

Define radius of curvature of a spherical mirror.

#### **Answer**

The radius of the sphere of which the spherical mirror is a part, is called the radius of curvature of the mirror.

### Question 4

What is the aperture of a spherical mirror ?

#### **Answer**

The plane surface area of the mirror through which light rays enter and fall on the mirror is called its aperture.

### Question 5

r

Define the pole of a spherical mirror.

### **Answer**

The geometric centre of the spherical surface of mirror is called the pole of the mirror.

### **Question 6**

Name the spherical mirror which always produces an erect and virtual image. How is the size of image related to the size of object?

### **Answer**

A convex mirror always produces an **erect** and **virtual** image. The size of the image is **shorter** than the size of the object.

### **Question 7**

- (a) For what position of object, the image formed by a concave mirror is magnified and erect?
- (b) State whether the image in part (a) is real or virtual?

### **Answer**

- (a) When the object is **between the pole and focus** of a concave mirror then the image formed is **magnified and erect**
- (b) The image is **virtual**.

### **Question 8**

r

- (a) State the position of object for which the image formed by a concave mirror is of same size.
- (b) Write two more characteristics of the image.

### **Answer**

- (a) When the object is **at the centre of curvature** of a concave mirror, the image is of the same size as the object.
- (b) The image thus formed is **real and inverted**.

### **Question 9**

- (a) What is a real image?
- (b) What type of mirror can be used to obtain a real image of an object?
- (c) Does the mirror mentioned in part (b) form real image for all locations of the object?

### **Answer**

- (a) A real image is one that can be **obtained on a screen**.
- (b) A **concave mirror** can be used to obtain a real image of an object.
- (c) **No**, concave mirror does not form real image for all the locations of the object.

### Question 10

Name the kind of mirror used to obtain —

- (a) a real and enlarged image,
- (b) a virtual and enlarged image,
- (c) a virtual and diminished image,
- (d) a real and diminished image.

### Answer

- (a) **Concave mirror** is used to obtain a real and enlarged image.
- (b) **Concave mirror** is used to obtain a virtual and enlarged image.
- (c) **Convex mirror** is used to obtain a virtual and diminished image.
- (d) **Concave mirror** is used to obtain a real and diminished image.

### Question 11

How is the focal length of a spherical mirror related to its radius of curvature?

### Answer

The focal length 'f' is related to the radius of curvature 'R' in the following way —

$$f = \frac{1}{2} R$$

### Question 12

Write the spherical mirror's formula and explain the meaning of each symbol used in it.

### Answer

The formula for the spherical mirror is —

$$\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$$

$u$  = distance of object

$v$  = distance of image

$f$  = focal length

### Question 13

State the kind of mirror used —

- (a) by a dentist,
- (b) as a search-light reflector.

### Answer


- (a) **Concave mirror** is used by a dentist.
- (b) **Concave mirror** is used as a search-light reflector.

### Question 14

Which mirror will you prefer to use as a rear view mirror in a car — plane mirror or convex mirror? Give one reason.

## Answer

A **convex mirror** would be preferred in comparison to a plane mirror for use as a rear view mirror in a car because it provides a much wider field view as compared to a plane mirror of the same size. The below ray diagram shows this:



### Question 15

How is magnification (m) related to the distance of the object (u) and the distance of the image (v) ?

### Answer

$$\text{Magnification (m)} = \frac{\text{Length of image (I)}}{\text{Length of object (O)}}$$

$$= \frac{\text{Distance of image (v)}}{\text{Distance of object (u)}}$$

OR

$$m = \frac{I}{O} = -\frac{v}{u}$$

where

'I' is the length of the image,

'O' is the length of the object,

'v' is the distance of the image,

'u' is the distance of the object.

### **Exercise 7(C) — Short Answer Type**

---

#### **Question 1**

Name the two kinds of spherical mirrors and distinguish between them.

#### **Answer**

Depending on whether the inner or outer surface of the sphere is silvered, spherical mirrors are of two types —

1. Concave mirror
2. Convex mirror

Difference between the two mirrors are —

<b>Concave mirror</b>	<b>Convex mirror</b>
-----------------------	----------------------

It is made by silvering the outer surface of a	It is made by silvering the
Concave mirror	Convex mirror
part of the hollow sphere, so reflection takes place from the inner surface.	inner surface of a part of the hollow sphere, so reflection takes place from the bulging surface.
The light rays incident on it converge after reflection.	The light rays incident on it diverge after reflection.
The image formed by it is real as well as virtual. For all positions of the object at or beyond the focus, the image is real, while for positions of the object between the focus and the pole, the image is virtual.	The image formed by it is always virtual for all positions of the object in front of it.

Concave mirror	Convex mirror
<p>For object away from the centre of curvature, the image is diminished, for object at the centre of curvature, image is of same size and for object within the centre of curvature, image is diminished.</p>	<p>The image is always diminished for all positions of the object in front of it.</p>

## Question 2

Define the terms pole, principal axis and center of curvature with reference to a spherical mirror.

### Answer

**Pole** — The geometric centre of the spherical surface of mirror is called the pole of the mirror.

**Principal axis** — It is the straight line joining the pole of the mirror to its centre of curvature.

**Centre of curvature** — The centre of curvature of a mirror is the centre of sphere of which the mirror is a part.

## Question 3


Name the spherical mirror which (i) diverges

(ii) converges the beam of light incident on it.


Justify your answer by drawing a ray diagram in each case.

### Answer

(i) A **convex mirror** diverges a beam of light incident on it.



(ii) A **concave mirror** converges a beam of light incident on it.




#### Question 4

Define the terms focus and focal length of a concave mirror. Draw diagram to illustrate your answer.

#### Answer

**Focus of a concave mirror** — The focus of a concave mirror is a point on the principal axis through which the light rays incident parallel to the principal axis, pass after reflection from the mirror.



**Focal length of a concave mirror —** The distance of focus F from the pole P of the mirror is called the focal length of the mirror.

i.e., focal length  $f = PF$ .

### Question 5

State the direction of incident ray which after reflection from a spherical mirror retraces its path. Give a reason to your answer.

### Answer

When the incident ray is directed towards the centre of curvature, after reflection from a spherical mirror, it retraces its path.

It is because the ray is normal to the spherical mirror, so  $\angle i$  (angle of incidence) = 0, therefore,  $\angle r$  (angle of reflection) = 0.

### Question 6

What is meant by magnification? Write it's expression. What is it's sign for the (a) real (b) virtual, image?

### **Answer**

The **ratio of length of the image to the length of object, is called linear magnification.**

$$\begin{aligned}\text{Magnification (m)} &= \frac{\text{Length of image (I)}}{\text{Length of object (O)}} \\ &= \frac{\text{Distance of image (v)}}{\text{Distance of object (u)}}\end{aligned}$$

OR

$$m = \frac{I}{O} = -\frac{v}{u}$$

where

'I' is the length of the image,  
'O' is the length of the object,  
'v' is the distance of the image,  
'u' is the distance of the object.

- (a) For a **real image, linear magnification m is negative.**
- (b) For a **virtual image, linear magnification m is positive.**

### Question 7

Upto what maximum distance from the pole,  
the image in a convex mirror can be obtained  
? What will be the location of object then ?

### **Answer**

The maximum distance from the pole, in a  
convex mirror where the image can be  
obtained is till the **focal length** of the mirror.  
The object would then has to be at **infinity**.

### **Question 8**

Upto what maximum distance from a concave  
mirror, the image can be obtained? What will  
be the location of object for it?

### **Answer**

The maximum distance from the concave  
mirror, where the image can be obtained is  
**infinity**. The object would then be at **focus**.

### **Question 9**

How will you distinguish between a plane  
mirror, a concave mirror and a convex mirror,  
without touching them?

### **Answer**

In order to distinguish between a plane mirror,  
a concave mirror and a convex mirror, the  
given mirror is held near the face and the  
image obtained is seen.

There can be the following three cases —

**Case 1** — If image is **upright, of same size** and it does not change in size by moving the mirror towards or away from the face, then the mirror is **plane**.

**Case 2** — If image is **upright, magnified** and increases in size on small movement of the mirror away from the face then the mirror is **concave**.

**Case 3** — If image is **upright, diminished** and decreases in size on small movement of the mirror away from the face then the mirror is **convex**.

### Question 10

State two uses of a concave mirror.

### Answer

Uses of a concave mirror are as follows —

1. **As a shaving mirror** — When a concave mirror is held near the face (such that the face is between pole and focus of the mirror), it gives an upright and magnified image. Hence even **tiny hair can be seen**.

2. **As a reflector** — In torch, searchlight and head light of automobiles, cycles

etc., a concave polished metallic surface is used to obtain a parallel beam of light.

### Question 11

- (a) When a concave mirror is used as a shaving mirror, where is the person's face in relation to the focus of mirror?
- (b) State three characteristics of the image seen in part (a)

### Answer

- (a) When a concave mirror is used as a shaving mirror, the person's face should be **between the pole and the focus.**
- (b) The image formed is **erect, virtual and magnified.**

## Exercise 7(C) — Long Answer Type


---

### Question 1


Draw suitable diagrams to illustrate the action of (i) concave mirror, and (ii) convex mirror, on a beam of light incident parallel to the principal axis.

### Answer

- (i) Below ray diagram illustrates the action of concave mirror on a beam of light incident parallel to the principal axis:



(ii) Below ray diagram illustrates the action of convex mirror on a beam of light incident parallel to the principal axis:




## Question 2

Explain the meaning of the terms focus and focal length in case of a convex mirror, with the help of a suitable ray diagram.

## Answer

**Focus of a convex mirror** — The focus of a convex mirror is a point on the principal axis from which, the light rays that are incident parallel to the principal axis, appear to come, after reflection from the mirror.




**Focal length of a concave mirror** — The distance of focus F from the pole P of the mirror is called the focal length of the mirror.

i.e., focal length  $f = PF$ .

## Question 3

- Name the mirrors shown in figure (a) and (b).
- In each case (a) and (b), draw the reflected rays for the given incident rays and mark focus by the symbol F.




### Answer


(i) The figure (a) shows **convex mirror** and figure (b) shows **concave mirror**.

(ii) Diagrams showing reflected rays are shown below:

(a)




(b)



#### Question 4


Complete the following diagrams in figure by drawing the reflected rays for the incident rays 1 and 2.




#### Answer

Below are the completed diagrams showing the reflected rays for the incident rays 1 and 2:

(a)




(b)



## Question 5

o


Complete the following diagrams shown in figure by drawing the reflected ray for each of the incident ray A and B.




### Answer

Below are the completed diagrams showing the reflected rays for the incident rays A and B:

(a)



(b)



## Question 6

State the two convenient rays that are chosen to construct the image by a spherical mirror for a given object? Explain your answer with the help of suitable ray diagrams.

## Answer


The two convenient rays, chosen to construct the image by a spherical mirror are —

- (i) **A ray that passes through the center of curvature.**

A line joining the centre of curvature to any point on the surface of mirror is normal to the


mirror at that point, therefore a ray AD passing through the center of curvature C (or appearing to pass through the centre of curvature C) is incident normally on the spherical mirror.

Since its angle of incidence is zero, therefore the angle of reflection will also be zero and the ray AD gets reflected along its own path DA as shown below:




### (ii) A ray parallel to the principal axis.

A ray of light AD incident parallel to the principal axis, after reflection passes either through the focus F (in a concave mirror) or will appear to come from the focus F (in a convex mirror) along DB as shown below:




## Question 7

Figure shows a concave mirror with its pole at P, focus F and center of curvature C. Draw ray diagram to show the formation of image of an object OA.




## *Answer*

Ray diagram showing the formation of the image is given below:




### Question 8

Figure shows a concave mirror with its pole at P, focus F and center of curvature C. Draw ray diagram to show the formation of image of an object OA.




### Answer

Ray diagram showing the formation of the image is given below:




### Question 9

The diagram below in figure shows a convex mirror. C is its center of curvature and F is its focus. (i) Draw two rays from A and hence locate the position of image of object OA. Label the image IB. (ii) State three characteristics of the image.



### Answer

(i) Below completed ray diagram shows the position of the image of object OA:




- (ii) The three characteristics of the image are **virtual, upright and diminished.**

### Question 10

Draw a ray diagram to show the formation of image by a concave mirror for an object placed between its pole and focus. State three characteristics of the image.

### Answer

Below is the ray diagram showing the formation of image by a concave mirror for an object placed between its pole and focus:




When the object is between the focus F and the pole P, the image is formed behind the mirror. It is **virtual, upright and magnified**.

### Question 11

Draw a ray diagram to show the formation of image by a concave mirror for an object beyond it's center of curvature. State three characteristics of the image.

### Answer

The image by a concave mirror for an object beyond its center of curvature is shown below:




When object is beyond the centre of curvature C, the image is between the focus F and the centre of curvature C. It is **real, inverted and diminished.**

### Question 12

Draw a ray diagram to show the formation of image of an object kept in front of a convex mirror. State three characteristics of the image.

### Answer

The diagram below shows the formation of image when the object is kept in front of a convex mirror.



When the object is in front of the convex mirror, the image is between the pole P and focus F on the other side of the mirror.

The image formed is **virtual, upright and diminished.**

### Question 13

Discuss the position and nature of image formed by a concave mirror when an object is moved from infinity towards the pole of mirror.

### Answer

The image formed **moves away from the concave mirror** when an object is moved from infinity towards the pole of mirror.

The image is **diminished when the object is beyond centre of curvature, but it becomes magnified as the object comes within the centre of curvature.** The image is

o

of the same size of the object when the object is at the centre of curvature.

For the object situated beyond focus, the image is always real and inverted, whereas for the object situated between the focus and pole the image is **upright and virtual**.

The table below shows the position, size and nature of the image formed by a concave mirror for different positions of the object.

No.	Position of the object	Position of the image	Size of the image
1	At infinity	At the focus	Diminished to a point
2	At very far distance	In focal plane	Highly diminished
3	Beyond the centre of curvature	Between the centre of curvature and focus	Diminished

4	At the centre of curvature	At the centre of curvature	Same size
No.	<b>Position of the object</b>	<b>Position of the image</b>	<b>Size of the image</b>
5	Between the centre of curvature and focus	Beyond the centre of curvature	Magnified
6	At focus	At infinity	Highly magnified
7	Between the focus and the pole	Behind the mirror	Magnified

## Question 14

Discuss the position and nature of image formed by a convex mirror when an object is moved from infinity towards the pole of mirror.

### Answer

In a convex mirror, the image formed is always **virtual, upright and diminished**. It is always situated between it's pole and focus irrespective of the distance of object in front of the mirror.

o

As the object comes closer to the mirror from infinity towards the pole, its image **shifts from focus towards the pole and increase in size.**

The table below shows the position, size and nature of the image formed by a convex mirror

No.	Position of the object	Position of the image	Size of the image
1.	At infinity	At focus	Diminished to a point
2.	At any other point	Between focus and the pole	Diminished



## Question 15

Why does a driver use a convex mirror instead of a plane mirror as a rear view mirror? Illustrate your answer with the help of a ray diagram.


## Answer

A convex mirror diverges the incident light beam and always forms a **virtual, small and**

**erect image** behind the mirror between it's pole and focus. This fact enables the driver to use it as a rear view mirror in vehicles to see all the traffic approaching from behind.

Although a plane mirror can also be used as a rear view mirror, but a **convex mirror** **provides a much wider field view** as compared to a plane mirror of the same size.

The below diagram shows how a convex mirror provides a better field view than a plane mirror.



## Exercise 7(C) — Numericals

### Question 1

The radius of curvature of a convex mirror is 40 cm. find it's focal length.

**Answer**

$$\text{Focal length} = \frac{1}{2} \times \text{Radius of curvature}$$

Given,

$$R = 40 \text{ cm}$$

Substituting the values in the formula above we get,

$$\text{Focal length} = \frac{1}{2} \times 40$$

$$\text{Focal length} = 20 \text{ cm}$$

Hence, **focal length of the convex mirror = 20 cm.**

**Question 2**

The focal length of a concave mirror is 10 cm.  
Find it's radius of curvature.

**Answer**

$$\text{Focal length} = \frac{1}{2} \times \text{Radius of curvature}$$

Given,

$$f = 10 \text{ cm}$$

Substituting the values in the formula above we get,

$$10 = \frac{1}{2} \times \text{radius of curvature}$$

$$\Rightarrow \text{radius of curvature} = 20 \text{ cm}$$

o

Hence, **radius of curvature of concave mirror = 20 cm.**

### Question 3

An object of height 2 cm is placed at a distance 20 cm in front of a concave mirror of focal length 12 cm. Find the position, size and nature of the image.

### Answer

Given,

Object height (O) = 2 cm

Focal length (f) = 12 cm (negative)

Object distance (u) = 20 cm (negative)

Mirror formula:

$$\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$$

Substituting the values in the formula above we get,

$$-\frac{1}{20} + \frac{1}{v} = -\frac{1}{12}$$

$$\frac{1}{v} = -\frac{1}{12} + \frac{1}{20}$$

$$\frac{1}{v} = \frac{-5 + 3}{60}$$

$$\frac{1}{v} = -\frac{2}{60}$$

$$v = -30 \text{ cm}$$

**Hence, the image is formed at a distance of 30 cm in front of the mirror.**

$$\begin{aligned} \text{Magnification (m)} &= \frac{\text{Length of image (I)}}{\text{Length of object (O)}} \\ &= \frac{\text{Distance of image (v)}}{\text{Distance of object (u)}} \end{aligned}$$

$$\begin{aligned} \Rightarrow \frac{I}{2} &= -\frac{30}{20} \\ \Rightarrow I &= -\frac{30 \times 2}{20} \\ \Rightarrow I &= -3 \text{ cm} \end{aligned}$$

**Hence, length of image = 3 cm**

**Image will be real, inverted and magnified.**

#### **Question 4**

An object is placed at 4 cm distance in front of a concave mirror of radius of curvature 24 cm. Find the position of image. Is the image magnified?

#### **Answer**

Given,

Radius of curvature (R) = 24 cm (negative)

Object distance (u) = 4 cm (negative)

$$\text{Focal length} = \frac{1}{2} \times \text{Radius of curvature}$$

Substituting the values in the formula above,  
we get,

$$\text{Focal length} = \frac{1}{2} \times (-24)$$

$$\text{Focal length} = -12 \text{ cm}$$

Hence, **focal length of the concave mirror  
= -12 cm.**

Mirror formula:

$$\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$$

Now, substituting the values in the mirror  
formula , we get,

$$-\frac{1}{4} + \frac{1}{v} = -\frac{1}{12}$$

$$\frac{1}{v} = -\frac{1}{12} + \frac{1}{4}$$

$$\frac{1}{v} = \frac{-1 + 3}{12}$$

$$\frac{1}{v} = \frac{2}{12}$$

$$\frac{1}{v} = \frac{1}{6}$$

$$v = 6 \text{ cm}$$

The image is formed **6 cm behind the  
mirror.**

$$\text{Magnification (m)} = \frac{\text{Length of image (I)}}{\text{Length of object (O)}} \\ = \frac{\text{Distance of image (v)}}{\text{Distance of object (u)}}$$

$$\Rightarrow m = -\frac{6}{-4}$$

$$\Rightarrow m = \frac{6}{4}$$

$$\Rightarrow m = 1.5$$

As, the length of image is 1.5 times the length of object, hence, the image is **magnified**.

### Question 5

At what distance from a concave mirror of focal length 25 cm should an object be placed so that the size of image is equal to the size of the object.

### Answer

To get an image of same size the object should be placed at the center of the curvature of a concave mirror.

Given,

focal length = 25 cm

As, **centre of curvature = 2 x focal length**

o  
r  
centre of curvature

$$= 2 \times 25$$

$$= 50 \text{ cm}$$

**Hence, the object should be kept at 50 cm so that the size of image is equal to the size of object.**

### Question 6

An object 5 cm high is placed at a distance 60 cm in front of a concave mirror of focal length 10 cm. Find (i) the position and (ii) size, of the image.

### Answer

Given,

Object height ( $O$ ) = 5 cm

focal length ( $f$ ) = 10 cm (negative)

Object distance ( $u$ ) = 60 cm (negative)

Mirror formula:

$$\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$$

Substituting the values in the formula above, we get,

$$-\frac{1}{60} + \frac{1}{v} = -\frac{1}{10}$$

r

$$\frac{1}{v} = -\frac{1}{10} + \frac{1}{60}$$

$$\frac{1}{v} = \frac{-6 + 1}{60}$$

$$\frac{1}{v} = -\frac{5}{60}$$

$$\frac{1}{v} = -\frac{1}{12}$$

$$v = -12 \text{ cm}$$

**The image distance (v) = 12 cm in front of the mirror.**

$$\text{Magnification (m)} = \frac{\text{Length of image (I)}}{\text{Length of object (O)}}$$

$$= \frac{\text{Distance of image (v)}}{\text{Distance of object (u)}}$$

$$\frac{I}{5} = -\frac{12}{60}$$

$$I = -\frac{12 \times 5}{60}$$

$$\Rightarrow I = -1 \text{ cm}$$

**Hence, length of image = 1 cm**

**Negative sign shows that the image will be inverted.**

## Question 7

A point light source is kept in front of a convex

mirror at a distance of 40 cm. The focal length

o

of the mirror is 40 cm. Find the position of image.

### **Answer**

Given,

$$u = 40 \text{ cm (negative)}$$

$$f = 40 \text{ cm (positive)}$$

Mirror formula:

$$\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$$

Substituting the values in the formula above, we get,

$$-\frac{1}{40} + \frac{1}{v} = \frac{1}{40}$$

$$\frac{1}{v} = \frac{1}{40} + \frac{1}{40}$$

$$\frac{1}{v} = \frac{1+1}{40}$$

$$\frac{1}{v} = \frac{2}{40}$$

$$\frac{1}{v} = \frac{1}{20}$$

$$\Rightarrow v = 20 \text{ cm}$$

Hence, the image is formed **20 cm behind the mirror.**

### **Question 8**

e o

When an object of height 1 cm is kept at a distance 4 cm from a concave mirror, its erect image of height 1.5 cm is formed at a distance 6 cm behind the mirror. Find the focal length of the mirror.

### **Answer**

Given,

$$u = 4 \text{ cm} \text{ (negative)}$$

$$v = 6 \text{ cm} \text{ (positive)}$$

Mirror formula:

$$\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$$

Substituting the values in the formula above, we get,

$$-\frac{1}{4} + \frac{1}{6} = \frac{1}{f}$$

$$\frac{1}{f} = \frac{-3 + 2}{12}$$

$$\frac{1}{f} = -\frac{1}{12}$$

$$\Rightarrow f = -12 \text{ cm}$$

Hence, **the focal length of concave mirror = 12 cm**

### **Question 9**

length of mirror is 15 cm. (a) Where will the image form? (b) What will be the length of image?

### **Answer**

(a) Given,

$$u = 30 \text{ cm (negative)}$$

$$f = 15 \text{ cm (negative)}$$

Mirror formula:

$$\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$$

Substituting the values in the formula above, we get,

$$-\frac{1}{30} + \frac{1}{v} = -\frac{1}{15}$$

$$\frac{1}{v} = -\frac{1}{15} + \frac{1}{30}$$

$$\frac{1}{v} = \frac{-2 + 1}{30}$$

$$\frac{1}{v} = -\frac{1}{30}$$

$$\Rightarrow v = 30 \text{ cm}$$

Hence, **the image is formed at 30 cm in front of the mirror**

(b) Magnification

r

o

$$\text{Magnification (m)} = \frac{\text{Length of image (I)}}{\text{Length of object (O)}} \\ = \frac{\text{Distance of image (v)}}{\text{Distance of object (u)}}$$

$$\frac{I}{4} = -\frac{30}{30}$$

$$\frac{I}{4} = -1$$

$$\Rightarrow I = -4 \text{ cm}$$

Hence, **length of image = 4 cm**

Negative sign represents that the image is **inverted**.

### Question 10

A concave mirror forms a real image of an object placed in front of it at a distance 30 cm, of size three times the size of object. Find (a) the focal length of mirror (b) position of image.

### Answer

Given,

(a) Distance of the object (u) = 30 cm  
(negative)

Image height = 3 times the height of object

$$\text{Magnification (m)} = \frac{\text{Length of image (I)}}{\text{Length of object (O)}} \\ = \frac{\text{Distance of image (v)}}{\text{Distance of object (u)}}$$

$$-3 = -\frac{v}{-30}$$

$$\Rightarrow v = 3 \times (-30)$$

$$\Rightarrow v = -90 \text{ cm}$$

Hence, the image is formed **90 cm in front of the mirror.**

Mirror formula:

$$\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$$

Substituting the values in the mirror formula we get,

$$-\frac{1}{30} - \frac{1}{90} = \frac{1}{f} \\ \frac{1}{f} = \frac{-3 - 1}{90} \\ \frac{1}{f} = -\frac{4}{90} \\ \Rightarrow f = -22.5 \text{ cm}$$

Hence, **focal length of the mirror = 22.5 cm**

**(b) The image is formed 90 cm in front of the mirror**

A concave mirror forms a virtual image of size twice that of the object placed at a distance 5 cm from it. Find (a) the focal length of the mirror (b) position of the image.

### **Answer**

(a) Given,

Distance of the object ( $u$ ) = 5 cm (negative)

Magnification ( $m$ ) = 2 (positive for the virtual image)

$$\text{Magnification } (m) = \frac{\text{Length of image } (I)}{\text{Length of object } (O)}$$

$$= \frac{\text{Distance of image } (v)}{\text{Distance of object } (u)}$$

$$2 = -\frac{v}{-5}$$

$$\Rightarrow v = 2 \times 5$$

$$\Rightarrow v = 10 \text{ cm}$$

Hence, the image is formed **10 cm behind the mirror.**

Mirror formula:

$$\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$$

Substituting the values in the mirror formula, we get,

$$\begin{aligned}-\frac{1}{5} + \frac{1}{10} &= -\frac{1}{f} \\-\frac{1}{f} &= \frac{-2 + 1}{10} \\-\frac{1}{f} &= -\frac{1}{10} \\\Rightarrow f &= 10 \text{ cm}\end{aligned}$$

Hence, **focal length of the mirror = 10 cm**

(b) The position of the image is 10 cm behind the mirror

### Question 12

The image formed by a convex mirror is of size one-third the size of object. How are u and v related?

### Answer

$$\text{Magnification } (m) = - \frac{\text{image distance } (v)}{\text{object distance } (u)} = -\frac{1}{3}$$

Hence, we get,

$$v = -\frac{1}{3}u$$

Or

$$u = -3v$$

### Question 13

The erect image formed by a concave mirror is of size double the size of object. How are u and v related?

### **Answer**

$$\text{Magnification (m)} = - \frac{\text{image distance (v)}}{\text{object distance (u)}}$$

Given,

$$2 = - \frac{v}{u}$$

$$\text{Hence, } v = -2u$$

### **Question 14**

The magnification for a mirror is -3. How are u and v related?

### **Answer**

$$\text{Magnification (m)} = - \frac{\text{image distance (v)}}{\text{object distance (u)}}$$

Given,

$$-3 = - \frac{v}{u}$$

$$\Rightarrow v = 3u$$

$$\text{Hence, } v = 3u$$



ICSE/ISC TEXTBOOK SOLUTIONS	ICSE/ISC/CBSE PRACTICE TESTS	COMPANY
<a href="#">Class - 6 Concise Physics Selina Solutions</a>	<a href="#">Class - 9 ICSE Mathematics Practice Tests</a>	<a href="#">Pricing</a>
<a href="#">Class - 6 Concise Chemistry Selina Solutions</a>	<a href="#">Class - 9 ICSE Mathematics Sample Paper Tests</a>	<a href="#">About Us</a>
<a href="#">Class - 6 Concise Biology Selina Solutions</a>	<a href="#">Class - 9 ICSE Physics Practice Tests</a>	<a href="#">Contact Us</a>
<a href="#">Class - 6 Frank Geography Solutions</a>	<a href="#">Class - 9 ICSE Biology Practice Tests</a>	<a href="#">Privacy Policy</a>
<a href="#">Class - 6 Veena Bhargava Geography Solutions</a>	<a href="#">Class - 10 ICSE Mathematics Practice Tests</a>	<a href="#">Terms of Service</a>
<a href="#">Class - 6 Frank History &amp; Civics Solutions</a>	<a href="#">Class - 10 ICSE Mathematics Sample Paper Tests</a>	
<a href="#">Class - 6 Effective History &amp; Civics Solutions</a>	<a href="#">Class - 10 ICSE Physics Practice Tests</a>	
<a href="#">Class - 7 Concise Physics Selina Solutions</a>	<a href="#">Class - 10 ICSE Biology Practice Tests</a>	
<a href="#">Class - 7 Concise Chemistry Selina Solutions</a>	<a href="#">Class - 10 ICSE Biology Sample Paper Tests</a>	
<a href="#">Class - 7 Dalal Simplified Middle School Chemistry Solutions</a>	<a href="#">Class - 10 ICSE Computer Applications Sample Paper Tests</a>	
<a href="#">Class - 7 Concise Biology Selina Solutions</a>	<a href="#">Class - 12 CBSE Computer Science Practice Tests</a>	
<a href="#">Class - 7 Living Science Biology Ratna Sagar Solutions</a>	<a href="#">Class - 12 CBSE Computer Science Sample Paper Tests</a>	
<a href="#">Class - 7 Around the World Geography Solutions</a>	<a href="#">Class - 12 CBSE Informatics Practices Sample Paper Tests</a>	
<a href="#">Class - 7 Veena Bhargava Geography Solutions</a>		<b>STUDYLIST</b>
<a href="#">Class - 7 Effective History &amp; Civics Solutions</a>	<a href="#">Java Pattern Programs</a>	
<a href="#">Class - 8 Concise Physics Selina Solutions</a>	<a href="#">Java Series Programs</a>	
<a href="#">Class - 8 Concise Chemistry Selina Solutions</a>	<a href="#">Java Number Programs (ICSE Classes 9 / 10)</a>	
<a href="#">Class - 8 Dalal Simplified Middle School Chemistry Solutions</a>	<a href="#">Java Number Programs (ISC Classes 11 / 12)</a>	
<a href="#">Class - 8 Concise Biology Selina Solutions</a>	<a href="#">Output Questions for Class 10 ICSE Computer Applications</a>	
<a href="#">Class - 8 Living Science Biology Ratna Sagar Solutions</a>	<a href="#">Algorithms &amp; Flowcharts for ICSE Computers</a>	
<a href="#">Class - 8 Around the World Geography Solutions</a>	<a href="#">ICSE Class 8 Computers Differentiate Between the Following</a>	
<a href="#">Class - 8 Veena Bhargava Geography Solutions</a>	<a href="#">CBSE Class 12 Computer Science Important Output Questions</a>	
<a href="#">Class - 8 Effective History &amp; Civics Solutions</a>	<a href="#">CBSE Class 12 Computer Science Assertion Reason Questions</a>	
<a href="#">Class - 8 Kips Logix Computers Solutions</a>	<a href="#">CBSE Class 12 Computer Science File Handling Questions</a>	
<a href="#">Class - 9 Concise Physics Selina Solutions</a>		<b>CBSE TEXTBOOK SOLUTIONS</b>
<a href="#">Class - 9 Concise Chemistry Selina Solutions</a>	<a href="#">Class - 8 NCERT Science Solutions</a>	
<a href="#">Class - 9 Dalal Simplified ICSE Chemistry Solutions</a>	<a href="#">Class - 9 NCERT Mathematics Solutions</a>	
<a href="#">Class - 9 Concise Biology Selina Solutions</a>	<a href="#">Class - 9 NCERT Science Solutions</a>	
<a href="#">Class - 9 Total Geography Morning Star Solutions</a>	<a href="#">Class - 9 NCERT Geography Contemporary India 1 Solutions</a>	
<a href="#">Class - 9 Veena Bhargava Geography Solutions</a>	<a href="#">Class - 9 NCERT History India &amp; Contemporary World 1 Solutions</a>	
<a href="#">Class - 9 Total History &amp; Civics Solutions</a>	<a href="#">Class - 9 Sumita Arora Computer Code 165 Solutions</a>	
<a href="#">Class - 9 Kips Logix Computers Solutions</a>	<a href="#">Class - 9 Kips Cyber Beans Computer Code 165 Solutions</a>	
<a href="#">Class - 10 Concise Physics Selina Solutions</a>	<a href="#">Class - 10 NCERT Mathematics Solutions</a>	
<a href="#">Class - 10 Concise Chemistry Selina Solutions</a>	<a href="#">Class - 10 NCERT Science Solutions</a>	
<a href="#">Class - 10 Dalal Simplified ICSE Chemistry Solutions</a>	<a href="#">Class - 10 NCERT Geography Contemporary India 2 Solutions</a>	
<a href="#">Class - 10 Concise Biology Selina Solutions</a>	<a href="#">Class - 10 NCERT History India &amp; Contemporary World 2 Solutions</a>	
<a href="#">Class - 10 Total Geography Morning Star Solutions</a>	<a href="#">Class - 10 NCERT Democratic Politics 2 (Civics) Solutions</a>	
<a href="#">Class - 10 Veena Bhargava Geography Solutions</a>	<a href="#">Class - 10 NCERT Economic Development Solutions</a>	
<a href="#">Class - 10 Total History &amp; Civics Solutions</a>	<a href="#">Class - 10 Sumita Arora Computer Code 165 Solutions</a>	
<a href="#">Class - 10 DN Kundra History &amp; Civics Solutions</a>	<a href="#">Class - 10 Kips Cyber Beans Computer Code 165 Solutions</a>	
<a href="#">Class - 10 Sumita Arora ICSE Computers Solutions</a>	<a href="#">Class - 11 CBSE Sumita Arora Python Solutions</a>	

e

**Class - 10 Kips Logix Computers Solutions  
ICSE/ISC SOLVED QUESTION PAPERS**

[Class - 10 ICSE Maths Solved Competency Focused Questions](#)

[Class - 10 ICSE Physics Solved Competency Focused Questions](#)

[Class - 10 ICSE Chemistry Solved Competency Focused Questions](#)

[Class - 10 ICSE Biology Solved Competency Focused Questions](#)

[Class - 10 ICSE Geography Solved Competency Focused Questions](#)

[Class - 10 ICSE History & Civics Solved Competency Focused Questions](#)

[ICSE Class 10 Computers Solved 10 Yrs Question Papers](#)

[Sample Papers ICSE Class 10 Computer Applications](#)

[ICSE Class 10 Physics Solved 10 Yrs Question Papers](#)

[Sample Papers ICSE Class 10 Physics](#)

[ICSE Class 10 Chemistry Solved 10 Yrs Question Papers](#)

[Sample Papers ICSE Class 10 Chemistry](#)

[ICSE Class 10 Biology Solved 10 Yrs Question Papers](#)

[Sample Papers ICSE Class 10 Biology](#)

[ICSE Class 10 Maths Solved Previous Yrs Question Papers](#)

[Class - 12 ISC Computer Science Solved Practical Papers](#)

[Class - 10 CBSE Computer Applications Solved Question Papers](#)

[Class - 10 CBSE Computer Applications Solved Sample Papers](#)

[Class - 10 CBSE Science Solved Question Papers](#)

[Class - 12 CBSE Computer Science Solved Question Papers](#)

[Class - 12 CBSE Informatics Practices Solved Question Papers](#)

[Class - 11 CBSE Preeti Arora Python Solutions](#)

[Class - 11 CBSE Informatics Practices Preeti Arora Solutions](#)

[Class - 12 CBSE Sumita Arora Python Solutions](#)

[Class - 12 CBSE Preeti Arora Python Solutions](#)

[Class - 12 NCERT Computer Science Solutions](#)

[Class - 12 CBSE Informatics Practices Sumita Arora Solutions](#)

[Class - 12 CBSE Informatics Practices Preeti Arora Solutions](#)



Copyright © KnowledgeBoat 2025