



DELHI PUBLIC SCHOOL NEWTOWN
SESSION 2023-24
MONDAY TEST

CLASS: IX
SUBJECT: COMPUTER APPLICATIONS

TOTAL MARKS: 40
DATE: 13.10.23

Instructions:

The Question Paper comprises of Two Parts. Part-I is based on Multiple Choice Questions and Application questions. Part -II is based on Java Programs. The intended marks for questions are given in brackets []. This paper consists of three printed pages.

PART-I (20 marks)
[Attempt all question]

Question 1

Choose the correct answer from the choices given:

[6×1=6]

i) Parameter used in method prototype is known as:

- a) Defined parameter b) Actual parameter c) Formal parameter d) Passed parameter

ii) Among the operator groups (++/--) and (+, -, /, *, %) in java, which group has higher priority?

- a) (++/--) group has higher priority than (+, -, /, *, %) group
b) (++/--) group has lower priority than (+, -, /, *, %) group
c) (++/--) group and (+, -, /, *, %) group have equal priority
d) None of the above.

iii) Predict the output of the given method definition if 'm' is passed to c:

```
void test(char c)
```

```
{ System.out.print((int)c); }
```

- a) 77 b) 109 c) m d) error

iv) double a= -8.35; double p=Math.abs(Math.floor(a)); What will be the value of p?

- a) 8.3 b) 8.0 c) 7.0 d) 9.0

v) A non static method is invoked through:

- a) object b) system c) parameter d) arguments

vi) A method indicating the function name along with arguments is known as _____

- a) method prototype b) method signature c) method header d) method definition

Question 2

[7x2=14]

a) If a method contains several return statements, how many of them will be executed? Explain with example.

b) Rewrite the following program segment using if-else statements:

String comm = (sales >=45000) ? "7%" : "5%";

c) Read the following passage to answer the given questions:

A method is a program module that is used simultaneously at different instances in a program. It helps a user to reuse the same module multiple times in the program. Whenever you want to use a method in your program, you need to call it through its name.

Give one word answer for the following:-

(i) It defines the scope of usage of a method in the user's program.

(ii) It is the value passed to the method at the time of its call.

d) Write the main method which calls the following method:

```
int square(int a)
{   return(a * a); }
```

e) Write java expressions of the following mathematical expression:

$$Z = s(\sqrt{a} * x)3^3 - \sqrt[3]{x + y}$$

f) Predict the output of the given snippet:

```
class ab
{   void main()
    {   int b = 3, k=0, r,c;
        float a = 15.15f;
        if(k==1)
        {   r = (int)a/b;
            System.out.println(r); }
        else
        {   c=(int)a/b;
            System.out.println(c); }}
```

g) Write a function prototype of the following:

A function *summ* which receives a decimal number *x* and an integer *n1* and returns true or false.

PART-II (20 marks)

[Attempt all questions. Each program should be written using Variable descriptions/Mnemonic Codes so that the logic of the program is clearly depicted]

Question 3

[10]

A class Invoice is created to deal with employee's salary details of a company. The class has the following data members and methods-

Class name : Invoice

Data Members

ename : employee's name
yr : year of experience
design : designation of an employee
asal : annual salary of the employee
it : income tax payable

Member Methods:

void input() : accept necessary inputs

void calcTax() : income tax will be calculated using the following slab:

<u>Annual income(Rs)</u>	<u>Tax</u>
Upto 130000	No tax
From 130001 – 200000	15% of the annual income
From 200001 – 250000	Rs. 5000 + 20% of the annual income
Above 250000	30% of the annual income

void display() : display the data members along with income tax payable.

Question 4

[10]

Write a program in java to implement the following methods:

- i. **void printTriangle(int terms):** the function takes an integer argument to display the pattern of a triangle in the given form.

Sample input: terms 5

Sample Output: 1

2 2
3 3 3
4 4 4 4
5 5 5 5 5

- ii. **void invertTriangle(int terms):**the function takes an integer argument to display an inverted triangle in the given form.

Sample input: terms=6

Sample output: 6 6 6 6 6 6

5 5 5 5 5
4 4 4 4
3 3 3
2 2
1

