

COBXREF

A program to create cross references from Cobol source code with all copy statements included in along with all comments.

Set up and Usage Manual



Copyright © Vincent B Coen & Applewood Computers 1967-2026 and later.



Under FSF GPL v3 -

This document and the source code of the program known as 'cobxref' is copyright © 1967 - 2026 and later and may NOT be supplied or any part thereof, embedded or as a separate element, in any programming language or form, with any Cobol Compiler other than GnuCOBOL® without the express authority of the copyright holder.

It's usage in conjunction with the Cobol Compiler known as GnuCOBOL is herewith granted to all users of said product unconditionally.

Documentation Copyright © Vincent B Coen & Applewood Computers 1983-2026 and later. Permission is granted to copy and distribute this document under the terms of the GNU Free Documentation License, Version 1.3 or later version published by the Free Software Foundation; with no Invariant Sections, Front-Cover Texts, and no Back-Cover Texts other than originally supplied.

A copy of the license is included in the section entitled "GNU Free Documentation License".

Applewood Computers
17 Stag Green Avenue
Hatfield
Hertfordshire
AL9 5EB
United Kingdom

Phone: 44-(0)1707-913132

Support email: vbcoen@gmail.com

Author:	Vincent Bryan Coen, The author asserts his copyright over this work.
Document update:	23 February 2026
Revision:	69
Software Version Date:	January 2026
Software Version	2.03.15
Word Processor:	LibreOffice 7.6. or later

✖ ✖ ✖ 7 9 ✖ ✖ ✖ 6 8

Contents

Support for Cobxref.....	4
Why is this program needed ?.....	5
Copy Support from (v2.00).....	7
Pre usage actions on first install.....	8
Program Source code Set up.....	8
Cobxref Program Usage.....	10
Compiler Requirements for building Cobxref.....	13
TODO List in Copy library processing (within PrintCbl).....	14
Noticeable changes since v1.07.....	14
Literal treatment within PrintCbl module.....	15
Messages used in Cobxref.....	16
Processing breakdown.....	16
Displays from Cobxref:.....	16
Message Explanations:.....	16
Messages used in get-reserved-lists within Cobxref.....	18
Displays from get-reserved-lists:.....	18
Message Explanations:.....	18
Messages used in PrintCbl within Cobxref.....	19
Listings from PrintCbl module:.....	19
Displays from PrintCbl module:.....	19
Message Explanations:.....	19
Appendix A - Update Log.....	21
Since v1.07.....	21
Appendix B - Copy statement Formats.....	23
Appendix C - GNU Free Documentation License.....	28
Appendix D - GNU General Public License.....	34

Support for Cobxref

Please read all of these notes before use along with the Changelog and README file if present and ensure that the latest entry at the top, matches the current source file version number.

The program version method used is: aa.bb.cc where aa = major, bb = minor and cc = build.

Latest version at <https://sourceforge.net/p/gnucobol/code/HEAD/tree/trunk/contrib/tools/cobxref>
or <https://sourceforge.net/projects/cobxref/files/>
or <http://applewood.linkpc.net/files/Cobxref-latest/>

Note that at Sourceforge, there are two Cobxref versions, one for IBM mainframes under MVS as well as this one for the GnuCobol compiler they are not cross compatible.

If using the applewood.linkpc.net url, you may find (but unlikely) Alpha releases present, that are under initial testing.

One's marked Beta are somewhat safer to use for production purposes.

Suggestions for updates to vbcoen at gmail.com

Message subject must be 'cobxref requests' or 'cobxref bugs' subject to the issue or problem.

And of course you can use the Cobxref website bug reporting tool for all of my tools.

As I have now reached the age of 79 in June 20026, the next section is getting even more important :
(

If you would like to work on Cobxref or any other tools as well as ACAS etc, email me at vbcoen@gmail.com with your requirements / interests, etc and I will add you into the svn system or systems, with your known user name at Sourceforge and yes you must be registered.

Why is this program needed ?

One of the problems involved in programming in Cobol is the heavy usage of working storage definitions as well as procedural code. Quite often the programmer sets up variables of one type or another and ends up not fully using them or forgets where and when they are used. The same applies to section and paragraph names. Older versions of the GnuCobol compiler did not have such a facility and the current version does not go in to enough analysis to match my needs but saying this other compilers over the years, suffered similar problems with many not have an xref (cross reference) function at all or at least one that worked, and this is why there is a separate version for running under MVS 3.8J and the IBM ANSI Cobol compiler. For this one, see the Cobxref files section at Sourceforge and on my website under MVS3.8J

Cobxref for GnuCOBOL, produces a full listing of the code with copy libraries included, then produces various cross referenced reports by sections showing usage and also where both are not being used. [Note that the MVS version does not process COPY verbs at all although there is coding present for it to be added and this is due to the extra libraries that have to be installed as MVS load libraries for the processing of PDS datasets.]

While Cobxref is not often used during the coding stage it can be used towards the end and during testing to facilitate a satisfactory and timely conclusion in development.

I use it for all of the other Cobol Tools as well as applications developed and distributed via sourceforge and other websites as O/S (Open Source) with only the FSF license for re-use.

As examples see such Cobol tools as Printcbl, Dectrans and MySQL pre-compilers, as well as applications such as FlightlogC (for recording flight crew (pilots and others) flight times) and the Accounting software package ACAS which includes General and IRS (abbreviated version of similar to General but without profit centre or Branch recording), Purchase,& Sales Ledgers and Stock Control with support for Cobol files or using Mysql rdbms tables (others might be added at a later date subject to demand/requests).

Cobxref will also produce a printable listing of the Cobol program source that was used as input with all COPY files added, up to a maximum depth of 9.

This means a COPY verb calling a library that in turn calls another COPY verb and this is up to 8 levels in addition to the original source file. Note that the compiler will not go to this depth as the Cobol standard specifies source file plus four and many compilers do not go down to this level. Needless to say company standards and mainframe sites usually restrict the level count to two at most as it shows a poor control of the copy libraries per application within a project. Cobxref does not support usage of Panlavet style +++INCLUDES or similar.

Cobxref produces a listing breakdown of where variables are used by section within the procedure division namely and in order of:

CDF - Compiler Directing Facility - >>DEFINE CONSTANT & >>SET CONSTANT variables
File
Working-Storage
Local-Storage
Linkage
*Communication Not used in GnuCOBOL.
Report
Screen
Global and External variables

In addition breakdown are shown for system Functions, Conditions (88 levels), and Called processes both system and user defined as well as variables defined as Global when used with nested program

sources, with limited support for one's defined as External.

Entries within the Configuration Section is also supported, such as special-names.

Cobxref also includes both a module for obtaining the current GnuCOBOL compilers list of reserved words, intrinsic functions and system words and a cut down module of our Cobol tool Printcbl which is used for processing copy libraries see the next chapter Copy Support from (v2.00) for notes regarding support for the CDF and librarian COPY verb. Note all reserved words are a maximum of 63 character or less and the internal tables the same so no support for odd one's exceeding this size, well at least until that changes !

This program requires the use of the GnuCobol compiler v3, v4 and later to update all of the various reserved word tables and therefore will not work with any other compilers.

Caution: Cobxref assumes all source code complies with the COBOL standard syntax which includes that all words including formulae must end with a space, comma or full stop. Therefore processing can get confused if you do something like :

```
move aa-var8(1:ix-8)to aa-mmr-length
```

No space before 'to'.

Where usage of the compiler (cobc) for your sources include -Wall etc to check for any indifferent syntax outside the normal Cobol standards allow it does not trap all of them.

For use with programs written to use a maximum size of 63 characters for user supplied data names, section, paragraph, program and module names you must be using the latest version of the code base for GnuCobol v3 as of and after, July 2023, i.e., v3.2 final.

There is one other abnormality in that if you use a variable which is also a reserved word, it will ignore such variables. There appears to be no solution other than avoid using such a variable name that is, a reserved word although the compiler should be issuing an error or warning message.

A good example of this is using as a variable E which is a reserved word as it is a function - there are some others.

One last possible issue is that you MUST use Cobxref parameter 2 to specify the correct source format for the program being cross referenced, i.e., -FREE, -VARIABLE or by default as FIXED although this has been reduced with the latest Cobxref versions it still could result in a possible Cobxref abort with a range of different error messages but mostly saying similar to early end of source file for the program being cross referenced.

Note that provided the source code makes correct usage of >>SOURCE FIXED/VARIABLE/FREE cobxref should work correctly. It does not support any other of the possible formats that could be used with the GnuCobol compiler cobc. the >>SOURCE line should be the first line of source code but you may have a need to switch to other formats within the source code and cobxref will follow such changes.

If you get such an error, first check if you are using the correct format specification, Fixed, Variable or Free and that you have specified it as indicated above.

The program does look for the line :

```
>>source fixed | free | variable etc and adjust so this requirement should not be needed.
```

Copy Support from (v2.00)

Case is not sensitive, so ' COPY ' ' copy ' and any variation is OK, same as in GnuCOBOL. Both types of quotes (single and double but not mixed) as in "foo". All COPY statements MUST end with a period / full stop as per Cobol specifications.

- 1: COPY foo.
- 2: COPY "foo" (or 'foo').
- 3: COPY "foo.ext". different .ext **NOT** searched for.
- 4: COPY foo.ext different .ext **NOT** searched for (same as in 3).
- 5: for any COPY options adding IN | OF "../par" fully supported.
- 6: COPY filename.ext | IN | OF path | "relative path" | SUPPRESS | SUPPRESS PRINTING.
The SUPPRESS options only used for a report otherwise ignored.
7. Support for REPLACING sub clause:
Form 1A:: Word by word
1B:: Literal by literal
1C:: Identifier by Identifier
1D:: ==pseudo-text-1== by ==pseudo-text-2==
1E:: ==text-3== by ==text-4==

Cases 1 and 2 (if not found, then searched with .extensions of .CPY, .CBL, .COB (as well as lower case version of the same). This is not done if the extension is provided.

For 1D support for LEADING and TRAILING providing both fields are the same size.
This is because the GnuCOBOL function SUBSTITUTE does not have a LEADING or TRAILING function but it is now defined as such in the latest COBOL standard.
[When this is changed in the compiler, this function will be fully supported providing some one tells me.]

All all cases, searched in current directory and all search paths in order supplied up to a maximum of 10 paths only.

If both GnuCobol environment variables (COBCPY and COB_COPY_DIR) are set and they are the same, only one will be used otherwise search paths are added in read order with COBCPY first.

As per the Cobol standards **ALL COPY** statements **MUST** be followed directly with '.' (period).

Note: In 1 through 6) the **copy file name** and the **copy library** is **case sensitive**.

Replacing all, *other* than literals are **NOT** case sensitive.

Literals must be on same line. There is no support for continuation on the COPY statements or the source target but this allows for partial line by line replacement.

Warning:

When using fixed format source, it is the programmers **responsibility** to ensure that the replacing clause element fits within the area available and does NOT exceed column 72.
The same applies to the compiler. (See the ISO Cobol standards manual).

This means the result of a replace that exceeds column 72 is undefined but could extend beyond the Form B area. Also note that cc7 '-' is ignored. and replacing will use '"' & ' at end of source (cc70) and next line will have a quote on cc12.

This does not effect the operation of Cobxref which does not work with literals cross referencing wise.
Well that's the theory anyway.

Pre usage actions on first install

Program Source code Set up

1. As of version 2.0, Cobxref uses the compilers CDF facility and there are system changes that happen at the start of the source file that the various nested programs access to adjust the default set ups and these are within the section marked as CONFIGURATION SETTINGS.

You can change the first one if needed but the others are only there for programmer testing, but if changed can and will produce a **lot** of output on screen and in the output files.

The same is said if compiling cobxref with full debugging such as '-d -g -ftraceall' as the trace file will be LARGE - such as over 2Gb when running cobxref against itself and will be slow in running, possibly over five minutes depending on speed of your cpu and will slow down any other applications running.

1. See the line starting with:

```
>>SET CONSTANT C-Compiler-Line-Cnt AS 55
```

Change the number 55 if and **only** if the following applies:

Cobxref uses the field Compiler-Line-Cnt to hold the default cobc report page size of 55 so if you have changed the one in cobc sources or with a compiler option for any reason, you should consider changing this field to match before compiling it by changing the value as shown above which is preset as 55. There is built in support for use of Letter paper so that the above count is reduced by 4 assuming you are printing in portrait mode for landscape change the value appropriately bearing in mind the difference in Letter format, if used.

As Cobxref produces a print file with the name of the source file and extension of .lst you can pass it to your printer, however another option is to use the supplied extra script prtpdf to create a pdf file.

To use it you must also install enscript and ghostscript which if you are using Linux, obtain them from your distributions repositories and you might want to amend the prtpdf file to match up with your requirements but it is seriously recommended you only do **ONE** change at a time before testing as it is easy to mess it up.

2. See line starting with :

```
>>SET CONSTANT C-OS-Delimiter AS "/"
```

This is set for use in *nix environments which includes Linux, OSX and MSYS/MinGW etc.

I understand it will also work with Windows v10/11.

Change it for "\" if and **only** if, you are using a native version of the Cobol compiler built using Microsoft Visual Studio or a similar compiler.

There are other >>SET statements that are remarked out for use when testing.

Cobxref does check the value in the environment variables TMPDIR, TMP and TEMP in that order for a directory to store the working files at the same time it verifies the OS delimiter for being "\" or "/" as a safeguard. You must have full access to this temporary directory for create, read, write and delete.

3. The program will also examine the Environment Variable LC_TIME for producing the date printed in your local format and the values are :

en_GB to set to using the UK format (dd/mm/yyyy)

en_US to set to using the USA format (mm/dd/yyyy)

anything else, it is left as 3 = International and Unix format (yyyy/mm/dd).

You can add a check for other value/s for your country/region but please let the programmer know [by

email with subject Cobxref, so it can be added to the main source files held at the SF website areas.

If you do not normally use these two, you can also run Cobxref within a script that sets the LC_TIME value up using the command 'export LC_TIME=en_ABC' etc, before running Cobxref.

In all cases this, along with the time as hh:mm:ss:nn is printed in the headings.

Note that the time is updated for each heading printed as it acts as a simple way of seeing just how long it takes in milliseconds to run, looking at the first and last heading times.

4. You are now ready to compile and there is a supplied Linux script that will do it named `comp-cobxref.sh` which just runs:

```
cobc -x cobxref.cbl  
chmod +x cobxref
```

You can now run :

```
mv cobxref ~/bin
```

or whatever other bin directory that is in your environment path variable.

The program has been tested with the GnuCobol v3 series of compilers.

5. You can now use it from any working directory for which you have full access.

6. Read the following notes on requirements and usage.

Cobxref Program Usage

Caution: This program has only been tested against source files that have gone through the GnuCobol compiler with **no** reported errors including missing space or periods (full stops) and I recommend that you do the same. If in doubt use `cobc -W` to build the program source first. The GnuCobol compiler (`cobc`) must be in the executables path as it is called by Cobxref.

Parameters for running Cobxref are in the form:

`cobxref 1 [ 2 3 4 5 6 7 8 9 10 12]` where parameters 3 through 10 are all optional with 11 & 12 and possibly hidden ones, only when requested by Cobxref technical support.

Note: Param 1 **Must** be first parameter, 2 through 8 can be in any order.
Param 2 **Must** be specified if using Free or Variable format sources in your program.
Params 3 through 8 as needed.
Param 9 for testing against other cross reference products only.
Param 10 Same as 9 followed by normal xref.
Params 11 and 12 are for programmer testing ONLY.
Param 13 For help the same as shown below.

- 1: SFN [Source File name] including any extensions (**Mandatory**)
- 2: -FREE Format selection if using the free source format.
 Omit if **only** using the fixed source format - just the same as for `cobc`.
 Incorrect usage of this parameter could produce a lot of error messages if NOT using the CDF options `>>SOURCE FIXED | FREE | VARIABLE` at the beginning of the source file and elsewhere when needed, on change of format, i.e., copybook inclusion.
 -VARIABLE Same as FIXED but source can be up to 256 chars where cc73-80 -- 256 is also source code and not the reference area. See the GnuCobol Programming Guide for more details.
- 3: -R Do not print out the source code.
 Omit this option and cobxref will always do so, prior to the cross reference listings.
- 4: -L Reports all in lowercase (defaults to uppercase or actual case used).
- 5: -DR Displays **All** reserved words, followed by Functions then system calls and then stops.
 You **Must** still specify a source file even if a dummy (non existent file).
- 6: -VT Do not display messages when updating any reserved word tables.
 It is recommended, not to use this option so that you have confirmation that these have been updated.
 Warning: Any new release of the compiler usually adds new reserved words, etc.
- 7: -E Create compressed source file (same as `cobc -E`), by producing free format source in filename.src. Mostly used for testing cobxref otherwise not useful. Note that a extra file is created named SFN.pro that contains the extended sources with all COPY libraries included, it is overwritten every time cobxref is run. Useful if you wish to pass on to any one a copy of your source file with the COPY entries included.
- 8: -AX Produce Xrefs at end, of all program listings.
 This is not yet implemented - depends on requests.
- 9: -G Produces group print out in addition to normal so that comparing xref's

with Microfocus or IBM can be more easily done. Used for testing Only.

- 10: -BOTH Produces xref report as for -G followed by normal xref lists.
- 11: -TEST Produces testing info (and this can be a *lot* of output).
Used for Debugging by or on behalf of programmers.
- 12: -V Verbose output - for testing only - can be a *lot* of output.

Note where comment 'for testing' is shown they will not apply unless in testing mode.

Running just as cobxref will produce above help list.

Normally, just call as 'cobxref sfm.cbl -FREE' (if your program sources are in the free format).

Where sfm = source file name.

Cobxref will normally produce two files:

- sourcefilename.pro The output from copying over all copybooks (if present). Can be deleted.
The file includes all found copybooks. that can be used as input to the compiler or cobxref etc.
- sourcefilename.lst The file containing the source and cross reference listings as requested..

Cobxref also creates :

- Partnn.tmp Temporary work file holding unsorted xref data.
- Partnn.tmp Temporary sorted work file holding sorted xref data. Both files are small.
- These files are stored on your temporary directory, location depends on compiler set up but often in ~/tmp. They can be deleted if you need to, but can help if Cobxref bugs are suspected or found.
- nn is 01 and 02 for the first nested program, incremented by 2 for all others in the source file.*

The use of these files is because Cobol programs can exceed 500,000 lines of code and the use of tables requires a declared limit and that (Murphy 's Law says) will be exceeded regardless of size.

This next file is only created if requested by usage of parameter -E.

- sfm.src Contains free formatted source with extra spaces removed and file is the same as running cobc with --save-temps but without blank or comment lines as well as trailing comments. This file which is smaller than the cobol source file can also be deleted unless needed for bug reporting.
- There is not a lot of use for this file but as the data is created for use internally it is available in a file at the end of run. This option has been removed so is file is deleted at end of run.

Cobxref will during the run, produce up to three displays reporting on the updating of the internal tables of the various reserved word types against the installed version of GnuCOBOL compiler see Messages used in get-reserved-lists within Cobxref page 18 for more information.

These displays will be:

- Msg13 Intrinsic word table was successfully updated
- Msg14 Reserve word table was successfully updated
- Msg15 System word table was successfully updated

It is normal for these to appear for GnuCOBOL v3.n and later.

If these messages do NOT appear check that the GC program cobc is accessible in the directory you are using.

This action can be turned off by parameter '-VT' if required but it is recommended that you do not.

When processing copy libraries, the contents of the GnuCOBOL environment variables COBCPY and COB_COPY_DIR are searched for the libraries after looking in the current directory.

Note that if both env. vars. are found and have the same contents, then just one is used, otherwise they are searched in order of COBCPY then COB_COPY_DIR

There is a total of 10 paths allowed, so only the first 10 are used.

e.g., if both env. variables are used and you have:

```
COBCPY=a:b:c:d:e:f  
COB_COPY_DIR=g:h:i:j:k:l:m
```

Only, a through i are searched, as well as the directory containing the source program.

Any errors found during processing such as not finding a copy book along with any warnings or information messages will appear in the updated source file (.pro) and in the cobxref listings.

These messages are prefixed with the comment flags '>' or '*>>' so they do not get flagged by the compiler if using the .pro file as input.*

*The prefix's '**>>E ', or '**~>>P ' is used to high light possible issues. There are others.*

Cobxref processes all >>SET and >>DEFINE CONSTANT statements and treats them the same as GLOBAL but they are active until the next END PROGRAM statement is read, as this is what the compiler does according to Simon, However these are used within cobxref at the start and appear to be active for all of the nested programs. So, if this is valid then the way cobxref deals with them can be wrong as the cross reference listing will only show them until the END PROGRAM is read.

So, either cobc is wrong or cobxref. !

Compiler Requirements for building Cobxref

Any version that supports:

Functions:

1. SUBSTITUTE
2. SUBSTITUTE-CASE
3. CURRENT-DATE
4. UPPER-CASE
5. LOWER-CASE
6. STORED-CHAR-LENGTH

Called Procedures:

7. SYSTEM
8. CBL_CHECK_FILE_EXIST
9. CBL_CLOSE_FILE
10. CBL_DELETE_FILE
11. CBL_GET_CURRENT_DIR
12. CBL_OPEN_FILE
13. CBL_READ_FILE

14. Environment variable capture e.g.:

accept Cobcpy	from Environment "COBCPY".
accept Cob_Copy_Dir	from Environment "COB_COPY_DIR"
accept Arg-Number	from argument-number.
accept Arg-Value	from argument-value

15. The Compiler fully supports the runtime directives :

- list-reserved
- list-intrinsics
- list-system

As far as I know all versions from v2 do so, but not tested against older ones. There will be a problem with v1.1 and Substitute if you do not have the patches installed, and it will not support (15) any way.

It is recommended that you upgrade your compiler to version 2.2 or better still, to v3.2 or later.

All current development, testing and production is with the v3.2 series and final specifically.

TODO List in Copy library processing (within PrintCbl)

1. None.

Noticeable changes since v1.07

1. Support for multiple depths for copy statements instead of 1, i.e., copy within a copy is depth 2. It will now go to a depth of 9, e.g., source with nine copy within copy.

According to the Cobol standards, GnuCOBOL should go to 5 levels at least. which when last checked it does but that was some versions ago.

2. Support for up to 50 REPLACING sub-clauses per COPY.

3. Limitations for current version based on tables sizes etc.:

- A. Total number of copy's with copy's within original source file 9, e.g., depth 9.
- B. Maximum number of REPLACING clauses with a COPY: 50.
- C. Maximum size of a Replacing Source or Target field: 2048 bytes/Chars.
- D. Maximum size of complete COPY statement: 1 MB (1024 * 1024).
- E. Maximum file buffer size: 1 MB. [Source files are read in 1 MB blocks].
- F. Warning, Error, Caution messages held in table currently 10 in English.
- G. Maximum size of a free format source line: 255 Chars [as per Cobol standards]. Ditto Variable format.
- H. Maximum number of source file extensions: 7 [cpy, CPY, cbl, CBL, cob, COB] and space.

4. Support for REPLACING LEADING, TRAILING sub-clauses added.

These are processed by the program providing both source and target are the **same** size.

Special source user changes now only done at the source file beginning in GnuCOBOL CDF section. See Program Source code Set up page 8.

Msg17 added if cobxref find bad Cobol syntax i.e., missing space between words.

Also see Appendix A for more information on changes.

4. Support for CDF >>DEFINE CONSTANT variable and >>SET CONSTANT variable as of v2.03.

5. As for 4. they remain active until a END PROGRAM is read. See comments above regarding this. Note this may work correctly or the same as the GnuCobol compiler. I guarantee nothing :)

Literal treatment within PrintCbl module

Please note the way (or not) literals are processed.

No processing takes place of continuation of literals both in the COPY clause or the source code as such.

So if you need to change one line of literal you only need to specify the content of that one line in a COPY statement (but only for cobxref).

E.g., copy library source code:

03 filler pic x any length value "This is an example of left hand heads"

03 filler pic x any length value " but this is an extension line of more rubbish" &
" as such makes absolutely no sense".

COPY foo.bar replacing

"This is an example of left hand heads" by "Top form for Fred"

" but this is an extension line of more rubbish" by "Centre heading 1"

" as such makes absolutely no sense" by "Page number ".

Also if in line 3 of source, started in fixed form as:

- " as such makes absolutely no sense".

It should also work.

NOTE that it has always been the responsibility of the programmer that when using fixed format sources to ensure that replacing clauses will result in the same limitations of no line exceeding column 72. This applies to the compiler as well as per the Cobol standards.

Therefore PrintCbl does not check it under all circumstances however the replacing clauses are checked and correct sizing maintained, where ever possible.

Within cobxref, literals are ignored for cross reference processing anyway but the listing might look a bit strange and can be ignored.

Messages used in Cobxref

Processing breakdown

The caution, warning and error messages are broken down by what sub system within Cobxref produced them namely Cobxref itself, get-reserved-lists or printcbl.

To help understand them, a simple indication of the steps run is now provided:

Cobxref starts by running get-reserved-lists which in turn runs cobc to output the various sets of reserved words and these are then used to update the one's held within its tables.

Then the parameters passed to Cobxref are read in and verified, next printcbl is run, to include any copy verbs creating a new source file (.pro) and this is then used by Cobxref as input to create a compressed file with all excess spaces (more than one) removed which is then used as source to produce the cross references. The pro file is used for listing the sources. The compressed file can be retained using -E and is named with the file extension of .src but it does not look pretty but is exactly what the compiler does to your source file. A later version of cobxref may well not retain this file as its main usage is for testing cobxref.

The messages are mostly prefixed by a message number in the form of Msgnn where nn is :

01 through 10, 18 & 19 and these are from Cobxref.

11 through 16 are from get-reserved-lists.

21 through 31 are from printcbl.

Some of these messages are output to the updated source file by PrintCbl prefixed by '*>> '.

Displays from Cobxref:

1. Msg1 Aborting: No input stream
2. Msg2 Aborting: Early eof on source
3. Msg3 Aborting: Git table Error before sort
4. Msg4 Logic Error:Lost1 wsFoundWord2 numeric? = xyz
5. Msg5 Logic Error:Lost2 wsFoundWord2 = xyz
6. Msg6 Error: Con table size needs > 5000
7. Msg7 bb050 Error: Logic error
8. Msg8 Error: Eof on source again - This can appear once, when processing nested programs.
9. Msg9 Error: File not present Try Again!
10. Msg10 Error: Git Table size exceeds 10,000
11. Msg17 Error: Cobol Syntax missing space
12. Msg18 Error: Eof on source possible logic error at aa047 ASSUMING again
13. Msg19 Possible prob. with cobc and therefore with no reserved word list

Message Explanations:

1. No data found in sorted temporary work file, unless an empty source file was used should not happen possibly a Cobol sort error - attempts to continue but more mesg1 can occur.
2. Unexpected end of copy source file - Aborted processing.
3. Unexpected problem prior to sorting the GIT table as count is negative.
Suspected programming error - report the error and counts to support (see inside front cover) - Aborted.
4. Suspected programming error - report to support (see inside front cover) - Aborted.
5. Suspected programming error - report to support (see inside front cover) - Aborted.
6. Conditions table of 5,000 exceeded - continues but new one's found will not be added. This table records 88 levels against their corresponding variable data element. Report it as you have a *very* large program needing this table to be set higher.
7. Suspected programming error - report to support (see inside front cover) - Continuing.
8. Got a EOF (end of file) condition more than once, suspected programming error - report to support (see inside front cover) but attempting to continue but check that you have specified

the source format in cobxref parameters such as FIXED, VARIABLE, FREE. This can occur once if running with nested programs in the source file.

9. Cannot open the file created by printcbl containing copy libraries if any - Aborted.
10. Global Data table exceeds 10,000 will attempt to continue but xref will be inaccurate. Report to support (see inside front cover) - should not be happening!
11. Suspected missing space between words such as xfz)to where space should be before 'to'.
This message continues with debug information displayed and inserted in the listing to help find the source line with the problem. Fix your source and rerun.
12. Suspected programming error - report to support (see inside front cover) - Aborted.
13. get-reserved-lists could not obtain the reserved word list whole or in part. - Continuing but also see msg 11, 12.

Some of the aborted messages such as msg2, 3, 5, 7 and 8 can relate to not using the correct source format as a Cobxref parameter 2 i.e., -FREE, -VARIABLE or -FIXED and you are not using the CDF command >>SOURCE FREE | VARIABLE | FIXED, or the source is incomplete.

Cobxref does not at this time support any other source format types.
Check your program source and use the right one and retry.

Also check if all **four** divisions are present and likewise any **required** associated sections.

WARNING: Cobxref will not like very abbreviated sources as in a test program such as a basic hello world- - See previous comment.

Messages used in get-reserved-lists within Cobxref

Displays from get-reserved-lists:

1. Msg11 Cannot run 'cobc --list-intrinsics', cobc not in path?
2. Msg12 Cannot run 'cobc --list-reserved', cobc not in path?
3. Msg13 Cannot run 'cobc --list-sytem', cobc not in path?
4. Msg14 Intrinsic word table was successfully updated
5. Msg15 Reserve word table was successfully updated
6. Msg16 System word table was successfully updated
7. Msg19 Possible prob. with cobc and therefore with no reserved word list updates

Message Explanations:

1. Cannot run cobc aborting. Program is not in program search path. Correct and rerun.
2. Same as 1.
3. Information only.
4. Information only.
5. Same as 1.
6. Information only.
7. See 1, 2 & 5 Cobxref will run without having an up to date reserved, function or system list but some references to reserved words, functions and system calls will be incorrect.

When running versions 3.0 and later, of the compiler, it is normal for messages 4, 5 and 6 to be displayed.

Messages used in PrintCbl within Cobxref

Listings from PrintCbl module:

1. Msg21 Error: Too many levels (9) of COPY
3. Msg22 Error: Copy File Not Found
4. Msg27 Error: Cannot Find File, & tried six different .Exts
5. Msg28 Error: Abnormal end of input
6. Msg29 Caution: One or more replacing sources not found
7. Msg25 (P): On Read. Ret.code = nn
8. Info: Total Copy Depth Used = nn
9. Caution messages issued = nn
15. Msg32 Error: Recursive Copy File Name = CFN - Above is IGNORED

Displays from PrintCbl module:

1. Msg21 Error: Too many levels (9) of COPY
2. Msg23 Error: File Not Found
5. Msg28 Error: Abnormal end of input
7. Msg25 (P): On Read. Ret.code = nn
11. Msg24 (P): File Not Closed? = xxx.yyy
12. Msg26 Error: When opening I/P file got = nn
13. Msg31 (P): Bad RT on Get-Directory
14. Errors: Note and Hit return to quit

Message Explanations:

1. Your program exceeded nine levels of copy e.g., source file copy calls copy that calls 9+.
2. Source file not found, program aborts process or copy level.
3. Cannot find the file specified in the Copy statement that has the extension in the name.
4. Cannot find the file specified in the Copy statement that does not have an extension.
5. Unexpected end of file. You did *NOT* terminate a copy statement with a full stop / period!
6. Listed after a copy statement when one or more replacing sources possibly NOT found in the copy file.
7. Possible program issue, file terminated with unexpected error condition. Please report this to the lead programmer listed on inside front cover via email with any other helpful details.
8. Information: As it says. Printed at end of source listing along with number of copy files not found (see line after each copy statement and warning if any Caution (see 6.) messages listed.
9. Warning that one or more message 6. listed. Also see (8).
10. Unused.
11. Possible program issue, unexpected error value when closing file. Please report this to the lead programmer listed on inside front cover via email with any other helpful details.
12. Possible program issue, unexpected error value when opening file but was tested present. Please report this to the lead programmer listed on inside front cover via email with any other helpful details - program aborts.
13. Failure when trying to get the current directory. This would be caused by a compiler error.
14. As it says and process will abort, issued after some of the above messages.
15. Copy file name is used recursively, it is ignored.

Messages related to a file error could relate to a hard disk problem when reading or writing a file. Are you out of disk space or has your SDD has not been trimmed ?

Messages in the listing will be prefixed by *>>, *>>>, *>C, *>>E or *>>P so that they stand out. The prefix ">C" is for the original COPY statement that is remarked out in Free and variable format and for fixed just an asterisk in cc7. There is always an ">>> Info" message as the last entry in the source listing element giving totals.

These is ignored by the GnuCobol compiler. if the .pro file is used as input.

Appendix A - Update Log

Since v1.07

1. Cobxref now accepts both fixed and free Cobol formats and does not process the sfn.i created from cobc -E option. This was a feature requested by Roger While and is no longer needed. Should never have removed the COPY processing code !
2. All COPY verbs **must** be terminated by a period / full stop as per the Cobol standard.
3. Any Cobol source must go through the compiler error and be major warning free.
4. Support for FUNCTION-ID in addition to PROGRAM-ID but all other sub clauses are ignored.
5. Full support for System calls as well as User defined one's and these are reported on.
6. Clean up help screen.
7. Add to manual regarding default copy libs are from COBCPY and COB_COPY_DIR as well as current source directory.
8. Website address updated for linkpc.net.
9. Updated copyright notices and replaced references to GnuCobol.
10. Documentation clean ups.
11. Cobxref as well as the other modules, now uses CDF facilities for preset user site variables. See start of source code for each module.
12. Debug lines copy statements now ignored both formats.
13. Renamed warning and error messages to tie up with Printcbl.
14. Code brought in to line with Printcbl but with reporting code removed.
15. Various bugs fixed regarding fixed format and CB (copy book) processing with non literal CB's and one's without extension specified.
16. Minor listing tidy ups.
17. At program start, use base source file name for headings until program / function ID found.
18. Reporting multi programs (nested) by adding new field to sorting records for the current active program/function name. Reporting is still the same.
19. New program parameter function to turn on block xrefs for nested program source. See (18). Activated by parameter -AX ----- Not yet added as subject to user requests.
20. Using new parameter option -E program will create a source file the same as cobc -E but without any blank or comment lines. This data is exactly the same as processed through Cobxref after COPY verbs processed and all extra spaces above one removed to aid processing. There are some possible bugs that could occur where this file output is handy for diagnostics otherwise of no use to most users.
21. Cobxref no longer will process COPY words in comment areas (cobc does via -T option).
22. All comments are ignored including floating.
23. When replacing text without pseudo option it will only replace text with space before and after and not any text within text as only pseudo can. For more details on this and many others see the Changelog supplied with the program that gives a detailed breakdown of bugs,fixes and new features but this is a programmers aid only !
24. New parameter -VT to turn off messages for updating the various internal reserved word tables in module get-reserved-lists. I find it handy but when running many sources through cobxref it can get a little tiresome but it does prove that the compiler is installed and is accessible.
25. Using pseudo replacing does on all examples of the from code and it is the only option that will.
26. Replacing using literals does an exact match only with continuation characters ignored such as - in cc7 (fixed) and '&' for both.
27. Complete tidy up of all messages both displayed and printed - includes renaming same.
28. Lots more, see the Changelog if really interested.
29. Updated printcbl module to match changes in printcbl program. Fixed bug regarding fixed format - using wrong field when testing for it and both fixed and free 88's clashed and GC did not report the issue.

- 30. Re-match messages against this manual etc.
- 31. Replacing Leading | Trailing pseudo where size of both fields are exactly the same.
- 32. Added support for user supplied name for data, section, paragraph, program & module being up to 63 characters long. In the xref listings any thing over 32 is on a line of its own.
- 33. Fixed bug if page number > 127 (data field too small).
- 34. Minor tidy up of grammar and fact in this manual, to match current issued Cobxref version.
- 35. Additional comments in the manual regarding COPY processing and the SUBSTITUTE function as needed to handle correctly when it has 'LAST' and 'FIRST' functionality as per the current Cobol standards.
- 36. Support for Global and External variables when using nested programs in source file.
- 37. Support for CDF DEFINE and SET with CONSTANT only.
- 38. Added new param -BOTH to provide xref as in -G followed by the normal xref by groups.
- 39. Cleared out all outstanding bugs.
- 40. 2.03.05: Tidied up msg numbers for module get-reserved-lists as they were out of number/logic order. Moved the 'END PROGRAM' statements to the end of source to protect any >>SET's to remain in scope. Added support for out of scope of CDF SET and DEFINE vars by removing from GIT table on reading a END PROGRAM statement added extra message Msg3 (moving all other down one) to protect against error in the git-table-count not mapping to the delete-cnt before table-sort - No shouldn't happen but JIC.
I do not know if this is the way the compiler handles the scope of these as Simon says one thing and the compiler appears to do some thing different - see earlier comments regarding.
- 41. 2.03.06: - Support for VARIABLE source format with wource length same as FREE, and \$SET (treated as >>SET. for others see text file Changelog.
- 42. 2.03.14 - Removed parameter option -H & --H. as processed without any parameters.
- 43. 2.03.15 - The code for "CALL" did not allow for words STATIC or STDCALL preceding routine name and therefore those names appeared in cross reference instead.

Appendix B - Copy statement Formats

WARNING: This does NOT mean that all variants are implemented in a given version of GnuCOBOL.

With definitions as per ISO/IEC 1989:2014 CD 1.1 (E) taken verbatim.

7.2.1.2 Source text and library text

Source text is the primary input to the compiler for a single compilation group. Library text is secondary input to the compiler as a result of processing a COPY statement.

The source text and library text processed by text manipulation consists of indicators, character-strings, comments, and separators. A character-string is either a text-word or the word 'COPY'.

7.2.1.3 Pseudo-text

Pseudo-text is an operand in the REPLACE statement and in the REPLACING phrase of the COPY statement.

Pseudo-text may be any sequence of zero or more text-words, comments, and the separator space bounded by, but not including, pseudo-text delimiters. The opening pseudo-text delimiter and the closing pseudo-text delimiter consist of the two contiguous COBOL characters '=='.

7.2.1.4 Text-words

A text-word is a character-string in source text or in library text that constitutes an element processed by text manipulation. A text-word may be one of the following:

- 1) a separator, except for: a space; a pseudo-text delimiter; and the opening and closing delimiters for alphanumeric, boolean, and national literals. In determining which character sequences form text-words, the colon, the right parenthesis, and the left parenthesis characters, in any context except within alphanumeric or national literals, are treated as separators;
- 2) an alphanumeric, boolean, or national literal including the opening and closing delimiters that bound the literal;
- 3) any other sequence of contiguous COBOL characters bounded by separators, except for: comments and the word 'COPY'.

7.2.2 COPY statement

The COPY statement incorporates library text into a COBOL compilation group.

7.2.2.1 General format

7.2.2.2 Syntax rules

- 1) A COPY statement may be specified anywhere in source text or in library text that a character-string or a separator, other than the closing delimiter of a literal, may appear except that a COPY statement shall not appear within a COPY statement.
- 2) A COPY statement shall be preceded by a space except when it is the first statement in a compilation group.
- 3) Within one COBOL library, each text-name shall be unique.
- 4) A concatenation expression or figurative constant shall not be specified for literal-1, literal-2, literal-3, or literal-4.
- 5) Literal-1 and literal-2 shall be alphanumeric literals. The allowable value of literal-1 and literal-2 is defined by the implementer.
- 6) Pseudo-text-1 shall contain one or more text-words, at least one of which shall be neither a

separator comma nor a separator semicolon.

7) Pseudo-text-2 shall contain zero, one, or more text-words.

8) Character-strings within pseudo-text-1 and pseudo-text-2 may be continued in accordance with the rules of reference format.

9) Text-1 and text-2 shall be one of the following formats of identifiers: function-identifier, qualified-data-name with-subscripts, reference-modification, qualified-linage-counter, or qualified-report-counter.

NOTE Text-1 and text-2 are archaic features and their use should be avoided.

If subscripting is specified, it shall not include any arithmetic expressions as subscripts with the exception of a single literal or identifier, or an identifier plus or minus an integer.

The format of any identifier specified in

```

COPY          literal-1
{             text-name-1 }
{ }          [ ] OF/IN
              literal-2
              library-name-1 ]

[ ] [ SUPPRESS PRINTING ]
    REPLACING
              == pseudo-text-1 ==
              text-1
              literal-3
              word-1
              BY
              == pseudo-text-2 ==
              text-2
              literal-4
              word-2

[ ] [ ] LEADING/TRAILING
[ ]
[ ]          == partial-word-1 == BY == partial-word-2 ==
```

Subscripts, reference modifiers, or function arguments shall be: a function-identifier, qualified-data-name with- subscripts, reference-modification, qualified-linage-counter, or qualified-report-counter. Function identifiers in text-1 or text-2 shall be intrinsic function references only.

10) Word-1 or word-2 may be any single COBOL word except 'COPY', the compiler directive indicator, or the comment indicator.

11) The length of a text-word within pseudo-text and within library text shall be from 1 through 65,535 character positions.

12) Compiler directive lines shall not be specified within pseudo-text-1, pseudo-text-2, partial-word-1, or partial-word-2.

13) Partial-word-1 shall consist of one text-word.

14) Partial-word-2 shall consist of zero or one text-word.

15) An alphanumeric, boolean, or national literal shall not be specified as partial-word-1 or partial-

word-2.

7.2.2.3 General rules

- 1) Text-name-1 or literal-1 identifies the library text to be processed by the COPY statement.
- 2) Library-name-1 names a resource that shall be available to the compiler and shall provide access to the library text referenced by text name-1.
- 3) The implementer shall define the rules for locating the library text referenced by text-name-1 or literal-1. When neither library-name-1 nor literal-2 is specified, a default COBOL library is used. The implementer defines the mechanism for identifying the default COBOL library.
- 4) If the SUPPRESS phrase is specified, library text incorporated as a result of COPY statement processing is not listed. If a listing is being produced, the COPY statement itself is listed.
- 5) At the completion of copying the library text into the compilation group, the LISTING directive that is in effect for the COPY statement itself is considered to be in effect, regardless of any LISTING directives in the library text.
- 6) The effect of processing a COPY statement is that the library text associated with text-name-1 or the value of literal-1 is copied into the compilation group, logically replacing the entire COPY statement beginning with the reserved word COPY and ending with the separator period, inclusive.
- 7) If the REPLACING phrase is not specified, the library text is included in the resultant text unchanged.
- 8) If the REPLACING phrase is specified, library text is modified during creation of the structured compilation group that is described in 7.2, Text manipulation. Each matched occurrence of pseudo-text-1, text-1, word-1, literal-3, or partial-word-1 in the library text is replaced by the corresponding pseudo-text-2, text-2, word-2, literal-4, or partial-word-2 in accordance with subsequent rules of the COPY statement.
- 9) For purposes of matching, text-1, word-1, and literal-3 are treated as pseudo-text containing only text-1, word-1, or literal-3, respectively.
- 10) The comparison operation to determine text replacement occurs in the following manner:
 - a) The leftmost library text-word that is not a separator comma or a separator semicolon is the first text-word used for comparison. Any text-word or space preceding this text-word is copied into the resultant text.

Starting with the first text-word for comparison and first pseudo-text-1, text-1, word-1, literal-3, or partial-word-1 that was specified in the REPLACING phrase, the entire REPLACING phrase operand that precedes the reserved word BY is compared to an equivalent number of contiguous library text-words.
 - b) Pseudo-text-1, text-1, word-1, or literal-3 match the library text only if the ordered sequence of text-words that forms pseudo-text-1, text-1, word-1, or literal-3 is equal, character for character, to the ordered sequence of library text-words. When the LEADING phrase is specified, partial-word-1 matches the library text only if the contiguous sequence of characters that forms partial-word-1 is equal, character for character, to an equal number of contiguous characters starting with the leftmost character position of a library text-word. When the TRAILING phrase is specified, partial-word-1 matches the library text only if the contiguous sequence of characters that forms partial-word-1 is equal, character for character, to an equal number of contiguous characters ending with the rightmost character position of a library text-word.
 - c) The following rules apply for the purpose of matching:
 1. Each occurrence of a separator comma, semicolon, or space in pseudo-text-1 or in the library text is considered to be a single space. Each sequence of one or more space separators is considered to

be a single space.

2. Each operand and operator of a concatenation expression is a separate text-word.

3. Except when used in the non-hexadecimal formats of alphanumeric and national literals, each alphanumeric character is equivalent to its corresponding national character and each lower case letter

is equivalent to its corresponding upper case letter, as specified for the COBOL character repertoire in the COBOL character repertoire.

4. For alphanumeric, boolean and national literals:

a. The two representations of the quotation symbol match when specified in the opening and closing delimiters of the literal.

NOTE The opening and closing delimiters are required to be in the same representation.

b. In the content of the literal, two contiguous occurrences of the character used as the quotation symbol in the opening delimiter are treated as a single occurrence of that character.

5. Each occurrence of a compiler directive line is treated as a single space.

6. Comments, if any, are treated as a single space.

NOTE Because comments are removed during logical conversion, none are expected.

d) If no match occurs, the comparison is repeated with each next successive pseudo-text-1, text-1, word-1, literal-3, or partial-word-1, if any, in the REPLACING phrase until either a match is found or there is no next successive REPLACING operand.

e) When all the REPLACING phrase operands have been compared and no match has occurred, the leftmost library text-word is copied into the resultant text. The next successive library text-word is then considered as the leftmost library text-word, and the comparison cycle starts again with the first pseudo-text-1, text-1, word-1, literal-3, or partial-word-1 specified in the REPLACING phrase.

f) When a match occurs between pseudo-text-1, text-1, word-1, or literal-3 and the library text, the corresponding pseudo-text-2, text-2, word-2, or literal-4 is placed into the resultant text. When a match occurs between partial-word-1 and the library text-word, the library text-word is placed into the resultant text with the matched characters either replaced by partial-word-2 or deleted when partial-word-2 consists of zero text-words. The library text-word immediately following the rightmost text-word that participated in the match is then considered as the leftmost text-word. The comparison cycle starts again with the first pseudo-text-1, text-1, word-1, literal-3, or partial-word-1 specified in the REPLACING phrase.

g) The comparison operation continues until the rightmost text-word in the library text has either participated in a match or been considered as a leftmost library text-word and participated in a complete comparison cycle.

11) If the REPLACING phrase is specified, the library text shall not contain a COPY statement.

12) The resultant text after replacement shall be in logical free-form reference format. When copying text-words into the resultant text, additional spaces may be introduced only between text-words where there already exists a space or where a space is assumed.

NOTE A space is assumed at the end of a source line.

13) If the REPLACING phrase is not specified, the library text may contain a COPY statement that does not include a REPLACING phrase. The implementation shall support nesting of at least 5 levels, including the first COPY statement in the sequence. The library text being copied shall not cause the processing of a COPY statement that directly or indirectly copies itself.

14) The replacing action of a COPY statement shall not introduce a COPY statement, a SOURCE FORMAT directive, a comment, or a blank line.

Well, that was well explained. You might want to read it again.

WARNING: Regardless of the above text, it does **not** mean that these procedures have been implemented into this program, or for that matter the GnuCOBOL compiler.

What it does show is that when processing literals or text that goes over one line that this program may well adopt the free source format for the COPY libraries that are called for inclusion in order to expand said literals correctly and this format may well be used in the listings in a similar manner to GnuCOBOL (see the .i file when produced by various GC parameters including '--save-temps' , -E etc).

See the other parts of this manual for what exactly, **is** implemented for any specific version of the program.

The REPLACE clause HAS now been implemented.

And now, the Copyright notices that apply to the documentation and the software.

Appendix C - GNU Free Documentation License

Version 1.3, 3 November 2008

Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or non-commercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in

an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or non-commercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent

steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- **A.** Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- **B.** List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- **C.** State on the Title page the name of the publisher of the Modified Version, as the publisher.
- **D.** Preserve all the copyright notices of the Document.
- **E.** Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- **F.** Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- **G.** Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- **H.** Include an unaltered copy of this License.
- **I.** Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- **J.** Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- **K.** For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- **L.** Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- **M.** Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- **N.** Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.

- **O.** Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed

on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sub-license, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sub-license, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RE-LICENSING

"Massive Multi-author Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multi-author Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San

Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for re-licensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for re-licensing.

Appendix D - GNU General Public License

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

“This License” refers to version 3 of the GNU General Public License.

“Copyright” also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

“The Program” refers to any copyrightable work licensed under this License. Each licensee is addressed as “you”. “Licensees” and “recipients” may be individuals or organizations.

To “modify” a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a “modified version” of the earlier work or a work “based on” the earlier work.

A “covered work” means either the unmodified Program or a work based on the Program.

To “propagate” a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To “convey” a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays “Appropriate Legal Notices” to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The “source code” for a work means the preferred form of the work for making modifications to it. “Object code” means any non-source form of a work.

A “Standard Interface” means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The “System Libraries” of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A “Major Component”, in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The “Corresponding Source” for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked sub-programs that the work is specifically designed to require, such as by intimate data communication or control flow between those sub-programs and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sub-licensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an “aggregate” if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and non-commercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A “User Product” is either (1) a “consumer product”, which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favour of coverage. For a particular product received by a particular user, “normally used” refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

“Installation Information” for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

“Additional permissions” are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensor's or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensor's and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensor's and authors.

All other non-permissive additional terms are considered “further restrictions” within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits re-licensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such re-licensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensor's, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counter-claim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A “contributor” is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's “contributor version”.

A contributor's “essential patent claims” are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that

would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, “control” includes the right to grant patent sub-licenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a “patent license” is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To “grant” such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either

- (1) cause the Corresponding Source to be so available, or
- (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or
- (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. “Knowingly relying” means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is “discriminatory” if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defences to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as

such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License “or any later version” applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.