



Appendix for WiFi 5.8GHz

Product Name: Chime Repeater
Model No: CH-C11E

WALTEK




Appendix A: Occupied Bandwidth

Test Result


TestMode	Antenn a	Frequency[MHz]	OCB[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdic t
11A	Ant1	5745	16.414	5736.790 2	5753.204 2	5725 to 5875	PASS
11A	Ant1	5785	16.412	5776.815 8	5793.227 8	5725 to 5875	PASS
11A	Ant1	5825	16.414	5816.814 2	5833.228 2	5725 to 5875	PASS
11N20SISO	Ant1	5745	17.587	5736.230 9	5753.817 9	5725 to 5875	PASS
11N20SISO	Ant1	5785	17.588	5776.228 3	5793.816 3	5725 to 5875	PASS
11N20SISO	Ant1	5825	17.595	5816.196 9	5833.791 9	5725 to 5875	PASS
11N40SISO	Ant1	5755	36.098	5736.965 3	5773.063 3	5725 to 5875	PASS
11N40SISO	Ant1	5795	36.091	5776.959 8	5813.050 8	5725 to 5875	PASS
11AC20SIS O	Ant1	5745	17.587	5736.224 2	5753.811 2	5725 to 5875	PASS
11AC20SIS O	Ant1	5785	17.587	5776.222 5	5793.809 5	5725 to 5875	PASS
11AC20SIS O	Ant1	5825	17.591	5816.222 7	5833.813 7	5725 to 5875	PASS
11AC40SIS O	Ant1	5755	36.085	5736.975 5	5773.060 5	5725 to 5875	PASS
11AC40SIS O	Ant1	5795	36.067	5776.985 8	5813.052 8	5725 to 5875	PASS
11AC80SIS O	Ant1	5775	75.377	5737.311 0	5812.688 0	5725 to 5875	PASS





Test Graphs













Appendix B: Effective Radiated Power

Test Result

TestCondition	Test Mode	Antenna	Frequency [MHz]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
NTNV	11A	Ant1	5745	12.60	13.98	PASS
NTNV	11A	Ant1	5785	13.51	13.98	PASS
NTNV	11A	Ant1	5825	13.65	13.98	PASS
NTNV	11N20SISO	Ant1	5745	11.64	13.98	PASS
NTNV	11N20SISO	Ant1	5785	12.44	13.98	PASS
NTNV	11N20SISO	Ant1	5825	11.32	13.98	PASS
NTNV	11N40SISO	Ant1	5755	10.54	13.98	PASS
NTNV	11N40SISO	Ant1	5795	12.12	13.98	PASS
NTNV	11AC20SISO	Ant1	5745	11.18	13.98	PASS
NTNV	11AC20SISO	Ant1	5785	11.90	13.98	PASS
NTNV	11AC20SISO	Ant1	5825	12.06	13.98	PASS
NTNV	11AC40SISO	Ant1	5755	11.83	13.98	PASS
NTNV	11AC40SISO	Ant1	5795	11.29	13.98	PASS
NTNV	11AC80SISO	Ant1	5775	11.89	13.98	PASS



Appendix C: Permitted range of operating frequencies

Test Result

TestCondition	TestMode	Antenna	Frequency[MHz]	FL [MHz]	FH[MHz]	Limit[MHz]	Verdict
LTHV	11A	Ant1	5745	5736.21	5753.79	5725 to 5850	PASS
LTHV	11A	Ant1	5785	5776.21	5793.84	5725 to 5850	PASS
LTHV	11A	Ant1	5825	5816.02	5834.02	5725 to 5850	PASS
LTLV	11A	Ant1	5745	5736.23	5753.79	5725 to 5850	PASS
LTLV	11A	Ant1	5785	5776.05	5793.82	5725 to 5850	PASS
LTLV	11A	Ant1	5825	5816.19	5833.95	5725 to 5850	PASS
NTNV	11A	Ant1	5745	5736.22	5753.81	5725 to 5850	PASS
NTNV	11A	Ant1	5785	5776.22	5793.89	5725 to 5850	PASS
NTNV	11A	Ant1	5825	5816.02	5834.00	5725 to 5850	PASS
HTHV	11A	Ant1	5745	5736.23	5753.78	5725 to 5850	PASS
HTHV	11A	Ant1	5785	5776.21	5793.88	5725 to 5850	PASS
HTHV	11A	Ant1	5825	5816.19	5834.02	5725 to 5850	PASS
HTLV	11A	Ant1	5745	5736.23	5753.79	5725 to 5850	PASS
HTLV	11A	Ant1	5785	5776.22	5793.87	5725 to 5850	PASS
HTLV	11A	Ant1	5825	5816.01	5833.96	5725 to 5850	PASS
LTHV	11N20SISO	Ant1	5745	5735.83	5754.20	5725 to 5850	PASS
LTHV	11N20SISO	Ant1	5785	5775.84	5794.17	5725 to 5850	PASS
LTHV	11N20SISO	Ant1	5825	5815.82	5834.16	5725 to 5850	PASS
LTLV	11N20SISO	Ant1	5745	5735.83	5754.20	5725 to	PASS



						5850	
LTLV	11N20SISO	Ant1	5785	5775.83	5794.17	5725 to 5850	PASS
LTLV	11N20SISO	Ant1	5825	5815.82	5834.16	5725 to 5850	PASS
NTNV	11N20SISO	Ant1	5745	5735.83	5754.20	5725 to 5850	PASS
NTNV	11N20SISO	Ant1	5785	5775.82	5794.17	5725 to 5850	PASS
NTNV	11N20SISO	Ant1	5825	5815.81	5834.16	5725 to 5850	PASS
HTHV	11N20SISO	Ant1	5745	5735.83	5754.20	5725 to 5850	PASS
HTHV	11N20SISO	Ant1	5785	5775.84	5794.16	5725 to 5850	PASS
HTHV	11N20SISO	Ant1	5825	5815.83	5834.17	5725 to 5850	PASS
HTLV	11N20SISO	Ant1	5745	5735.84	5754.19	5725 to 5850	PASS
HTLV	11N20SISO	Ant1	5785	5775.83	5794.16	5725 to 5850	PASS
HTLV	11N20SISO	Ant1	5825	5815.84	5834.16	5725 to 5850	PASS
LTHV	11N40SISO	Ant1	5755	5736.65	5773.36	5725 to 5850	PASS
LTHV	11N40SISO	Ant1	5795	5776.66	5813.36	5725 to 5850	PASS
LTLV	11N40SISO	Ant1	5755	5736.65	5773.36	5725 to 5850	PASS
LTLV	11N40SISO	Ant1	5795	5776.66	5813.53	5725 to 5850	PASS
NTNV	11N40SISO	Ant1	5755	5736.65	5773.37	5725 to 5850	PASS
NTNV	11N40SISO	Ant1	5795	5776.66	5813.52	5725 to 5850	PASS
HTHV	11N40SISO	Ant1	5755	5736.66	5773.37	5725 to 5850	PASS
HTHV	11N40SISO	Ant1	5795	5776.66	5813.37	5725 to 5850	PASS
HTLV	11N40SISO	Ant1	5755	5736.66	5773.36	5725 to 5850	PASS
HTLV	11N40SISO	Ant1	5795	5776.66	5813.52	5725 to 5850	PASS



LTHV	11AC20SISO	Ant1	5745	5735.84	5754.20	5725 to 5850	PASS
LTHV	11AC20SISO	Ant1	5785	5775.82	5794.20	5725 to 5850	PASS
LTHV	11AC20SISO	Ant1	5825	5815.84	5834.20	5725 to 5850	PASS
LTLV	11AC20SISO	Ant1	5745	5735.83	5754.20	5725 to 5850	PASS
LTLV	11AC20SISO	Ant1	5785	5775.84	5794.18	5725 to 5850	PASS
LTLV	11AC20SISO	Ant1	5825	5815.85	5834.20	5725 to 5850	PASS
NTNV	11AC20SISO	Ant1	5745	5735.84	5754.21	5725 to 5850	PASS
NTNV	11AC20SISO	Ant1	5785	5775.83	5794.18	5725 to 5850	PASS
NTNV	11AC20SISO	Ant1	5825	5815.84	5834.20	5725 to 5850	PASS
HTHV	11AC20SISO	Ant1	5745	5735.83	5754.20	5725 to 5850	PASS
HTHV	11AC20SISO	Ant1	5785	5775.83	5794.18	5725 to 5850	PASS
HTHV	11AC20SISO	Ant1	5825	5815.85	5834.20	5725 to 5850	PASS
HTLV	11AC20SISO	Ant1	5745	5735.83	5754.20	5725 to 5850	PASS
HTLV	11AC20SISO	Ant1	5785	5775.83	5794.20	5725 to 5850	PASS
HTLV	11AC20SISO	Ant1	5825	5815.83	5834.20	5725 to 5850	PASS
LTHV	11AC40SISO	Ant1	5755	5736.66	5773.38	5725 to 5850	PASS
LTHV	11AC40SISO	Ant1	5795	5776.45	5813.54	5725 to 5850	PASS
LTLV	11AC40SISO	Ant1	5755	5736.61	5773.38	5725 to 5850	PASS
LTLV	11AC40SISO	Ant1	5795	5776.44	5813.56	5725 to 5850	PASS
NTNV	11AC40SISO	Ant1	5755	5736.66	5773.38	5725 to 5850	PASS
NTNV	11AC40SISO	Ant1	5795	5776.46	5813.53	5725 to 5850	PASS
HTHV	11AC40SISO	Ant1	5755	5736.58	5773.38	5725 to	PASS



						5850	
HTHV	11AC40SISO	Ant1	5795	5776.45	5813.52	5725 to 5850	PASS
HTLV	11AC40SISO	Ant1	5755	5736.51	5773.37	5725 to 5850	PASS
HTLV	11AC40SISO	Ant1	5795	5776.46	5813.52	5725 to 5850	PASS
LTHV	11AC80SISO	Ant1	5775	5736.68	5813.32	5725 to 5850	PASS
LTLV	11AC80SISO	Ant1	5775	5736.68	5813.30	5725 to 5850	PASS
NTNV	11AC80SISO	Ant1	5775	5736.68	5813.32	5725 to 5850	PASS
HTHV	11AC80SISO	Ant1	5775	5736.68	5813.32	5725 to 5850	PASS
HTLV	11AC80SISO	Ant1	5775	5736.68	5813.32	5725 to 5850	PASS

WALTEK





Test Graphs





























































Appendix D: Unwanted emissions in the spurious domain

Test Result-Pre-scan

TestMode	Antenna	Frequency[MHz]	Freq. [MHz]	Level[dBm]	Limit[dBm]	Verdict
11A	Ant1	5745	39.67	-77.86	-36	PASS
11A	Ant1	5745	51.35	-78.35	-54	PASS
11A	Ant1	5745	84.18	-78.66	-36	PASS
11A	Ant1	5745	97.61	-78.37	-54	PASS
11A	Ant1	5745	162.45	-78.59	-36	PASS
11A	Ant1	5745	185.03	-77.95	-54	PASS
11A	Ant1	5745	392	-77.68	-36	PASS
11A	Ant1	5745	804.77	-77.62	-54	PASS
11A	Ant1	5745	882.56	-76.65	-36	PASS
11A	Ant1	5745	5795.06	-47.65	-30	PASS
11A	Ant1	5745	24716.42	-51.98	-30	PASS
11A	Ant1	5785	29.91	-78.19	-36	PASS
11A	Ant1	5785	55.83	-78.3	-54	PASS
11A	Ant1	5785	86.89	-77.96	-36	PASS
11A	Ant1	5785	96.56	-78.02	-54	PASS
11A	Ant1	5785	149.51	-78.14	-36	PASS
11A	Ant1	5785	179.38	-77.77	-54	PASS
11A	Ant1	5785	330.08	-77.56	-36	PASS
11A	Ant1	5785	829.46	-65.69	-54	PASS
11A	Ant1	5785	894.02	-76.96	-36	PASS
11A	Ant1	5785	5837.96	-45.42	-30	PASS
11A	Ant1	5785	24835.43	-51.18	-30	PASS
11A	Ant1	5825	43.15	-78.53	-36	PASS
11A	Ant1	5825	73.73	-78.09	-54	PASS
11A	Ant1	5825	75.76	-76.96	-36	PASS
11A	Ant1	5825	102.01	-78.11	-54	PASS
11A	Ant1	5825	123.64	-77.71	-36	PASS
11A	Ant1	5825	186.82	-77.73	-54	PASS
11A	Ant1	5825	252.56	-78.04	-36	PASS
11A	Ant1	5825	826.33	-61.52	-54	PASS
11A	Ant1	5825	883.8	-77.4	-36	PASS
11A	Ant1	5825	5876.83	-47.83	-30	PASS
11A	Ant1	5825	24592.42	-51.02	-30	PASS
11N20SISO	Ant1	5745	40.66	-78.24	-36	PASS
11N20SISO	Ant1	5745	60.69	-78.18	-54	PASS



11N20SISO	Ant1	5745	83.32	-78.03	-36	PASS
11N20SISO	Ant1	5745	100.29	-77.6	-54	PASS
11N20SISO	Ant1	5745	165.68	-77.31	-36	PASS
11N20SISO	Ant1	5745	198.19	-77.59	-54	PASS
11N20SISO	Ant1	5745	339.68	-78.24	-36	PASS
11N20SISO	Ant1	5745	824.76	-68.71	-54	PASS
11N20SISO	Ant1	5745	973.09	-77.38	-36	PASS
11N20SISO	Ant1	5745	5668.19	-50.93	-30	PASS
11N20SISO	Ant1	5745	25022.43	-50.38	-30	PASS
11N20SISO	Ant1	5785	32.02	-76.81	-36	PASS
11N20SISO	Ant1	5785	60.31	-78.16	-54	PASS
11N20SISO	Ant1	5785	82.61	-77.82	-36	PASS
11N20SISO	Ant1	5785	90.7	-78.18	-54	PASS
11N20SISO	Ant1	5785	159.94	-77.65	-36	PASS
11N20SISO	Ant1	5785	184.81	-78.1	-54	PASS
11N20SISO	Ant1	5785	372.8	-77.65	-36	PASS
11N20SISO	Ant1	5785	777.72	-78.08	-54	PASS
11N20SISO	Ant1	5785	917.2	-77.88	-36	PASS
11N20SISO	Ant1	5785	5707.06	-49.72	-30	PASS
11N20SISO	Ant1	5785	24869.43	-51.36	-30	PASS
11N20SISO	Ant1	5825	33.27	-76.96	-36	PASS
11N20SISO	Ant1	5825	70.22	-78.11	-54	PASS
11N20SISO	Ant1	5825	80.84	-78.3	-36	PASS
11N20SISO	Ant1	5825	102.2	-77.29	-54	PASS
11N20SISO	Ant1	5825	156.25	-77.91	-36	PASS
11N20SISO	Ant1	5825	180.05	-77.55	-54	PASS
11N20SISO	Ant1	5825	368.24	-78.04	-36	PASS
11N20SISO	Ant1	5825	827.5	-65.2	-54	PASS
11N20SISO	Ant1	5825	909.33	-77.5	-36	PASS
11N20SISO	Ant1	5825	5765.73	-50.33	-30	PASS
11N20SISO	Ant1	5825	24289.91	-51.89	-30	PASS
11N40SISO	Ant1	5755	27.29	-75.89	-36	PASS
11N40SISO	Ant1	5755	69.09	-77.44	-54	PASS
11N40SISO	Ant1	5755	79.98	-78.17	-36	PASS
11N40SISO	Ant1	5755	91.56	-77.64	-54	PASS
11N40SISO	Ant1	5755	144.04	-76.61	-36	PASS
11N40SISO	Ant1	5755	229.66	-78	-54	PASS
11N40SISO	Ant1	5755	359.36	-77.77	-36	PASS
11N40SISO	Ant1	5755	743.22	-78.08	-54	PASS
11N40SISO	Ant1	5755	905.61	-77.54	-36	PASS
11N40SISO	Ant1	5755	5635.55	-50.16	-30	PASS
11N40SISO	Ant1	5755	24326.91	-51.46	-30	PASS




11N40SISO	Ant1	5795	32	-76.67	-36	PASS
11N40SISO	Ant1	5795	69.41	-77.48	-54	PASS
11N40SISO	Ant1	5795	78.87	-77.64	-36	PASS
11N40SISO	Ant1	5795	105.09	-78.36	-54	PASS
11N40SISO	Ant1	5795	120.01	-76.21	-36	PASS
11N40SISO	Ant1	5795	195.22	-77.6	-54	PASS
11N40SISO	Ant1	5795	260.72	-77.19	-36	PASS
11N40SISO	Ant1	5795	856.9	-77.34	-54	PASS
11N40SISO	Ant1	5795	890.84	-77.46	-36	PASS
11N40SISO	Ant1	5795	6030.83	-51.27	-30	PASS
11N40SISO	Ant1	5795	25028.43	-51.58	-30	PASS
11AC20SISO	Ant1	5745	33.07	-76.64	-36	PASS
11AC20SISO	Ant1	5745	69.01	-77.41	-54	PASS
11AC20SISO	Ant1	5745	85.68	-78.38	-36	PASS
11AC20SISO	Ant1	5745	101.54	-78.45	-54	PASS
11AC20SISO	Ant1	5745	143.97	-76.78	-36	PASS
11AC20SISO	Ant1	5745	202.62	-77.43	-54	PASS
11AC20SISO	Ant1	5745	391.76	-77.76	-36	PASS
11AC20SISO	Ant1	5745	805.16	-77.78	-54	PASS
11AC20SISO	Ant1	5745	910.71	-77.71	-36	PASS
11AC20SISO	Ant1	5745	5826.23	-50.45	-30	PASS
11AC20SISO	Ant1	5745	24581.92	-51.09	-30	PASS
11AC20SISO	Ant1	5785	33.23	-77.54	-36	PASS
11AC20SISO	Ant1	5785	60.45	-78.27	-54	PASS
11AC20SISO	Ant1	5785	75.92	-78.29	-36	PASS
11AC20SISO	Ant1	5785	100.03	-78.72	-54	PASS
11AC20SISO	Ant1	5785	143.97	-76.73	-36	PASS
11AC20SISO	Ant1	5785	187.83	-76.95	-54	PASS
11AC20SISO	Ant1	5785	234.56	-77.28	-36	PASS
11AC20SISO	Ant1	5785	831.82	-65.74	-54	PASS
11AC20SISO	Ant1	5785	928.24	-76.34	-36	PASS
11AC20SISO	Ant1	5785	5722.46	-50.34	-30	PASS
11AC20SISO	Ant1	5785	25001.93	-51.3	-30	PASS
11AC20SISO	Ant1	5825	27.73	-78.15	-36	PASS
11AC20SISO	Ant1	5825	50.08	-77.85	-54	PASS
11AC20SISO	Ant1	5825	81.64	-78.59	-36	PASS
11AC20SISO	Ant1	5825	97.26	-77.53	-54	PASS
11AC20SISO	Ant1	5825	144.17	-78.22	-36	PASS
11AC20SISO	Ant1	5825	196.51	-77.27	-54	PASS
11AC20SISO	Ant1	5825	430.64	-77.86	-36	PASS
11AC20SISO	Ant1	5825	845.54	-77.74	-54	PASS
11AC20SISO	Ant1	5825	869.45	-77.95	-36	PASS





11AC20SISO	Ant1	5825	5765.73	-50.58	-30	PASS
11AC20SISO	Ant1	5825	24625.92	-51.12	-30	PASS
11AC40SISO	Ant1	5755	27.38	-77.47	-36	PASS
11AC40SISO	Ant1	5755	56.72	-78.18	-54	PASS
11AC40SISO	Ant1	5755	75.85	-78.43	-36	PASS
11AC40SISO	Ant1	5755	106.93	-78.13	-54	PASS
11AC40SISO	Ant1	5755	131.03	-77.97	-36	PASS
11AC40SISO	Ant1	5755	187.27	-77.82	-54	PASS
11AC40SISO	Ant1	5755	320	-77.33	-36	PASS
11AC40SISO	Ant1	5755	771.06	-77.56	-54	PASS
11AC40SISO	Ant1	5755	984.41	-77.94	-36	PASS
11AC40SISO	Ant1	5755	5643.62	-51.32	-30	PASS
11AC40SISO	Ant1	5755	25008.93	-52.22	-30	PASS
11AC40SISO	Ant1	5795	45.24	-78.25	-36	PASS
11AC40SISO	Ant1	5795	60.53	-77.61	-54	PASS
11AC40SISO	Ant1	5795	76.82	-78.17	-36	PASS
11AC40SISO	Ant1	5795	102.53	-78.58	-54	PASS
11AC40SISO	Ant1	5795	160.01	-77.99	-36	PASS
11AC40SISO	Ant1	5795	219.98	-78.09	-54	PASS
11AC40SISO	Ant1	5795	320	-77.6	-36	PASS
11AC40SISO	Ant1	5795	774.19	-76.63	-54	PASS
11AC40SISO	Ant1	5795	866.97	-77.92	-36	PASS
11AC40SISO	Ant1	5795	5689.46	-50.12	-30	PASS
11AC40SISO	Ant1	5795	24524.92	-51.2	-30	PASS
11AC80SISO	Ant1	5775	32.37	-77.75	-36	PASS
11AC80SISO	Ant1	5775	59.99	-76.49	-54	PASS
11AC80SISO	Ant1	5775	75.69	-75.26	-36	PASS
11AC80SISO	Ant1	5775	104.84	-77.37	-54	PASS
11AC80SISO	Ant1	5775	144.04	-71.1	-36	PASS
11AC80SISO	Ant1	5775	228.04	-71.24	-54	PASS
11AC80SISO	Ant1	5775	251.84	-75.79	-36	PASS
11AC80SISO	Ant1	5775	836.52	-77.35	-54	PASS
11AC80SISO	Ant1	5775	865.86	-77.7	-36	PASS
11AC80SISO	Ant1	5775	5987.93	-51.35	-30	PASS
11AC80SISO	Ant1	5775	24857.93	-50.34	-30	PASS





Test Graphs-Pre-scan



















Appendix E: Receiver spurious emissions

Test Result-Pre-scan

TestMode	Antenna	Frequency [MHz]	Freq. [MHz]	Level[dBm]	Limit[dBm]	Verdict
11A	Ant1	5745	32.31	-71.6	-57.00	PASS
11A	Ant1	5745	25069	-51.24	-47.00	PASS
11A	Ant1	5785	32.8	-74.32	-57.00	PASS
11A	Ant1	5785	25102.8	-51.59	-47.00	PASS
11A	Ant1	5825	33.09	-74.18	-57.00	PASS
11A	Ant1	5825	25400.08	-51.67	-47.00	PASS
11N20SISO	Ant1	5745	761.39	-77.14	-57.00	PASS
11N20SISO	Ant1	5745	24857.53	-51.54	-47.00	PASS
11N20SISO	Ant1	5785	160.05	-75.9	-57.00	PASS
11N20SISO	Ant1	5785	24769.99	-51.38	-47.00	PASS
11N20SISO	Ant1	5825	319.97	-75.85	-57.00	PASS
11N20SISO	Ant1	5825	24966.73	-51.19	-47.00	PASS
11N40SISO	Ant1	5755	160.05	-76.95	-57.00	PASS
11N40SISO	Ant1	5795	160.05	-76.61	-57.00	PASS
11N40SISO	Ant1	5795	24552.45	-50.6	-47.00	PASS
11AC20SIS O	Ant1	5745	320.06	-77.54	-57.00	PASS
11AC20SIS O	Ant1	5745	25049.93	-51.59	-47.00	PASS
11AC20SIS O	Ant1	5785	319.97	-77.44	-57.00	PASS
11AC20SIS O	Ant1	5785	24768.26	-51.29	-47.00	PASS
11AC20SIS O	Ant1	5825	160.05	-75.17	-57.00	PASS
11AC20SIS O	Ant1	5825	24778.66	-51.34	-47.00	PASS
11AC40SIS O	Ant1	5755	159.95	-76.93	-57.00	PASS
11AC40SIS O	Ant1	5755	24840.19	-51.22	-47.00	PASS
11AC40SIS O	Ant1	5795	739.75	-77.41	-57.00	PASS
11AC40SIS O	Ant1	5795	25756.29	-52.14	-47.00	PASS
11AC80SIS	Ant1	5775	743.35	-77.31	-57.00	PASS



O						
11AC80SIS O	Ant1	5775	24942.46	-51.31	-47.00	PASS

WALTEK



Test Graphs-Pre-scan

